

EFS Catalogu€ 2007







## **EFS Table of Contents**

Chrysler ~ Jeep
Wrangler 03
Grand Cherokee
Cherokee (excl Grand) 04
Diahatsu
Rocky 05
Ford
Courier 2wd 08
Courier 4wd 10
F250 12
Maverick Cab Chassis
Maverick LWB
Raider
Holden
Drover
Jackaroo LWB
Jackaroo SWB
Rodeo
Honda
CR-V 41
Hyundai
Terracan 41
LandRover
County 41
Defender 43
Discovery45
Range Rover 46
Mazda
Bravo 47
Mitsubishi
Challenger 51
Pajero LWB
Pajero SWB
Triton 2wd 62
Triton Awd 54
Triton 4wd
Triton 4wd

Nis	san (continued)	
P	Patrol GQ Cab Chassis	. 71
P	Patrol GQ LWB	78
P	Patrol GQ SWB	83
P	Patrol GU Cab Chassis	85
P	Patrol GU LWB	92
	Patrol MK LWB	
	Patrol MK SWB	
	Patrol MQ LWB	
P	Patrol MQ SWB	100
X	( - Trail	101
Ssa	angyong	
٨	Musso	101
Suz	zuki	
(	Grand Vitara	101
	iierra	
\	/itara	103
Τον	yota	
	Runner Diesel	105
	Runner Petrol	
	Runner IFS	
H	liLux 2wd	114
H	liLux 4wd Diesel	115
H	HiLux 4wd Petrol	<b>12</b> 3
H	HiLux 4wd Vigo	130
H	HiLux IFS	132
L	andCruiser FJ40, BJ40	135
	andCruiser FJ45, HJ45	
	andCruiser FJ47, HJ47	
	andCruiser FJ60 / 61 / 62, HJ60 / 61 / 62	
	andCruiser FJ75, HJ75	
	andCruiser FZJ75, HZJ75	
_	andCruiser FZJ105 HZJ105	. •
	andCruiser HZJ78	
	andCruiser HZJ79	
	andCruiser HZJ80, FZJ80	
	andCruiser IFS HZJ100, FZJ100	
	andCruiser Prado	
	Rav 4	
	urf	
ς	Surf IFS	183

### **CHRYSLER - JEEP**

Rear

Shock Absorbers

36-3205

TJ WRANGLER 2.5L & 4.0L						
40mm Lift						
SUSPENSION	PART TYPE	PART	QTY	NOTES		
Front	Coil Springs	JEEP-101E	1 PR	Up to 45kg Load Bearing Accessories - 155 lbs/inch		
Front	Shock Absorbers	36-3204	2	EFS ELITE - Available approx May 2007		
Rear	Coil Springs	JEEP-104E	1 PR	Load - Constant 100kg to GVM - 180 lbs/inch		
Rear	Polyair	15692	1			
Rear	Shock Absorbers	36-3293	2	EFS ELITE - Available approx May 2007		
Std - 30mm Lift						
SUSPENSION	PART TYPE	PART	QTY	NOTES		
Front	Shock Absorbers	36-3204	2	EFS ELITE - Available approx May 2007		
Rear	Shock Absorbers	36-3293	2	EFS ELITE - Available approx May 2007		
WJ & WG GRAN	ND CHEROKEE 2.7L	T <b>D</b>				
40mm Lift						
SUSPENSION	PART TYPE	PART	QTY	NOTES		
Front	Coil Springs	JEEP-102CE	1 PR	Up to 50kg load bearing accessories - 190 lbs/inch		
Front	Coil Springs	JEEP-102E	1 PR	55kg to 90kg load bearing accessories, 220 lbs/inch		
Front	Shock Absorbers	36-3204	2	EFS ELITE - Available approx May 2007		
	0007.120020.0	00 0204	2	EFS ELITE - Available approx ividy 2007		
Rear	Coil Springs	JEEP-106E	1 PR	Load - Constant 100kg to GVM, 230 lbs/inch		
Rear Rear				<u>``</u>		
	Coil Springs	JEEP-106E	1 PR	<u>``</u>		
Rear	Coil Springs Polyair	JEEP-106E 11691	1 PR 1	Load - Constant 100kg to GVM, 230 lbs/inch		
Rear Rear	Coil Springs Polyair	JEEP-106E 11691	1 PR 1	Load - Constant 100kg to GVM, 230 lbs/inch		

File created on 22.03.2007 Page 3 of 183

2

EFS ELITE - Available approx May 2007

Std - 30mm Lift SUSPENSION

PART TYPE

**PART** 

#### W.I. & WG GRAND CHEROKEE 4.7L V8 & 4.0L

T 10.				
mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	JEEP-102CE	1 PR	Up to 50 kg load bearing accessories - 190 lbs/inch
Front	Coil Springs	JEEP-102E	1 PR	55kg to 90kg load bearing accessories, 220 lbs/inch
Front	Shock Absorbers	36-3204	2	EFS ELITE - Available approx May 2007
Rear	Coil Springs	JEEP-106E	1 PR	Load - Constant 100kg to GVM, 230 lbs/inch
Rear	Polyair	11691	1	
Rear	Shock Absorbers	36-3293	2	EFS ELITE - Available approx May 2007
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-3204	2	EFS ELITE - Available approx May 2007
CHEROKEE -	Shock Absorbers  excl Grand	36-3293	2	EFS ELITE - Available approx May 2007
		36-3293 PART		NOTES
CHEROKEE - mm Lift	excl Grand		QTY 1 PR	
CHEROKEE - mm Lift SUSPENSION	excl Grand PART TYPE	PART	QTY	NOTES
CHEROKEE - mm Lift SUSPENSION Front	excl Grand  PART TYPE  Coil Springs	PART JEEP-100E	QTY 1 PR	NOTES Up to 45kg Load Bearing Accessories, 210 lbs/inch
CHEROKEE - mm Lift SUSPENSION Front Front	PART TYPE Coil Springs Coil Springs	PART JEEP-100E JEEP-100HDE	QTY 1 PR 1 PR	NOTES  Up to 45kg Load Bearing Accessories, 210 lbs/inch 50 to 100 kg of Load Bearing Accessories, 250 lbs/inch
CHEROKEE - mm Lift SUSPENSION Front Front Front	PART TYPE Coil Springs Coil Springs Shock Absorbers	PART  JEEP-100E  JEEP-100HDE  36-3237S	<b>QTY</b> 1 PR 1 PR 2	NOTES  Up to 45kg Load Bearing Accessories, 210 lbs/inch 50 to 100 kg of Load Bearing Accessories, 250 lbs/inch EFS ELITE
CHEROKEE - mm Lift SUSPENSION Front Front Front Rear	PART TYPE Coil Springs Coil Springs Shock Absorbers Bush Kit	PART  JEEP-100E  JEEP-100HDE  36-3237S  UK761	QTY 1 PR 1 PR 2	NOTES  Up to 45kg Load Bearing Accessories, 210 lbs/inch 50 to 100 kg of Load Bearing Accessories, 250 lbs/inch EFS ELITE Suits 63.5mm wide spring
CHEROKEE - mm Lift SUSPENSION Front Front Front Rear Rear	excl Grand  PART TYPE  Coil Springs  Coil Springs  Shock Absorbers  Bush Kit  Gearbox Spacer	PART  JEEP-100E  JEEP-100HDE  36-3237S  UK761  10-1006	QTY 1 PR 1 PR 2 1	NOTES  Up to 45kg Load Bearing Accessories, 210 lbs/inch 50 to 100 kg of Load Bearing Accessories, 250 lbs/inch EFS ELITE Suits 63.5mm wide spring 25mm Gear Box Spacer kit
CHEROKEE - mm Lift SUSPENSION Front Front Front Rear Rear Rear	excl Grand  PART TYPE  Coil Springs  Coil Springs  Shock Absorbers  Bush Kit  Gearbox Spacer  Leaf Springs	PART  JEEP-100E  JEEP-100HDE  36-3237S  UK761  10-1006  JEEP-02E	QTY 1 PR 1 PR 2 1	NOTES  Up to 45kg Load Bearing Accessories, 210 lbs/inch 50 to 100 kg of Load Bearing Accessories, 250 lbs/inch EFS ELITE Suits 63.5mm wide spring 25mm Gear Box Spacer kit Load - Constant 150 kg to GVM - 63.5mm Wide.
CHEROKEE - mm Lift SUSPENSION Front Front Front Rear Rear Rear Rear	excl Grand  PART TYPE  Coil Springs  Coil Springs  Shock Absorbers  Bush Kit  Gearbox Spacer  Leaf Springs  Leaf Springs	PART  JEEP-100E  JEEP-100HDE  36-3237S  UK761  10-1006  JEEP-02E  JEEP-03E	QTY 1 PR 1 PR 2 1 1 2 2	NOTES  Up to 45kg Load Bearing Accessories, 210 lbs/inch 50 to 100 kg of Load Bearing Accessories, 250 lbs/inch EFS ELITE Suits 63.5mm wide spring 25mm Gear Box Spacer kit Load - Constant 150 kg to GVM - 63.5mm Wide.
CHEROKEE - mm Lift SUSPENSION Front Front Front Rear Rear Rear Rear Rear Rear	excl Grand  PART TYPE  Coil Springs  Coil Springs  Shock Absorbers  Bush Kit  Gearbox Spacer  Leaf Springs  Leaf Springs  Polyair	PART  JEEP-100E  JEEP-100HDE  36-3237S  UK761  10-1006  JEEP-02E  JEEP-03E  34007	QTY  1 PR  1 PR  2  1  1  2  2  1	NOTES  Up to 45kg Load Bearing Accessories, 210 lbs/inch 50 to 100 kg of Load Bearing Accessories, 250 lbs/inch EFS ELITE Suits 63.5mm wide spring 25mm Gear Box Spacer kit Load - Constant 150 kg to GVM - 63.5mm Wide. Load - Constant 300 kg to GVM. 63.5mm Wide.

# Front Shock Absorbers 36-3237S 2 EFS ELITE - 36mm Rear Shock Absorbers 36-3236S 2 EFS ELITE - 36mm

**NOTES** 

QTY

File created on 22.03.2007 Page 4 of 183

### **CHRYSLER - JEEP**

#### ZJ & ZG GRAND CHEROKEE 3.1L & 4.OL

40mm	T	<b>:</b> f	4
40111111	L	411	ι

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	JEEP-100E	1 PR	Up to 45kg Load Bearing Accessories, 210 lbs/inch
Front	Coil Springs	JEEP-100HDE	1 PR	40mm Lift with 45 to 65 kg of Load Bearing Accessories, 250 lbs/inch
Front	Shock Absorbers	36-3204	2	EFS ELITE - Available approx May 2007
Rear	Coil Springs	JEEP-103E	1 PR	Load - Constant 100kg to GVM - 170 lbs/inch
Rear	Polyair	11691	1	
Rear	Shock Absorbers	36-3205	2	EFS ELITE - Available approx May 2007
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	OTY	NOTES

EFS ELITE - Available approx May 2007

EFS ELITE - Available approx May 2007

2

2

### **DIAHATSU**

Front

Rear

#### ROCKY - Hard Top - F70, F75, F80RV - 1984 to 8/1993.

Shock Absorbers

Shock Absorbers

36-3204

36-3205

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK711	1	
Front	Leaf Springs	DAI-03	2	Up to 45kg Load Bearing accessories.
Front	Shock Absorbers	GP2639A	2	EFS Enforcer
Front	Ubolts	C658	1	RHS - Outer Ubolt
Front	Ubolts	C658	2	LHS
Front	Ubolts	C659	1	RHS - Inner Ubolt
Rear	Bush Kit	UK710	1	
Rear	Leaf Springs	DAI-04	2	Constant 100 kg to GVM
Rear	Shock Absorbers	GP2639A	2	EFS Enforcer
Rear	Ubolts	C658	4	

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	GP2639A	2	EFS Enforcer
Rear	Shock Absorbers	GP2639A	2	EFS Enforcer

File created on 22.03.2007 Page 5 of 183

#### **DIAHATSU**

#### ROCKY - Tray back - F25P, F55P, F65 50mm Lift SUSPENSION PART TYPE **PART QTY** NOTES Front Bush Kit UK711 1 2 Up to 45kg Load Bearing accessories. Front Leaf Springs DAI-05 Front **Shock Absorbers** GP2635 2 **EFS Enforcer** Front Ubolts C658 RHS - Outer Ubolt 1 Front Ubolts C658 2 LHS Front Ubolts C659 1 RHS - Inner Ubolt Rear Bush Kit UK707 1 2 Constant 100 kg to GVM Rear Leaf Springs DAI-06 Rear Ubolts C658 4 Std - 30mm Lift SUSPENSION PART TYPE **PART QTY** NOTES **Shock Absorbers** GP2635 2 **EFS Enforcer** Front ROCKY - Tray back - F77P, F77R. 50mm Lift **SUSPENSION** QTY **PART TYPE PART NOTES** Front Bush Kit UK711 1 Front Leaf Springs DAI-03 2 Up to 45kg Load Bearing accessories. GP2639A 2 Front **Shock Absorbers EFS Enforcer** RHS - Outer Ubolt Front Ubolts C658 1 Front Ubolts C658 2 LHS Front Ubolts C659 1 RHS - Inner Ubolt Rear Bush Kit UK707 1 2 Constant 100 kg to GVM Rear Leaf Springs DAI-06 Rear Ubolts C453-1 4 Std - 30mm Lift QTY **NOTES SUSPENSION PART TYPE PART** 2 Front **Shock Absorbers** GP2639A **EFS Enforcer**

File created on 22.03.2007 Page 6 of 183

#### **ROCKY FEROZA F300 - 1988 to 1992.**

40	•	• 64
40mm		.1 <b>†</b> †

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Bush Kit	UK710	1	
Rear	Leaf Springs	DAI-04	2	Constant 100 kg to GVM
Rear	Shock Absorbers	GP2639A	2	EFS Enforcer
Rear	Ubolts	C658	4	

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	GP2639A	2	EFS Enforcer

#### ROCKY FEROZA F310 Wide Track - 1992 to 5/1998.

#### 40mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Bush Kit	UK864	1	
Rear	Leaf Springs	DAI-09	2	Constant 100 kg to GVM
Rear	Shock Absorbers	GP2077	2	For standard height suspension only. EFS Enforcer
Rear	Shock Absorbers	GP2080	2	EFS Enforcer
Rear	Ubolts	C658	4	

File created on 22.03.2007 Page 7 of 183

#### ROCKY FEROZA F310 Wide Track - 1992 to 5/1998.

Std -	<b>30mm</b>	Lift
-------	-------------	------

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	GP2077	2	For standard height suspension only. EFS Enforcer
Rear	Shock Absorbers	GP2080	2	EFS Enforcer

### **FORD**

#### **COURIER 2WD 1987-2/1999.**

#### 35mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5578	2	EFS ELITE - Firm valve - Recommended with aftermarket torsion bar.
Front	Shock Absorbers	36-5578S	2	EFS Elite - Comfort - Recommended with OEM torsion bar.
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1546A	1 PR	27mm OD - 927mm LONG - Check Torsion Bar dimensions before ordering
Rear	Bush Kit	UK756	1	
Rear	Leaf Springs	MAZD-02	2	Constant 200 kg to GVM
Rear	Polyair	75598	1	To suit standard height vehicles only.
Rear	Shock Absorbers	36-5522	2	EFS ELITE - Comfort
Rear	Shock Absorbers	36-5522S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER
Rear	Swing Shackles	GR386-1	2	
Rear	Ubolts	C453-1	4	

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5578	2	EFS ELITE
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5522	2	EFS ELITE
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER

File created on 22.03.2007 Page 8 of 183

#### **COURIER 2WD 3/1999 - 2005.**

3 =	T	• 64
35mm		111
	т.	/II L

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1003	1	Mandatory with Aftermarket shocks-Provides support to shock tower.
Front	Shock Absorbers	36-5577	2	EFS ELITE - Firm
Front	Shock Absorbers	GP2667	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Bush Kit	UK756	1	
Rear	Leaf Springs	MAZD-02	2	Constant 200 kg to GVM
Rear	Polyair	75598	1	To suit standard height vehicles only.
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS ELITE - Firm
Rear	Shock Absorbers	GP2636	2	EFS ENFORCER -Firm
Rear	Shock Absorbers	GP2650A	2	EFS Enforcer - Comfort
Rear	Swing Shackles	GR386-1	2	Both sides must be replaced - Aftermarket shackle longer than OEM unit.
Rear	Ubolts	See Notes	4	12mm x 83mm x 190mm Rnd top
Rear	Wedges	WEDGE-00	2	60x120 at 1 Degree

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1003	1	Mandatory with Aftermarket shocks-Provides support to shock tower.
Front	Shock Absorbers	36-5577	2	EFS ELITE
Front	Shock Absorbers	GP2667	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS ELITE - Firm
Rear	Shock Absorbers	GP2636	2	EFS ENFORCER - Firm
Rear	Shock Absorbers	GP2650A	2	EFS Enforcer - Comfort

File created on 22.03.2007 Page 9 of 183

#### **COURIER 4WD 1987-2/1999**

35mm	Lift
------	------

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5578	2	EFS ELITE - Firm
Front	Shock Absorbers	36-5578S	1 PR	EFS ELITE - Comfort
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1546A	1 PR	27mm OD - 927mm LONG
Rear	Bush Kit	UK756	1	
Rear	Leaf Springs	MAZD-01E	2	Constant 200 kg to GVM
Rear	Leaf Springs	MAZD-03E	2	Constant 400kg to GVM.
Rear	Polyair	75598	1	To suit standard height vehicles only.
Rear	Shock Absorbers	36-5522	2	EFS ELITE - Comfort
Rear	Shock Absorbers	36-5522S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER
Rear	Swing Shackles	GR386-1	2	
Rear	Ubolts	C453-1	4	

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5578	2	EFS ELITE
Front	Shock Absorbers	36-5578S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5522	2	EFS ELITE
Rear	Shock Absorbers	36-5522S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER

File created on 22.03.2007 Page 10 of 183

Rear

Shock Absorbers

GP2081A

#### **COURIER 4WD 3/1999 - 2006**

35mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1003	1	Mandatory with Aftermarket shocks-Provides support to shock tower.
Front	Shock Absorbers	36-5578	2	EFS ELITE - Firm
Front	Shock Absorbers	36-5578S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1546A	1 PR	27mm OD - 927mm LONG
Rear	Bush Kit	UK756	1	
Rear	Leaf Springs	MAZD-01E	2	Constant 200 kg to GVM
Rear	Leaf Springs	MAZD-03E	2	Constant 400kg to GVM.
Rear	Polyair	75598	1	To suit standard height vehicles only.
Rear	Shock Absorbers	36-5522	2	EFS ELITE - Comfort
Rear	Shock Absorbers	36-5522S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER
Rear	Swing Shackles	GR386-1	2	
Rear	Ubolts	C453-1	4	
Rear	Wedges	WEDGE-00	2	60x120 at 1 Degree
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1003	1	Mandatory with Aftermarket shocks-Provides support to shock tower
Front	Shock Absorbers	36-5578	2	EFS ELITE
Front	Shock Absorbers	36-5578S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5522	2	EFS ELITE
Rear	Shock Absorbers	36-5522S	2	EFS Elite - Firm

File created on 22.03.2007

EFS ENFORCER

#### F250 2WD & 4WD 2000 on 6 Cyl

10	T	: C4
40mm	L	лπ

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	3194	4	Silent Block Bush - Shackle Pin - upper and lower
Front	Bush Kit	3195	2	Silent Block Bush - Fixed Pin
Front	Leaf Springs	FORD-29E	2	Up to 90 kg Load Bearing Accessories - Bushes supplied with spring. 90 to 150kg load bearing will result in 25-30mm lift.
Front	Shock Absorbers	36-5600	2	EFS ELITE
Front	Ubolts	C471	4	
Rear	Bush Kit	3194	4	Silent Block Bush - Shackle Pin - upper and lower
Rear	Bush Kit	3195	2	Silent Block Bush - Fixed Pin
Rear	Shock Absorbers	36-5603	2	EFS ELITE - Suits dual and quad shock rear suspensions.
Rear	Ubolts	C472	4	

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1014	1	Bushes installed.
Front	Bush Kit	3194	4	Silent Block Bush - Shackle Pin - upper and lower
Front	Bush Kit	3195	2	Silent Block Bush - Fixed Pin
Front	Leaf Springs	FORD-30HD	2	Up to 70 kg Load Bearing Accessories - Bushes supplied with spring.
Front	Shock Absorbers	36-5600	2	EFS ELITE
Front	Ubolts	C471	4	
Rear	Bush Kit	3194	4	Silent Block Bush - Shackle Pin - upper and lower
Rear	Bush Kit	3195	2	Silent Block Bush - Fixed Pin
Rear	Centre Bearing Spacer	10-1072	1	16mm Centre Bearing spacer kit
Rear	Leaf Springs	FORD-32	2	Constant 300 kg to GVM - Bushes supplied with spring.
Rear	Polyair	85300	1	Bellow type - To suit dual shock rear suspension
Rear	Polyair	85301	1	Bellow type - To suit quad shock rear suspension
Rear	Shock Absorbers	36-5603		EFS ELITE - Suits dual and quad shock rear suspensions.
Rear	Ubolts	C472	4	
Rear	Wedges	Wedge-03	2	75mm x 150mm at 1 Degree
Rear	Wedges	Wedge-04	2	75mm x 150mm at 2 Degree
Rear	Wedges	Wedge-05	2	75mm x 150mm at 3 Degree

File created on 22.03.2007 Page 12 of 183

#### F250 2WD & 4WD 2000 on 6 Cyl

00	T	• 64
YIImm		111
//////////	- 11-	/II L

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1014	1	Bushes installed.
Front	Bush Kit	3194	4	Silent Block Bush - Shackle Pin - upper and lower
Front	Bush Kit	3195	2	Silent Block Bush - Fixed Pin
Front	Leaf Springs	FORD-31E	2	Up to 70 kg Load Bearing Accessories - Bushes supplied with spring.
Front	Shock Absorbers	36-5600	2	EFS ELITE
Front	Ubolts	C471	4	
Rear	Bush Kit	3194	4	Silent Block Bush - Shackle Pin - upper and lower
Rear	Bush Kit	3195	2	Silent Block Bush - Fixed Pin
Rear	Centre Bearing Spacer	10-1072	1	16mm Centre Bearing spacer kit
Rear	Leaf Springs	FORD-33E	2	Constant 300 kg to GVM - Bushes supplied with spring.
Rear	Polyair	85300	1	Bellow type - To suit dual shock rear suspension
Rear	Polyair	85301	1	Bellow type - To suit quad shock rear suspension
Rear	Shock Absorbers	36-5603	2	EFS ELITE - Suits dual and quad shock rear suspensions. Available approx Oct 2006
Rear	Ubolts	C472	4	
Rear	Wedges	Wedge-03	2	75mm x 150mm at 1 Degree
Rear	Wedges	Wedge-04	2	75mm x 150mm at 2 Degree
Rear	Wedges	Wedge-05	2	75mm x 150mm at 3 Degree
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5600	2	EFS ELITE
Rear	Shock Absorbers	36-5603	2	EFS ELITE - Suits dual and quad shock rear suspensions.

File created on 22.03.2007 Page 13 of 183

#### F250 2WD & 4WD 2000 on V8 DIESEL

40	T	• 6	
40mm		11	1

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	3194	4	Silent Block Bush - Shackle Pin - upper and lower
Front	Bush Kit	3195	2	Silent Block Bush - Fixed Pin
Front	Leaf Springs	FORD-29E	2	Up to 90 kg Load Bearing Accessories - Bushes supplied with spring. 90 to 150kg load bearing will result in 25-30mm lift.
Front	Shock Absorbers	36-5600	2	EFS ELITE
Front	Ubolts	C471	4	
Rear	Bush Kit	3194	4	Silent Block Bush - Shackle Pin - upper and lower
Rear	Bush Kit	3195	2	Silent Block Bush - Fixed Pin
Rear	Shock Absorbers	36-5603	2	EFS ELITE - Suits dual and quad shock rear suspensions.
Rear	Ubolts	C472	4	

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1014	1	Bushes installed.
Front	Bush Kit	3194	4	Silent Block Bush - Shackle Pin - upper and lower
Front	Bush Kit	3195	2	Silent Block Bush - Fixed Pin
Front	Leaf Springs	FORD-30HD	2	Up to 90 kg Load Bearing Accessories - Bushes supplied with spring.
Front	Shock Absorbers	36-5600	2	EFS ELITE
Front	Ubolts	C471	4	
Rear	Bush Kit	3194	4	Silent Block Bush - Shackle Pin - upper and lower
Rear	Bush Kit	3195	2	Silent Block Bush - Fixed Pin
Rear	Centre Bearing Spacer	10-1072	1	16mm Centre bearing spacer kit
Rear	Leaf Springs	FORD-32	2	Constant 300 kg to GVM - Bushes supplied with spring.
Rear	Polyair	85300	1	Bellow type - To suit dual shock rear suspension
Rear	Polyair	85301	1	Bellow type - To suit quad shock rear suspension
Rear	Shock Absorbers	36-5603	2	EFS ELITE - Suits dual and quad shock rear suspensions.
Rear	Ubolts	C472	4	
Rear	Wedges	Wedge-03	2	75mm x 150mm at 1 Degree
Rear	Wedges	Wedge-04	2	75mm x 150mm at 2 Degree
Rear	Wedges	Wedge-05	2	75mm x 150mm at 3 Degree

File created on 22.03.2007 Page 14 of 183

#### F250 2WD & 4WD 2000 on V8 DIESEL

$\alpha$		T	•	n.
90m	m		П	M
//////			ш	ш

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1014	1	Bushes installed.
Front	Bush Kit	3194	4	Silent Block Bush - Shackle Pin - upper and lower
Front	Bush Kit	3195	2	Silent Block Bush - Fixed Pin
Front	Leaf Springs	FORD-31E	2	Up to 75 kg Load Bearing Accessories - Bushes supplied with spring.
Front	Leaf Springs	FORD-31HDE	2	80 kg to 160 kg Load bearing accessories. Spring supplied with bushes
Front	Shock Absorbers	36-5600	2	EFS ELITE
Front	Ubolts	C471	4	
Rear	Bush Kit	3194	4	Silent Block Bush - Shackle Pin - upper and lower
Rear	Bush Kit	3195	2	Silent Block Bush - Fixed Pin
Rear	Centre Bearing Spacer	10-1072	1	16mm Centre bearing spacer kit
Rear	Leaf Springs	FORD-33E	2	Constant 300 kg to GVM - Bushes supplied with spring.
Rear	Polyair	85300	1	Bellow type - To suit dual shock rear suspension
Rear	Polyair	85301	1	Bellow type - To suit quad shock rear suspension
Rear	Shock Absorbers	36-5603	2	EFS ELITE - Suits dual and quad shock rear suspensions.
Rear	Ubolts	C472	4	
Rear	Wedges	Wedge-03	2	75mm x 150mm at 1 Degree
Rear	Wedges	Wedge-04	2	75mm x 150mm at 2 Degree
Rear	Wedges	Wedge-05	2	75mm x 150mm at 3 Degree
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5600	2	EFS ELITE
Rear	Shock Absorbers	36-5603	2	EFS ELITE - Suits dual and quad shock rear suspensions.

File created on 22.03.2007 Page 15 of 183

#### 100mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1048	1PR	
Front	Brake Hoses	10-1038	1	Extended flexible brake hose.
Front	Castor Bush Kit	10-1040	1	3 degree offset castor bush - Replacement radial arms are required to achieve proper castor.
Front	Coil Spacer	10-1019	2	30mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL4E	1PR	60 kg to 100kg Constant load bearing accessories, 260 lbs/inch
Front	Coil Springs	NIS-101UHE	1PR	Up to 55kg load bearing accessories, 215 lbs/inch
Front	Coil Springs	NIS-114UHE	1PR	EFS - Constant 100 kg to GVM, 220 lbs/inch, spacers may be required to offset rear coil heights.
Front	Radius Arm Bushes	10-1044	1PR	For pin end.
Front	Shock Absorbers	36-5592	2	EFS Elite - recommended only with NIS-101UHE coil.
Front	Shock Absorbers	39-7001	2	EFS Extreme
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Front	Sway Bar Link Kit	10-1031	1	Extended sway bar links for raised applications
Rear	Adjustable Panard Rod	10-1049	1	
Rear	Brake Hoses	10-1039	1	Extended flexible brake hose.
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-114HL4E	1PR	EFS - Constant 150 kg to GVM, 285 lbs/inch, spacers may be be required to offset rear coil heights.
Rear	Coil Springs	NIS-114HL5E	1PR	EFS - Constant 250 kg to GVM, 285 lbs/inch. 39-7002 shock must be used, spacers may be required to offset rear coil heights.
Rear	Coil Springs	NIS-114HL5E410X	1 PR	Constant 500kg to GVM - Must use 39-7008 shock. Spacers may be required to offset rear coils. For offroad use the fittment of a rear coil tower reinforcement bracket is recommended with the installation of 410 lbs/inch coils.
Rear	Shock Absorbers	36-5549	2	EFS Elite - recommended only with NIS-114UHE coil.
Rear	Shock Absorbers	39-7008	2	EFS Extreme - Do not use with NIS-114HL5E
Rear	Shock Absorbers	NIS-114HL5E360X	1 PR	Constant 350kg to GVM, spacers may be required by offset rear coils. Must use 39-7008 shock.
Rear	Sway Bar Link Kit	10-1031	1	Extended sway bar links for raised applications

File created on 22.03.2007 Page 16 of 183

100mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Rear	Trailing Arm Bushes	10-1045	4	Upper and lower rear arms - 1 kit per arm.
125mm Lift				
		DADT	OTN	NOTES
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1048	1PR	
Front	Brake Hoses	10-1038	1	Extended flexible brake hose.
Front	Castor Bush Kit	10-1040	1	3 degree offset castor bush - Replacement radial arms are required to achieve proper castor.
Front	Coil Spacer	10-1019	2	30mm - For trimming or raising vehicle Height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL5E	1PR	40 - 100 kg Constant load bearing accessories, 260 lbs/inch
Front	Radius Arm Bushes	10-1044	1PR	
Front	Shock Absorbers	39-7007	2	EFS Extreme
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Front	Sway Bar Link Kit	10-1046	1	Extended sway bar links for raised applications
Rear	Adjustable Panard Rod	10-1049	1	
Rear	Brake Hoses	10-1039	1	Extended flexible brake hose.
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Spacer	NIS-114HL6E410X	1 PR	Constant 500kg to GVM, spacers may be required to offset rear coils. For offroad use the fittment of a rear coil tower reinforcement bracket is recommended with the installation of 410 lbs/inch coil.
Rear	Coil Springs	NIS-114HL5E	1PR	EFS - Constant 150 kg to GVM, 285 lbs/inch, spacers may be required to offset rear coils.
Rear	Coil Springs	NIS-114HL6E360X	1 PR	Constant 350kg to GVM, spacers may be required to offset rear coils.
Rear	Shock Absorbers	39-7002	2	EFS Extreme
Rear	Sway Bar Link Kit	10-1046	1	Extended sway bar links for raised applications
Rear	Trailing Arm Bushes	10-1045	4	

File created on 22.03.2007 Page 17 of 183

#### 50mm Lift

Front         Castor Bush Kit         10-1004         1         2 degree offset castor bush kit           Front         Coil Spacer         10-1020         2         15mm - for trimming or raising vehicle height.           Front         Coil Springs         NIS-101E         1 PR         Up to 40kg load bearing accessories, 250 lbs/inch           Front         Coil Springs         NIS-101HE         1 PR         80kg to 100kg load bearing accessories, 250 lbs/inch           Front         Coil Springs         NIS-101HE         1 PR         45kg to 75kg Constant load bearing accessories, 250 lbs/inch           Front         Shock Absorbers         36-5546         2         EFS Elite - Comfort           Front         Shock Absorbers         36-5546S         2         EFS Elite - Firm           Front         Steering Damper         SD4034         1         1988 to 8/1989 - Ey / Eye           Front         Steering Damper         SD4036         1         19/1989 on - Pin / Pin           Rear         Coil Spacer         10-1021         2         30mm - for trimming or raising vehicle height.           Rear         Coil Springs         NIS-110LP         1 PR         EFS - Progressive rate coil - Constant 100 kg to GVM - 275 to 420 lbs / inch           Rear         Coil Springs         NIS-114E	SUSPENSION	PART TYPE	PART	QTY	NOTES
Front         Coil Springs         NIS-101E         1 PR         Up to 40kg load bearing accessories, 250 lbs/inch           Front         Coil Springs         NIS-101HDE         1 PR         80kg to 100kg load bearing accessories, 250 lbs/inch           Front         Coil Springs         NIS-101HE         1 PR         45kg to 75kg Constant load bearing accessories, 250 lbs/inch           Front         Shock Absorbers         36-5546         2         EFS Elite - Comfort           Front         Shock Absorbers         36-5546S         2         EFS Elite - Firm           Front         Steering Damper         SD4034         1         1988 bill 989 - Eye / Eye           Front         Steering Damper         SD4036         1         9/1989 on - Pin / Pin           Rear         Coil Spacer         10-1021         2         15mm - for trimming or raising vehicle height.           Rear         Coil Spacer         10-1022         2         30mm - for trimming or raising vehicle height.           Rear         Coil Springs         NIS-110LP         1 PR         EFS - Progressive rate coil - Constant 100 kg to GVM - 275 to 420 lbs / inch           Rear         Coil Springs         NIS-114E         1 PR         EFS - Constant 100 kg to GVM - 200 lbs/inch           Rear         Coil Springs         NIS-114HDE	Front	Castor Bush Kit	10-1004	1	2 degree offset castor bush kit
Front         Coil Springs         NIS-101HDE         1 PR         80kg to 100kg load bearing accessories. 310 lbs/inch.           Front         Coil Springs         NIS-101HE         1 PR         45kg to 75kg Constant load bearing accessories, 250 lbs/inch           Front         Shock Absorbers         36-5546         2         EFS Elite - Comfort           Front         Shock Absorbers         36-5546S         2         EFS Elite - Firm           Front         Steering Damper         SD4034         1         1988 to 8/1989 - Eye / Eye           Front         Steering Damper         SD4036         1         9/1989 on - Pin / Pin           Rear         Coil Spacer         10-1021         2         15mm - for trimming or raising vehicle height.           Rear         Coil Spacer         10-1021         2         30mm - for trimming or raising vehicle height.           Rear         Coil Springs         NIS-110LP         1 PR         EFS - Progressive rate coil - Constant 100 kg to GVM - 275 to 420 lbs / inch           Rear         Coil Springs         NIS-114E         1 PR         EFS - Progressive rate coil - Constant 1300 kg to GVM - 201 bs/inch           Rear         Coil Springs         NIS-114EDE         1 PR         EFS - Constant 200 kg to GVM - 470 lbs/inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EDE coi	Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front         Coil Springs         NIS-101HE         1 PR         45kg to 75kg Constant load bearing accessories, 250 lbs/inch           Front         Shock Absorbers         36-5546         2         EFS Elite - Comfort           Front         Shock Absorbers         36-5546S         2         EFS Elite - Firm           Front         Steering Damper         SD4034         1         1988 to 8/1989 - Eye / Eye           Front         Steering Damper         SD4036         1         9/1989 on - Pin / Pin           Rear         Coil Spacer         10-1021         2         15mm - for trimming or raising vehicle height.           Rear         Coil Spacer         10-1022         2         30mm - for trimming or raising vehicle height.           Rear         Coil Springs         NIS-110LP         1 PR         EFS - Progressive rate coil - Constant 100 kg to GVM - 275 to 420 lbs / inch           Rear         Coil Springs         NIS-111E         1 PR         EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch           Rear         Coil Springs         NIS-114E         1 PR         EFS - Constant 100 kg to GVM - 220 lbs/inch. Rear coil tower rainforcement bracket must be installed when using NIS-114EDE coils to prevent upper coil tower fatigue and failure.           Rear         Coil Springs         NIS-114HDE         1 PR <t< td=""><td>Front</td><td>Coil Springs</td><td>NIS-101E</td><td>1 PR</td><td>Up to 40kg load bearing accessories, 250 lbs/inch</td></t<>	Front	Coil Springs	NIS-101E	1 PR	Up to 40kg load bearing accessories, 250 lbs/inch
Front         Shock Absorbers         36-5546         2         EFS Elite - Comfort           Front         Shock Absorbers         36-5546S         2         EFS Elite - Firm           Front         Steering Damper         SD4034         1         1988 to 8/1989 - Eye / Eye           Front         Steering Damper         SD4036         1         9/1989 on - Pin / Pin           Rear         Coil Spacer         10-1021         2         15mm - for trimming or raising vehicle height.           Rear         Coil Spacer         10-1022         2         30mm - for trimming or raising vehicle height.           Rear         Coil Springs         NIS-110LP         1 PR         EFS - Progressive rate coil - Constant 100 kg to GVM - 275 to 420 lbs / inch           Rear         Coil Springs         NIS-111E         1 PR         EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch           Rear         Coil Springs         NIS-114E         1 PR         EFS - Constant 100 kg to GVM - 220 lbs/inch           Rear         Coil Springs         NIS-114EHDE         1 PR         EFS - Constant 450/500 kg to GVM - 470 lbs/inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EHDE coils to prevent upper coil tower fatique and failure.           Rear         Coil Springs         NIS-114HDE         1 PR         EFS - Con	Front	Coil Springs	NIS-101HDE	1 PR	80kg to 100kg load bearing accessories. 310 lbs/inch.
Front Shock Absorbers 36-546S 2 EFS Elite - Firm  Front Steering Damper SD4034 1 1988 to 8/1989 - Eye / Eye  Front Steering Damper SD4036 1 9/1989 on - Pin / Pin  Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height.  Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-110LP 1 PR EFS - Progressive rate coil - Constant 100 kg to GVM - 275 to 420 lbs / inch  Rear Coil Springs NIS-111E 1 PR EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch  Rear Coil Springs NIS-114E 1 PR EFS - Constant 100 kg to GVM - 220 lbs/inch  Rear Coil Springs NIS-114EHDE 1 PR EFS - Constant 450/500 kg to GVM - 470 lbs/inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EHDE coils to prevent upper coil tower fatigue and failure.  Rear Coil Springs NIS-114HDE 1 PR EFS - Constant 250/300 kg to GVM - Firm - 330lbs/inch  Rear Coil Springs NIS-114HE 1 PR EFS - Constant 250/300 kg to GVM - Governer 200 lbs/inch  Rear Coil Springs NIS-114HE 1 PR EFS - Constant 200 kg to GVM - Comfort 220 lbs/inch  Rear Coil Springs NIS-114HL3E 1 PR EFS - Constant 300 kg to GVM - Comfort 220 lbs/inch  Rear Polyair 95096 1 50mm Raised height applications only  Rear Polyair 95997 1 Std height applications only	Front	Coil Springs	NIS-101HE	1 PR	45kg to 75kg Constant load bearing accessories, 250 lbs/inch
Front Steering Damper SD4034 1 1988 to 8/1989 - Eye / Eye Front Steering Damper SD4036 1 9/1989 on - Pin / Pin  Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height.  Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-110LP 1 PR EFS - Progressive rate coil - Constant 100 kg to GVM - 275 to 420 lbs / inch  Rear Coil Springs NIS-111E 1 PR EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch  Rear Coil Springs NIS-114E 1 PR EFS - Constant 100 kg to GVM - 220 lbs/inch  Rear Coil Springs NIS-114EHDE 1 PR EFS - Constant 450/500 kg to GVM - 470 lbs/inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EHDE coils to prevent upper coil tower fatigue and failure.  Rear Coil Springs NIS-114HDE 1 PR EFS - Constant 250/300 kg to GVM - Firm - 330lbs/inch  Rear Coil Springs NIS-114HL3E 1 PR EFS - Constant 200 kg to GVM - Comfort 220 lbs/inch.  Rear Polyair 95096 1 50mm Raised height applications only  Rear Polyair 95997 1 Std height applications only  Rear Shock Absorbers 36-5548 2 EFS Elite - Comfort	Front	Shock Absorbers	36-5546	2	EFS Elite - Comfort
Front Steering Damper SD4036 1 9/1989 on - Pin / Pin  Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height.  Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-110LP 1 PR EFS - Progressive rate coil - Constant 100 kg to GVM - 275 to 420 lbs / inch  Rear Coil Springs NIS-111E 1 PR EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch  Rear Coil Springs NIS-114E 1 PR EFS - Constant 100 kg to GVM - 220 lbs/inch  Rear Coil Springs NIS-114EHDE 1 PR EFS - Constant 400 kg to GVM - 470 lbs/inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EHDE coils to prevent upper coil tower fatigue and failure.  Rear Coil Springs NIS-114HDE 1 PR EFS - Constant 250/300 kg to GVM - Firm - 330lbs/inch  Rear Coil Springs NIS-114HE 1 PR EFS - Constant 250/300 kg to GVM - Comfort 220 lbs/inch.  Rear Coil Springs NIS-114HL3E 1 PR EFS - Constant 300 kg to GVM - Comfort 285 lbs/inch  Rear Polyair 95096 1 50mm Raised height applications only  Rear Polyair 95997 1 Std height applications only  Rear Shock Absorbers 36-5548 2 EFS Elite - Comfort	Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height.  Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-110LP 1 PR EFS - Progressive rate coil - Constant 100 kg to GVM - 275 to 420 lbs / inch  Rear Coil Springs NIS-111E 1 PR EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch  Rear Coil Springs NIS-114E 1 PR EFS - Constant 100 kg to GVM - 220 lbs/inch  Rear Coil Springs NIS-114EHDE 1 PR EFS - Constant 100 kg to GVM - 470 lbs/inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EHDE coils to prevent upper coil tower fatigue and failure.  Rear Coil Springs NIS-114HDE 1 PR EFS - Constant 250/300 kg to GVM - Firm - 330lbs/inch  Rear Coil Springs NIS-114HE 1 PR EFS - Constant 250/300 kg to GVM - Comfort 220 lbs/inch.  Rear Coil Springs NIS-114HE 1 PR EFS - Constant 300 kg to GVM - Comfort 220 lbs/inch.  Rear Coil Springs NIS-114HL3E 1 PR EFS - Constant 300 kg to GVM - Comfort 285 lbs/inch  Rear Polyair 95096 1 50mm Raised height applications only  Rear Polyair 95997 1 Std height applications only  Rear Shock Absorbers 36-5548 2 EFS Elite - Comfort	Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-110LP 1 PR EFS - Progressive rate coil - Constant 100 kg to GVM - 275 to 420 lbs / inch  Rear Coil Springs NIS-111E 1 PR EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch  Rear Coil Springs NIS-114E 1 PR EFS - Constant 100 kg to GVM - 220 lbs/inch  Rear Coil Springs NIS-114EHDE 1 PR EFS - Constant 450/500 kg to GVM - 470 lbs/inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EHDE coils to prevent upper coil tower fatigue and failure.  Rear Coil Springs NIS-114HDE 1 PR EFS - Constant 250/300 kg to GVM - Firm - 330lbs/inch  Rear Coil Springs NIS-114HE 1 PR EFS - Constant 200 kg to GVM - Comfort 220 lbs/inch.  Rear Coil Springs NIS-114HL3E 1 PR EFS - Constant 300 kg to GVM - Comfort 285 lbs/inch  Rear Polyair 95096 1 50mm Raised height applications only  Rear Polyair 95997 1 Std height applications only  Rear Shock Absorbers 36-5548 2 EFS Elite - Comfort	Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear Coil Springs NIS-110LP 1 PR EFS - Progressive rate coil - Constant 100 kg to GVM - 275 to 420 lbs / inch Rear Coil Springs NIS-111E 1 PR EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch Rear Coil Springs NIS-114E 1 PR EFS - Constant 100 kg to GVM - 220 lbs/inch Rear Coil Springs NIS-114EHDE 1 PR EFS - Constant 450/500 kg to GVM - 470 lbs/inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EHDE coils to prevent upper coil tower fatigue and failure.  Rear Coil Springs NIS-114HDE 1 PR EFS - Constant 250/300 kg to GVM - Firm - 330lbs/inch Rear Coil Springs NIS-114HE 1 PR EFS - Constant 200 kg to GVM - Comfort 220 lbs/inch.  Rear Coil Springs NIS-114HL3E 1 PR EFS - Constant 300 kg to GVM - Comfort 285 lbs/inch Rear Polyair 95096 1 50mm Raised height applications only  Rear Shock Absorbers 36-5548 2 EFS Elite - Comfort	Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear Coil Springs NIS-114E 1 PR EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch Rear Coil Springs NIS-114E 1 PR EFS - Constant 100 kg to GVM - 220 lbs/inch Rear Coil Springs NIS-114EHDE 1 PR EFS - Constant 450/500 kg to GVM - 470 lbs/inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EHDE coils to prevent upper coil tower fatigue and failure.  Rear Coil Springs NIS-114HDE 1 PR EFS - Constant 250/300 kg to GVM - Firm - 330lbs/inch Rear Coil Springs NIS-114HE 1 PR EFS - Constant 200 kg to GVM - Comfort 220 lbs/inch.  Rear Coil Springs NIS-114HL3E 1 PR EFS - Constant 300 kg to GVM - Comfort 285 lbs/inch Rear Polyair 95096 1 50mm Raised height applications only  Rear Shock Absorbers 36-5548 2 EFS Elite - Comfort	Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear Coil Springs NIS-114E 1 PR EFS - Constant 100 kg to GVM - 220 lbs/inch  Rear Coil Springs NIS-114EHDE 1 PR EFS - Constant 450/500 kg to GVM - 470 lbs/inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EHDE coils to prevent upper coil tower fatigue and failure.  Rear Coil Springs NIS-114HDE 1 PR EFS - Constant 250/300 kg to GVM - Firm - 330lbs/inch  Rear Coil Springs NIS-114HE 1 PR EFS - Constant 200 kg to GVM - Comfort 220 lbs/inch.  Rear Coil Springs NIS-114HL3E 1 PR EFS - Constant 300 kg to GVM - Comfort 285 lbs/inch  Rear Polyair 95096 1 50mm Raised height applications only  Rear Polyair 95997 1 Std height applications only  Rear Shock Absorbers 36-5548 2 EFS Elite - Comfort	Rear	Coil Springs	NIS-110LP	1 PR	EFS - Progressive rate coil - Constant 100 kg to GVM - 275 to 420 lbs / inch
Rear Coil Springs NIS-114EHDE 1 PR EFS - Constant 450/500 kg to GVM - 470 lbs/inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EHDE coils to prevent upper coil tower fatigue and failure.  Rear Coil Springs NIS-114HDE 1 PR EFS - Constant 250/300 kg to GVM - Firm - 330lbs/inch  Rear Coil Springs NIS-114HE 1 PR EFS - Constant 200 kg to GVM - Comfort 220 lbs/inch.  Rear Coil Springs NIS-114HL3E 1 PR EFS - Constant 300 kg to GVM - Comfort 285 lbs/inch  Rear Polyair 95096 1 50mm Raised height applications only  Rear Polyair 95997 1 Std height applications only  Rear Shock Absorbers 36-5548 2 EFS Elite - Comfort	Rear	Coil Springs	NIS-111E	1 PR	EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch
reinforcement bracket must be installed when using NIS-114EHDE coils to prevent upper coil tower fatigue and failure.  Rear Coil Springs NIS-114HDE 1 PR EFS - Constant 250/300 kg to GVM - Firm - 330lbs/inch  Rear Coil Springs NIS-114HE 1 PR EFS - Constant 200 kg to GVM - Comfort 220 lbs/inch.  Rear Coil Springs NIS-114HL3E 1 PR EFS - Constant 300 kg to GVM - Comfort 285 lbs/inch  Rear Polyair 95096 1 50mm Raised height applications only  Rear Polyair 95997 1 Std height applications only  Rear Shock Absorbers 36-5548 2 EFS Elite - Comfort	Rear	Coil Springs	NIS-114E	1 PR	EFS - Constant 100 kg to GVM - 220 lbs/inch
RearCoil SpringsNIS-114HE1 PREFS - Constant 200 kg to GVM - Comfort 220 lbs/inch.RearCoil SpringsNIS-114HL3E1 PREFS - Constant 300 kg to GVM - Comfort 285 lbs/inchRearPolyair95096150mm Raised height applications onlyRearPolyair959971Std height applications onlyRearShock Absorbers36-55482EFS Elite - Comfort	Rear	Coil Springs	NIS-114EHDE	1 PR	reinforcement bracket must be installed when using NIS-114EHDE coils to
RearCoil SpringsNIS-114HL3E1 PREFS - Constant 300 kg to GVM - Comfort 285 lbs/inchRearPolyair95096150mm Raised height applications onlyRearPolyair959971Std height applications onlyRearShock Absorbers36-55482EFS Elite - Comfort	Rear	Coil Springs	NIS-114HDE	1 PR	EFS - Constant 250/300 kg to GVM - Firm - 330lbs/inch
RearPolyair95096150mm Raised height applications onlyRearPolyair959971Std height applications onlyRearShock Absorbers36-55482EFS Elite - Comfort	Rear	Coil Springs	NIS-114HE	1 PR	EFS - Constant 200 kg to GVM - Comfort 220 lbs/inch.
Rear Polyair 95997 1 Std height applications only Rear Shock Absorbers 36-5548 2 EFS Elite - Comfort	Rear	Coil Springs	NIS-114HL3E	1 PR	EFS - Constant 300 kg to GVM - Comfort 285 lbs/inch
Rear Shock Absorbers 36-5548 2 EFS Elite - Comfort	Rear	Polyair	95096	1	50mm Raised height applications only
	Rear	Polyair	95997	1	Std height applications only
Rear Shock Absorbers 36-5548S 2 EFS Elite - Firm	Rear	Shock Absorbers	36-5548	2	EFS Elite - Comfort
	Rear	Shock Absorbers	36-5548S	2	EFS Elite - Firm

File created on 22.03.2007 Page 18 of 183

#### 75mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1004	1	2 degree offset castor bushes
Front	Coil Spacer	10-1019	1 PR	30mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL3E	1PR	Up to 80 kg Constant load bearing accessories. Medium option 260 lbs/inch
Front	Coil Springs	NIS-101UHE	1 PR	50kg to 85kg load bearing accessories - Comfort option 215 lbs/inch.
Front	Radius Arm Bushes	10-1044	1PR	
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-111E	1 PR	EFS - Constant 200 kg to GVM - progressive rate 315 - 460 lbs/inch.
Rear	Coil Springs	NIS-114EHDE	1 PR	EFS - Constant 300kg to GVM - 470 lbs/inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EHDE to prevent fatigue and failure to upper tower. Spacer may be required to offset rear coil height.
Rear	Coil Springs	NIS-114HL3E	1PR	EFS - Constant 150 kg to GVM, 285 lbs/inch, spacer may be required to offset rear coil height.
Rear	Coil Springs	NIS-114HL4E	1PR	EFS - Constant 300 kg to GVM, Comfort option 285 lbs/inch. 39-7008 Extreme shock may be used with NIS-114HL4E. Spacer may be required to offset rear coil height.
Rear	Shock Absorbers	36-5549	2	EFS Elite
Rear	Trailing Arm Bushes	10-1045	4	

File created on 22.03.2007 Page 19 of 183

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	NIS-103E	1 PR	Up to 45kg load bearing accessories 210 lbs/inch - suits 3L
Front	Coil Springs	NIS-104E	1 PR	Up to 45kg load bearing accessories 250 lbs/inch - suits 4.2L
Front	Shock Absorbers	36-5546	2	EFS Elite - comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Coil Springs	NIS-110LP	1 PR	Constant 300 kg to GVM - 275-420 lbs/inch.
Rear	Coil Springs	NIS-119E	1 PR	Constant 100 kg to GVM - 220 lbs/inch
Rear	Coil Springs	NIS-120E	1 PR	Constant 200 kg to GVM - 230 lbs/inch
Rear	Shock Absorbers	36-5548	2	EFS Elite - comfort
Rear	Shock Absorbers	36-5548S	2	EFS Elite - Firm

File created on 22.03.2007 Page 20 of 183

### MAVERICK CAB CHASSIS - Leaf Spring Front and Rear axle

50mm Lift
SUSPENSION

ackle Pin Gings NI psorbers 36 psorbers Gi Damper SI	UK718 GR667 NIS-11 36-5563 GP2637 35-4036 SD4034 SD4036 GR666	1 2 2 2 2 2 1 1 1 1 2	EFS Elite  EFS Enforcer  9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes  1988 to 8/1989 - Eye / Eye  9/1989 on - Pin / Pin
ngs NI psorbers 36 psorbers G Damper 35 Damper SI Damper SI Damper G Damper G Damper G Damper G Damper G	NIS-11 36-5563 GP2637 35-4036 SD4034 SD4036 GR666	2 2 2 1 1	EFS Enforcer 9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes 1988 to 8/1989 - Eye / Eye
osorbers 36 osorbers Gi Damper 35 Damper SI Damper SI Damper SI nackles Gi	36-5563 GP2637 35-4036 SD4034 SD4036 GR666	2 2 1 1	EFS Enforcer 9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes 1988 to 8/1989 - Eye / Eye
Damper SI Damper SI Damper SI Damper SI Damper SI	GP2637 35-4036 SD4034 SD4036 GR666	2 1 1	EFS Enforcer 9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes 1988 to 8/1989 - Eye / Eye
Damper 35 Damper SI Damper SI nackles G	35-4036 SD4034 SD4036 GR666	1 1 1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes 1988 to 8/1989 - Eye / Eye
Damper SI Damper SI nackles G	SD4034 SD4036 GR666	1	1988 to 8/1989 - Eye / Eye
Damper SI nackles G	SD4036 GR666	•	
nackles G	GR666	•	9/1989 on - Pin / Pin
		2	
C4	0.400		
	C436	4	
UI	UK719	1	
ackle Pin G	GR667	2	
ngs Ni	NIS-12DS	1	Constant 300 kg to GVM - Right hand side spring.
ngs Ni	NIS-12NS	1	Constant 300 kg to GVM - Left hand side spring.
ngs Ni	NIS-15	2	Constant 500 kg to GVM
osorbers 36	36-5526	2	EFS Elite
osorbers G	GP2081P	2	EFS Enforcer
nackles G	GR666	2	
C	C453	4	
)	sorbers sorbers ackles	sorbers         36-5526           sorbers         GP2081P	sorbers       36-5526       2         sorbers       GP2081P       2         ackles       GR666       2

#### Std

Front Front	Shock Absorbers Shock Absorbers	36-5563	2	EFS Elite
Front	Shock Absorbers			
1 10110		GP2637	2	EFS Enforcer
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Shock Absorbers	36-5526	2	EFS Elite
Rear	Shock Absorbers	GP2081P	2	EFS Enforcer

Page 21 of 183 File created on 22.03.2007

#### 100mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1048	1PR	
Front	Brake Hoses	10-1038	1	Extended flexible brake hose.
Front	Castor Bush Kit	10-1040	1	3 degree offset castor bush - Replacement radial arms are required to achieve proper castor.
Front	Coil Spacer	10-1019	2	30mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL4E	1PR	60 to 100 kg Constant load bearing accessories, 260 lbs/inch
Front	Coil Springs	NIS-101UHE	1PR	Up to 55kg load bearing accessories - 215 lbs/inch
Front	Radius Arm Bushes	10-1044	1PR	
Front	Shock Absorbers	36-5592	2	EFS Elite - Use with NIS-101UHE coils.
Front	Shock Absorbers	39-7001	2	EFS Extreme
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Front	Sway Bar Link Kit	10-1031	1	Extended sway bar links for raised applications
Rear	Adjustable Panard Rod	10-1049	1	
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-114HL4E	1PR	EFS - Constant 150 kg to GVM, 285 lbs/inch
Rear	Coil Springs	NIS-114HL5E	1PR	EFS - Constant 250 kg to GVM, 285 lbs/inch. 39-7002 must be used
Rear	Coil Springs	NIS-114HL5E360X	1 PR	Constant 350kg to GVM, 360 lbs/inch. Must use 39-7008 shock.
Rear	Coil Springs	NIS-114HL5E410X	1 PR	Constant 500 kg to GVM, 410 lbs/inch. Must use 39-7008 shock. For offroad use the fittment of a rear upper coil tower reinforcement bracket is recommended to prevent upper tower fatigue and failure.
Rear	Coil Springs	NIS-114UHE	1PR	EFS - Constant 100 kg to GVM, 220 lbs/inch
Rear	Shock Absorbers	36-5549	2	EFS Elite, use with NIS-114UHE coils.
Rear	Shock Absorbers	39-7008	2	EFS Extreme
Rear	Sway Bar Link Kit	10-1031	1	Extended sway bar links for raised applications
Rear	Trailing Arm Bushes	10-1045	4	

File created on 22.03.2007 Page 22 of 183

#### 125mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1048	1PR	
Front	Brake Hoses	10-1038	1	Extended flexible brake hose.
Front	Castor Bush Kit	10-1040	1	3 degree offset castor bush - Replacement radial arms are required to achieve proper castor.
Front	Coil Spacer	10-1019	2	30mm - For trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL5E	1PR	40 - 100 kg Constant load bearing accessories, 300 lbs/inch
Front	Radius Arm Bushes	10-1044	1PR	
Front	Shock Absorbers	39-7007	2	EFS Extreme
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Front	Sway Bar Link Kit	10-1031	1	Extended sway bar links for raised applications
Rear	Adjustable Panard Rod	10-1049	1	
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-114HL5E	1PR	EFS - Constant 150 kg to GVM, 270 lbs/inch
Rear	Coil Springs	NIS-114HL6E360X	1 PR	Constant 350 kg to GVM, 360 lbs/inch.
Rear	Coil Springs	NIS-114HL6E410X	1 PR	Constant 500 kg to GVM, 410 lbs/inch. For off raod use the fittment of a rear upper coil tower reinforcement bracket is recommended to prevent fatigue and failure to upper tower.
Rear	Shock Absorbers	39-7002	2	EFS Extreme
Rear	Sway Bar Link Kit	10-1031	1	Extended sway bar links for raised applications
Rear	Trailing Arm Bushes	10-1045	4	

File created on 22.03.2007 Page 23 of 183

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1004	1	2 degree offset castor bush kit
Front	Coil Spacer	10-1019	2	30mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101E	1 PR	Up to 40kg Load Bearing Accessories, 250 lbs/inch
Front	Coil Springs	NIS-101HDE	1 PR	80 - 100 kg Constant load bearing accessories, 310 lbs/inch
Front	Coil Springs	NIS-101HE	1 PR	45kg to 75kg Load bearing accessories, 250 lbs/inch.
Front	Shock Absorbers	36-5546	2	EFS Elite - comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-109E	1 PR	EFS - Progressive rate coil - Constant 100 kg to GVM - 240 to 365 lbs / inch
Rear	Coil Springs	NIS-111E	1 PR	EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch
Rear	Coil Springs	NIS-114E	1 PR	EFS - Constant 100 kg to GVM, 220 lbs/inch
Rear	Coil Springs	NIS-114EHDE	1 PR	EFS - Constant 450/500 kg to GVM, 470 lbs/inch - For off road use a rear upper coil tower reinforcement bracket must be installed to prevent fatigue and failure to upper tower.
Rear	Coil Springs	NIS-114HDE	1 PR	EFS - Constant 250/300 kg to GVM, 330 lbs/inch
Rear	Coil Springs	NIS-114HE	1PR	Constant 200kg to GVM, 220 lbs/inch.
Rear	Polyair	95096	1	50mm Raised height applications only
Rear	Polyair	95997	1	Std height applications only
Rear	Shock Absorbers	36-5548	2	EFS Elite
Rear	Shock Absorbers	36-5548S	2	EFS Elite - Firm

File created on 22.03.2007 Page 24 of 183

#### 75mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1004	1	2 degree offset castor bushes
Front	Coil Spacer	10-1019	2	30mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL3E	1PR	Up to 80 kg Constant load bearing accessories. 260 lbs/inch
Front	Radius Arm Bushes	10-1044	1PR	
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-111E	1 PR	Constant 200 kg to GVM, progressive rate 315 - 460 lbs/inch.
Rear	Coil Springs	NIS-114EHDE	1 PR	Constant 300 kg to GVM - Firm Option 470 lbs/inch. For off road use a rear upper coil tower reinforcement bracket must be installed to prevent fatigue and failure to rear upper tower.
Rear	Coil Springs	NIS-114HL3E	1PR	EFS - Constant 150 kg to GVM, 285 lbs/inch
Rear	Coil Springs	NIS-114HL4E	1PR	EFS - Constant 300 kg to GVM, Comfort Option 285 lbs/inch. 39-7008 can be used with NIS-114HL4E coil.
Rear	Shock Absorbers	36-5549	2	EFS Elite
Rear	Trailing Arm Bushes	10-1045	4	

File created on 22.03.2007 Page 25 of 183

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	NIS-103E	1 PR	Up to 45kg load bearing accessories, 210 lbs/inch Suits 3L
Front	Coil Springs	NIS-104E	1 PR	Up to 45kg load bearing accessories, 250 lbs/inch Suits 4.2L
Front	Shock Absorbers	36-5546	2	EFS Elite - comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Coil Springs	NIS-109E	1 PR	Constant 300 kg to GVM, progressive rate 240 - 365 lbs/inch.
Rear	Coil Springs	NIS-119E	1 PR	Constant 100 kg to GVM, 220 lbs/inch
Rear	Coil Springs	NIS-120E	1 PR	Constant 200 kg to GVM, 230 lbs/inch.
Rear	Shock Absorbers	36-5548	2	EFS Elite - comfort
Rear	Shock Absorbers	36-5548S	2	EFS Elite - Firm

File created on 22.03.2007 Page 26 of 183

### **MAVERICK SWB Y60 - Coil spring - Manual Transmission**

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1004	1	2 degree offset castor bush kit
Front	Coil Spacer	10-1019	2	30mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-100E	1 PR	Up to 45 kg load bearing accessories, 205lbs/inch
Front	Coil Springs	NIS-101E	1 PR	60 kg to 100 kg load bearing accessories, 250 lbs/inch.
Front	Shock Absorbers	36-5546	2	EFS Elite - comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-113E	1 PR	EFS - Constant 100 kg to GVM, 185 lbs/inch
Rear	Coil Springs	NIS-114E	1 PR	Constant 250 kg to GVM, 220 lbs/inch.
Rear	Gearbox Spacer	10-1005	1	To correct pinion angle - reduce drive line vibration
Rear	Polyair	95096	1	50mm Raised height applications only
Rear	Polyair	95997	1	Std height applications only
Rear	Shock Absorbers	36-5547	2	EFS Elite

File created on 22.03.2007 Page 27 of 183

### MAVERICK SWB Y60 - Coil spring - Manual Transmission

	1 0			
75mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1004	1	2 degree offset castor bush kit
Front	Coil Spacer	10-1019	2	30mm - for trimming or raising vehicle height
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101E	1 PR	Up to 45 kg load bearing accessories, 250 lbs/inch
Front	Coil Springs	NIS-101HE	1 PR	60 kg to 100 kg load bearing accessories, 250 lbs/inch
Front	Shock Absorbers	36-5546	2	EFS Elite - comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-114E	1 PR	EFS - Constant 100 kg to GVM, 220 lbs/inch
Rear	Coil Springs	NIS-114HE	1 PR	Constant 250 kg to GVM, 220 lbs/inch. Use 36-5548 or 36-5548S with NIS-114HE coil.
Rear	Gearbox Spacer	10-1005	1	To correct pinion angle - reduce drive line vibration
Rear	Shock Absorbers	36-5547	2	EFS Elite
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5546	2	EFS Elite - comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin

File created on 22.03.2007 Page 28 of 183

#### **RAIDER 4WD 1987-2/1999**

3 =	T		n.
45mm		-11	11
	ж.	/ II J	u

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5578	2	EFS ELITE - firm
Front	Shock Absorbers	36-5578S	2	EFS Elite - comfort
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1546A	1 PR	27mm OD - 927mm LONG
Rear	Bush Kit	UK756	1	
Rear	Leaf Springs	MAZD-01E	2	Constant 200 kg to GVM
Rear	Leaf Springs	MAZD-03E	2	Constant 400 kg to GVM.
Rear	Polyair	75598	1	To suit standard height vehicles only.
Rear	Shock Absorbers	36-5522	2	EFS ELITE - comfort
Rear	Shock Absorbers	36-5522S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER
Rear	Swing Shackles	GR386-1	2	
Rear	Ubolts	C453-1	4	

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5578	2	EFS ELITE - Firm
Front	Shock Absorbers	36-5578S	2	EFS Elite - comfort
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5522	2	EFS ELITE - Comfort
Rear	Shock Absorbers	36-5522S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER

File created on 22.03.2007 Page 29 of 183

#### RAIDER 4WD 3/1999 - 2005

35mm	L	ift
------	---	-----

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1003	1	Mandatory with Aftermarket shocks-Provides support to shock tower.
Front	Shock Absorbers	36-5578	2	EFS ELITE - Firm
Front	Shock Absorbers	36-5578S	2	EFS Elite - comfort
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1546A	1 PR	27mm OD - 927mm LONG
Rear	Bush Kit	UK756	1	
Rear	Leaf Springs	MAZD-01E	2	Constant 200 kg to GVM
Rear	Leaf Springs	MAZD-03E	2	Constant 400 kg to GVM.
Rear	Polyair	75598	1	To suit standard height vehicles only.
Rear	Shock Absorbers	36-5522	2	EFS ELITE - comfort
Rear	Shock Absorbers	36-5522S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER
Rear	Swing Shackles	GR386-1	2	
Rear	Ubolts	C453-1	4	
Rear	Wedges	WEDGE-00	2	60x120 at 1 Degree
Rear	Wedges	WEDGE-00	2	60x120 at 1 Degree

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1003	1	Mandatory with Aftermarket shocks-Provides support to shock tower.
Front	Re-inforcement Bracket	10-1003	1	Mandatory with Aftermarket shocks-Provides support to shock tower.
Front	Shock Absorbers	36-5578	2	EFS ELITE - firm
Front	Shock Absorbers	36-5578S	2	EFS Elite - comfort
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5522	2	EFS ELITE - comfort
Rear	Shock Absorbers	36-5522S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER

File created on 22.03.2007 Page 30 of 183

#### **DROVER**

50mm Lift	
-----------	--

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK734	1	
Front	Leaf Springs	SUZ-03E	2	Constant 35 - 40kg
Front	Shock Absorbers	36-5484	2	EFS Elite
Front	Steering Damper	SD4030	1	
Front	Swing Shackles	GR656	2	Non - Greasable Shackles
Front	Ubolts	C654	2	RHS front axle
Front	Ubolts	C655	2	LHS front axle
Rear	Bush Kit	UK734	1	
Rear	Leaf Springs	SUZ-05E	2	Constant 120 kg to GVM
Rear	Leaf Springs	SUZI-02HD	2	Constant 80 kg to GVM
Rear	Shock Absorbers	36-5486	2	EFS Elite
Rear	Swing Shackles	GR656	2	Non - Greasable Shackles
Rear	Ubolts	C655	4	

#### 65mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK734	1	
Front	Leaf Springs	SUZ-03E	2	Comfort - Up to Constant 20 kg
Front	Shock Absorbers	36-5484	2	EFS Elite
Front	Steering Damper	SD4030	1	
Front	Swing Shackles	GR656	2	Non - Greasable Shackles
Front	Ubolts	C654	2	RHS front axle
Front	Ubolts	C655	2	LHS front axle
Rear	Bush Kit	UK734	1	
Rear	Leaf Springs	SUZ-05E	2	Comfort - Up to Constant 60 kg.
Rear	Shock Absorbers	36-5486	2	EFS Elite
Rear	Swing Shackles	GR656	2	Non - Greasable Shackles
Rear	Ubolts	C655	4	

File created on 22.03.2007 Page 31 of 183

### JACKAROO LWB 4wd IFS with Coil spring rear 5/1992 to 2004

				<del></del>
20mm lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5604S	2	EFS Elite
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1549	2	29mm OD - 1220mm Long
Rear	Coil Springs	HOL-103E	2	EFS - Constant 100 kg to GVM - 36-5595 shock must be installed,
Rear	Polyair	11093	1	All standard height coil spring models
Rear	Polyair	11193	1	All raised height coil spring models
Rear	Shock Absorbers	36-5595	2	EFS Elite - Only to be used with OEM or EFS HOL-103E coils.
40mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5604S	2	EFS Elite
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1549	2	29mm OD - 1220mm Long
Rear	Coil Springs	HOL-103HDE	2	EFS - Constant 100 kg to GVM - 36-5595 shock must be installed.
Rear	Polyair	11093	1	All standard height coil spring models
Rear	Polyair	11193	1	All raised height coil spring models
Rear	Shock Absorbers	36-5595	2	EFS Elite - Only to be used with OEM or EFS HOL-103HDE coils.
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5604S	2	EFS Elite
Rear	Shock Absorbers	36-5595	2	EFS Elite

File created on 22.03.2007 Page 32 of 183

### JACKAROO LWB 4wd IFS with Leaf spring rear 1983 to 4/1992

45mm	lift
------	------

Front         Shock Absorbers         36-5355         2         EFS Elite - Medium option           Front         Shock Absorbers         36-535S         2         EFS Elite - comfort           Front         Shock Absorbers         36-5604S         2         EFS Elite - Firm           Front         Shock Absorbers         GP2087         2         EFS Enforcer           Front         Shock Boots         10-1001         2         OPTIONAL - Can be installed to front shock           Front         Torsion Bar         TB-1546A         1 PR         27mm OD - 928mm Long - 1983 - 7/1988           Front         Torsion Bar         TB-1546A         1 PR         27mm OD - 928mm Long - 1983 - 7/1988           Front         Torsion Bar         TB-1546A         1 PR         27mm OD - 928mm Long - 1983 - 7/1988           Front         Torsion Bar         TB-1546A         1 PR         27mm OD - 928mm Long - 1983 - 7/1988           Front         Torsion Bar         TB-1546A         1 PR         27mm OD - 928mm Long - 1983 - 7/1988           Rear         Bush Kit         UK728         1         If fixed pin is 18mm OD - Remove tube from front bush assembly           Rear         Fixed Shackle Pin         GR792         2         18mm OD PIN.           Rear         Leaf	SUSPENSION	PART TYPE	PART	QTY	NOTES
Front         Shock Absorbers         36-5604S         2         EFS Elite - Firm           Front         Shock Absorbers         GP2087         2         EFS Enforcer           Front         Shock Boots         10-1001         2         OPTIONAL - Can be installed to front shock           Front         Torsion Bar         TB-1546A         1 PR         27mm OD - 928mm Long - 1983 - 7/1988           Front         Torsion Bar         TB-1548         2         25.5mm OD - 998mm Long - 8/1988 - 7/1992           Rear         Bush Kit         UK728         1         If fixed pin is 18mm OD - Remove tube from front bush assembly           Rear         Fixed Shackle Pin         GR792         2         18mm OD PIN.           Rear         Leaf Springs         HOL-01         2         Constant 350 kg to GVM.           Rear         Leaf Springs         HOL-03E         2         EFS - Constant 150 kg to GVM - Modified HOL-12E           Rear         Polyair         75703         1         All standard height leaf spring models           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort - 1983 - 10/1986           Rear         Shock Absorbers         36-5564         2         EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts           R	Front	Shock Absorbers	36-5535	2	EFS Elite - Medium option
Front         Shock Absorbers         GP2087         2         EFS Enforcer           Front         Shock Boots         10-1001         2         OPTIONAL - Can be installed to front shock           Front         Torsion Bar         TB-1546A         1 PR         27mm OD - 928mm Long - 1983 - 7/1988           Front         Torsion Bar         TB-1548         2         25.5mm OD - 998mm Long - 8/1988 - 7/1992           Rear         Bush Kit         UK728         1         If fixed pin is 18mm OD - Remove tube from front bush assembly           Rear         Fixed Shackle Pin         GR792         2         18mm OD PIN.           Rear         Leaf Springs         HOL-01         2         Constant 350 kg to GVM.           Rear         Leaf Springs         HOL-03E         2         EFS - Constant 150 kg to GVM - Modified HOL-12E           Rear         Polyair         75703         1         All standard height leaf spring models           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort - 1983 - 10/1986           Rear         Shock Absorbers         36-5562         2         EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts           Rear         Shock Absorbers         36-5564S         2         EFS Elite - Comfort <td< td=""><td>Front</td><td>Shock Absorbers</td><td>36-5535S</td><td>2</td><td>EFS Elite - comfort</td></td<>	Front	Shock Absorbers	36-5535S	2	EFS Elite - comfort
Front         Shock Boots         10-1001         2         OPTIONAL - Can be installed to front shock           Front         Torsion Bar         TB-1546A         1 PR         27mm OD - 928mm Long - 1983 - 7/1988           Front         Torsion Bar         TB-1548         2         25.5mm OD - 998mm Long - 8/1988 - 7/1992           Rear         Bush Kit         UK728         1         If fixed pin is 18mm OD - Remove tube from front bush assembly           Rear         Fixed Shackle Pin         GR792         2         18mm OD PIN.           Rear         Leaf Springs         HOL-01         2         Constant 350 kg to GVM.           Rear         Leaf Springs         HOL-03E         2         EFS - Constant 150 kg to GVM - Modified HOL-12E           Rear         Polyair         75703         1         All standard height leaf spring models           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort - 1983 - 10/1986           Rear         Shock Absorbers         36-5562         2         EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts           Rear         Shock Absorbers         36-5648         2         EFS Elite - Comfort           Rear         Shock Absorbers         36-5648         2         EFS Elite - Comfort	Front	Shock Absorbers	36-5604S	2	EFS Elite - Firm
Front         Torsion Bar         TB-1546A         1 PR         27mm OD - 928mm Long - 1983 - 7/1988           Front         Torsion Bar         TB-1548         2         25.5mm OD - 998mm Long - 8/1988 - 7/1992           Rear         Bush Kit         UK728         1         If fixed pin is 18mm OD - Remove tube from front bush assembly           Rear         Fixed Shackle Pin         GR792         2         18mm OD PIN.           Rear         Leaf Springs         HOL-01         2         Constant 350 kg to GVM.           Rear         Leaf Springs         HOL-03E         2         EFS - Constant 150 kg to GVM - Modified HOL-12E           Rear         Polyair         75703         1         All standard height leaf spring models           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort - 1983 - 10/1986           Rear         Shock Absorbers         36-5562         2         EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts           Rear         Shock Absorbers         36-5564         2         EFS Elite - Comfort           Rear         Shock Absorbers         36-5564S         2         EFS Elite - Comfort           Rear         Shock Absorbers         36-5564S         2         EFS Elite - Comfort           Rear	Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front         Torsion Bar         TB-1548         2         25.5mm OD - 998mm Long - 8/1988 - 7/1992           Rear         Bush Kit         UK728         1         If fixed pin is 18mm OD - Remove tube from front bush assembly           Rear         Fixed Shackle Pin         GR792         2         18mm OD PIN.           Rear         Leaf Springs         HOL-01         2         Constant 350 kg to GVM.           Rear         Leaf Springs         HOL-03E         2         EFS - Constant 150 kg to GVM - Modified HOL-12E           Rear         Polyair         75703         1         All standard height leaf spring models           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort - 1983 - 10/1986           Rear         Shock Absorbers         36-5562         2         EFS Elite - Firm - 1983 - 10/1986           Rear         Shock Absorbers         36-5564         2         EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts           Rear         Shock Absorbers         36-5564S         2         EFS Elite - Comfort           Rear         Shock Absorbers         36-5564S         2         EFS Elite - Comfort           Rear         Shock Absorbers         GP2636         2         EFS Elite - Comfort           Rear	Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear Bush Kit UK728 1 If fixed pin is 18mm OD - Remove tube from front bush assembly Rear Fixed Shackle Pin GR792 2 18mm OD PIN. Rear Leaf Springs HOL-01 2 Constant 350 kg to GVM. Rear Leaf Springs HOL-03E 2 EFS - Constant 150 kg to GVM - Modified HOL-12E Rear Polyair 75703 1 All standard height leaf spring models Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort - 1983 - 10/1986 Rear Shock Absorbers 36-5562 2 EFS Elite - Firm - 1983 - 10/1986 Rear Shock Absorbers 36-5564 2 EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts Rear Shock Absorbers 36-5564S 2 EFS Elite - Comfort Rear Shock Absorbers GP2636 2 EFS Elite - Comfort Rear Shock Absorbers GP2636 2 Must replace both sides - Shackle length is 85mm	Front	Torsion Bar	TB-1546A	1 PR	27mm OD - 928mm Long - 1983 - 7/1988
Rear         Fixed Shackle Pin         GR792         2         18mm OD PIN.           Rear         Leaf Springs         HOL-01         2         Constant 350 kg to GVM.           Rear         Leaf Springs         HOL-03E         2         EFS - Constant 150 kg to GVM - Modified HOL-12E           Rear         Polyair         75703         1         All standard height leaf spring models           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort - 1983 - 10/1986           Rear         Shock Absorbers         36-5562         2         EFS Elite - Firm - 1983 - 10/1986           Rear         Shock Absorbers         36-5564         2         EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts           Rear         Shock Absorbers         36-5564S         2         EFS Elite - Comfort           Rear         Shock Absorbers         36-5564S         2         EFS Elite - Comfort           Rear         Shock Absorbers         GP2636         2         EFS Enforcer - 1983 - 10/1986           Rear         Swing Shackles         GR386         2         Must replace both sides - Shackle length is 85mm	Front	Torsion Bar	TB-1548	2	25.5mm OD - 998mm Long - 8/1988 - 7/1992
RearLeaf SpringsHOL-012Constant 350 kg to GVM.RearLeaf SpringsHOL-03E2EFS - Constant 150 kg to GVM - Modified HOL-12ERearPolyair757031All standard height leaf spring modelsRearShock Absorbers36-54262EFS Elite - Comfort - 1983 - 10/1986RearShock Absorbers36-55622EFS Elite - Firm - 1983 - 10/1986RearShock Absorbers36-55642EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye MountsRearShock Absorbers36-5564S2EFS Elite - ComfortRearShock AbsorbersGP26362EFS Enforcer - 1983 - 10/1986RearSwing ShacklesGR3862Must replace both sides - Shackle length is 85mm	Rear	Bush Kit	UK728	1	If fixed pin is 18mm OD - Remove tube from front bush assembly
Rear         Leaf Springs         HOL-03E         2         EFS - Constant 150 kg to GVM - Modified HOL-12E           Rear         Polyair         75703         1         All standard height leaf spring models           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort - 1983 - 10/1986           Rear         Shock Absorbers         36-5562         2         EFS Elite - Firm - 1983 - 10/1986           Rear         Shock Absorbers         36-5564         2         EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts           Rear         Shock Absorbers         36-5564S         2         EFS Elite - Comfort           Rear         Shock Absorbers         GP2636         2         EFS Enforcer - 1983 - 10/1986           Rear         Swing Shackles         GR386         2         Must replace both sides - Shackle length is 85mm	Rear	Fixed Shackle Pin	GR792	2	18mm OD PIN.
Rear         Polyair         75703         1         All standard height leaf spring models           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort - 1983 - 10/1986           Rear         Shock Absorbers         36-5562         2         EFS Elite - Firm - 1983 - 10/1986           Rear         Shock Absorbers         36-5564         2         EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts           Rear         Shock Absorbers         36-5564S         2         EFS Elite - Comfort           Rear         Shock Absorbers         GP2636         2         EFS Enforcer - 1983 - 10/1986           Rear         Swing Shackles         GR386         2         Must replace both sides - Shackle length is 85mm	Rear	Leaf Springs	HOL-01	2	Constant 350 kg to GVM.
Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort - 1983 - 10/1986           Rear         Shock Absorbers         36-5562         2         EFS Elite - Firm - 1983 - 10/1986           Rear         Shock Absorbers         36-5564         2         EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts           Rear         Shock Absorbers         36-5564S         2         EFS Elite - Comfort           Rear         Shock Absorbers         GP2636         2         EFS Enforcer - 1983 - 10/1986           Rear         Swing Shackles         GR386         2         Must replace both sides - Shackle length is 85mm	Rear	Leaf Springs	HOL-03E	2	EFS - Constant 150 kg to GVM - Modified HOL-12E
Rear         Shock Absorbers         36-5562         2         EFS Elite - Firm - 1983 - 10/1986           Rear         Shock Absorbers         36-5564         2         EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts           Rear         Shock Absorbers         36-5564S         2         EFS Elite - Comfort           Rear         Shock Absorbers         GP2636         2         EFS Enforcer - 1983 - 10/1986           Rear         Swing Shackles         GR386         2         Must replace both sides - Shackle length is 85mm	Rear	Polyair	75703	1	All standard height leaf spring models
Rear Shock Absorbers 36-5564 2 EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts  Rear Shock Absorbers 36-5564S 2 EFS Elite - Comfort  Rear Shock Absorbers GP2636 2 EFS Enforcer - 1983 - 10/1986  Rear Swing Shackles GR386 2 Must replace both sides - Shackle length is 85mm	Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort - 1983 - 10/1986
RearShock Absorbers36-5564S2EFS Elite - ComfortRearShock AbsorbersGP26362EFS Enforcer - 1983 - 10/1986RearSwing ShacklesGR3862Must replace both sides - Shackle length is 85mm	Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm - 1983 - 10/1986
RearShock AbsorbersGP26362EFS Enforcer - 1983 - 10/1986RearSwing ShacklesGR3862Must replace both sides - Shackle length is 85mm	Rear	Shock Absorbers	36-5564	2	EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts
Rear Swing Shackles GR386 2 Must replace both sides - Shackle length is 85mm	Rear	Shock Absorbers	36-5564S	2	EFS Elite - Comfort
	Rear	Shock Absorbers	GP2636	2	EFS Enforcer - 1983 - 10/1986
Rear Ubolts C451 4	Rear	Swing Shackles	GR386	2	Must replace both sides - Shackle length is 85mm
	Rear	Ubolts	C451	4	

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort - 1983 - 10/1986
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm - 1983 - 10/1986
Rear	Shock Absorbers	36-5564	2	EFS Elite - Firm - 11/1986 to 3/1992 - Pin / Eye Mounts
Rear	Shock Absorbers	36-5564S	2	EFS Elite - Comfort
Rear	Shock Absorbers	GP2636	2	EFS Enforcer - 1983 - 10/1986

File created on 22.03.2007 Page 33 of 183

### JACKAROO SWB 4wd IFS with Coil spring rear 5/1992 to 2004

40	T	• 0
40mm		111
71///////	ж.	/

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5577	2	EFS Elite - Medium option
Front	Shock Absorbers	36-5577S	2	EFS Elite - comfort
Front	Shock Absorbers	36-5604S	2	EFS Elite - Firm
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1549	2	29mm OD - 1220mm Long
Rear	Coil Springs	HOL-103E	2	EFS - Constant 100 kg to GVM - 36-5595 shock must be installed.
Rear	Coil Springs	HOL-103HDE	1 PR	Constant 250 kg to GVM. Progressive rate. 36-5595 shock must be installed.
Rear	Polyair	11093	1	All standard height coil spring models
Rear	Polyair	11193	1	All raised height coil spring models
Rear	Shock Absorbers	36-5595	2	EFS Elite - Only to be used with OEM or EFS HOL-103E coils.

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5577	2	EFS Elite - Medium option
Front	Shock Absorbers	36-5577S	2	EFS Elite - Comfort
Front	Shock Absorbers	36-5604S	2	EFS Elite - Firm
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5595	2	EFS Elite

File created on 22.03.2007 Page 34 of 183

### JACKAROO SWB 4wd IFS with Leaf spring rear 1983 to 4/1992

45mm	lift
------	------

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1546A	1 PR	27mm OD - 928mm Long - 1983 - 7/1988
Front	Torsion Bar	TB-1548	2	25.5mm OD - 998mm Long - 8/1988 - 7/1992
Rear	Bush Kit	UK728	1	If fixed pin is 18mm OD - Remove tube from front bush assembly
Rear	Fixed Shackle Pin	GR792	2	18mm OD PIN
Rear	Leaf Springs	HOL-03E	2	EFS - Constant 150 kg to GVM - Modified HOL-12E - SWB Models must have HOL-03E camber reduced by 15mm.
Rear	Polyair	75703	1	All standard height leaf spring models
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort - 1983 - 10/1986
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm - 1983 - 10/1986
Rear	Shock Absorbers	36-5564	2	EFS Elite - 11/1986 to 3/1992 - Pin / Eye Mounts
Rear	Shock Absorbers	GP2636	2	EFS Enforcer - 1983 - 10/1986
Rear	Swing Shackles	GR386	2	Must replace both sides - Shackle length is 85mm
Rear	Ubolts	C451	4	

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort - 1983 - 10/1986
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm - 1983 - 10/1986
Rear	Shock Absorbers	36-5564	2	EFS Elite - 11/1986 to 3/1992 - Pin / Eye Mounts
Rear	Shock Absorbers	GP2636	2	EFS Enforcer - 1983 - 10/1986

File created on 22.03.2007 Page 35 of 183

#### Rodeo KB2, KD2, KB4, KD4 1/1984 to 7/1988

3	0mm	lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Bush Kit	UK728	1	If fixed pin is 18mm OD - Remove tube from front bush assembly
Rear	Leaf Springs	HOL-02	2	Constant 250 kg to GVM.
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR386	2	Must replace both sides - Shackle length is 85mm
Rear	Ubolts	C453-3	4	

#### Std - 30mm Lift

FrontShock Absorbers36-55352EFS Elite - firmFrontShock Absorbers36-5535S2EFS Elite - comfortFrontShock AbsorbersGP20872EFS EnforcerFrontShock Boots10-10012OPTIONAL - Can be installed to front shock	
Front Shock Absorbers GP2087 2 EFS Enforcer	
Front Shock Boots 10-1001 2 OPTIONAL - Can be installed to front shock	
Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort	
Rear Shock Absorbers 36-5562 2 EFS Elite - Firm	
Rear Shock Absorbers GP2636 2 EFS Enforcer	

File created on 22.03.2007 Page 36 of 183

### Rodeo R7 and R9 3/1998 to 2002

		_	
4(	lmm	1	ift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5577	2	EFS Elite - comfort
Front	Shock Absorbers	36-5604S	2	EFS Elite - Firm
Front	Shock Absorbers	GP2667	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1547	1 PR	26mm OD - 1002mm long
Front	Torsion Bar	TB-1556	1 PR	27mm OD - 998mm long - Constant 30 - 40 kg to GVM.
Rear	Bush Kit	UK728	1	If fixed pin is 18mm OD - Remove tube from front bush assembly
Rear	Fixed Shackle Pin	GR792	2	18mm OD PIN
Rear	Leaf Springs	HOL-01	2	Constant 150 kg to GVM.
Rear	Leaf Springs	HOL-01HD		Constant 300 kg to GVM
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR386	2	Must replace both sides - Shackle length is 85mm
Rear	Ubolts	C453-3	4	

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5577	2	EFS Elite - comfort
Front	Shock Absorbers	36-5604S	2	EFS Elite - Firm
Front	Shock Absorbers	GP2667	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

File created on 22.03.2007 Page 37 of 183

## Rodeo RA 2003 on

40	T	•	04
40mm		1	fí
71///////	ж.	4 B	

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5604S	2	EFS Elite
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1550	1 PR	30mm OD - Constant 30 - 40 kg to GVM.
Rear	Bush Kit	UK728	1	
Rear	Leaf Springs	HOL-13E	2	EFS - Constant 200 kg to GVM
Rear	Leaf Springs	HOL-14	2	EFS H/Duty - Constant 300 kg to GVM
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR386	2	Must replace both sides - Shackle length is 85mm
Rear	Ubolts	C473	4	

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5604S	2	EFS Elite
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

File created on 22.03.2007 Page 38 of 183

Rear

Shock Absorbers

### Rodeo TFR 2wd 7/1988 to 12/1999

30mm lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Bush Kit	UK728	1	If fixed pin is 18mm OD - Remove tube from front bush assembly
Rear	Leaf Springs	HOL-02	2	Constant 250 kg to GVM.
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR386	2	Must replace both sides - Shackle length is 85mm
Rear	Ubolts	C453-3	4	
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm

2

**EFS Enforcer** 

GP2636

File created on 22.03.2007

### Rodeo TFS 4wd 7/1988 to 12/1997

40mm	T	ift
TUILLI	_	/II L

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5577	2	EFS Elite - medium option
Front	Shock Absorbers	36-5577S	2	EFS Elite - comfort
Front	Shock Absorbers	36-5604S	2	EFS Elite - firm
Front	Shock Absorbers	GP2667	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1547	1 PR	26mm OD - 1002mm long
Front	Torsion Bar	TB-1556	1 PR	27mm OD - 998mm long - Constant 30 - 40 kg to GVM.
Rear	Bush Kit	UK728	1	If fixed pin is 18mm OD - Remove tube from front bush assembly
Rear	Fixed Shackle Pin	GR792	2	18mm OD PIN
Rear	Leaf Springs	HOL-01	2	Constant 150 kg to GVM.
Rear	Leaf Springs	HOL-01HD	2	Constant 300 kg to GVM
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR386	2	Must replace both sides - Shackle length is 85mm
Rear	Ubolts	C453-3	4	

### Std

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5577	2	EFS Elite - medium option
Front	Shock Absorbers	36-5577S	2	EFS Elite - comfort
Front	Shock Absorbers	36-5604S	2	EFS Elite - Firm
Front	Shock Absorbers	GP2667	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

Page 40 of 183 File created on 22.03.2007

## **HONDA**

## CR-V RD1 2.0LT. AWD Wagon incl Sport 10-97 to 11-2001

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	30-5617	2	OEM Length only
Rear	Shock Absorbers	30-5618	2	OEM Length only

## **HYUNDAI**

### **TERRACAN 2001 on**

#### 25mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - comfort
Front	Torsion Bar	TB-1552	1 PR	
Rear	Coil Springs	HYU-101E	2	Constant 100 kg to GVM. Progressive rate 170 - 225 lbs/inch.
Rear	Coil Springs	HYU-101HDE	2	Constant 250 kg to GVM. Progressive rate 205 - 290 lbs/inch.
Rear	Shock Absorbers	36-5533	2	EFS Elite

## **LANDROVER**

### COUNTY 110 Diesel Wagon post 1991- excluding Defender

### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	LAN-112E	1 PR	Load Bearing accessories up to 45 kg, 230 lbs/inch
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	SD4032	1	
Rear	Coil Springs	LAN-101E	1 PR	Constant 100 kg to GVM, 220 lbs/inch
Rear	Polyair	95095	1	Raised height suspension only - 50mm lift
Rear	Polyair	95098	1	Standard Height suspension only
Rear	Shock Absorbers	36-5593	2	EFS Elite

#### Sto

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	SD4032	1	
Rear	Shock Absorbers	36-5593	2	EFS Elite

Page 41 of 183 File created on 22.03.2007

### COUNTY 110 Diesel Wagon post 1991- excluding Defender

### COUNTY 110 Petrol Wagon Post 1991- excluding Defender

50mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	LAN-112E	1 PR	Load Bearing accessories 50kg to 80kg, 230 lbs/inch
Front	Coil Springs	LAN-114E	1 PR	Load Bearing accessories up to 45 kg, 230 lbs/inch
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	SD4032	1	
Rear	Coil Springs	LAN-101E	1 PR	Constant 100 kg to GVM, 220 lbs/inch

1

1 2 Raised height suspension only - 50mm lift

Standard Height suspension only

**EFS Elite** 

95095

95098

Rear	Shock Absorbers	36-5593

Polyair

Polyair

Std - 30mm Lift					
SUSPENSION	PART TYPE	PART	QTY	NOTES	
Front	Shock Absorbers	36-5592	2	EFS Elite	
Front	Steering Damper	SD4032	1		
Rear	Shock Absorbers	36-5593	2	EFS Elite	

### COUNTY 110 Diesel Cab-Chassis Post 1991- excluding Defender

#### 50mm Lift

Rear

Rear

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	LAN-112E	1 PR	Load Bearing accessories up to 45 kg, 230 lbs/inch
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	SD4032	1	
Rear	Coil Springs	LAN-102E	1 PR	Constant 200 kg to GVM - 470 lbs/inch
Rear	Coil Springs	LAN-102HDE	1 PR	Constant 350 kg to GVM - 515 lbs/inch
Rear	Polyair	95095	1	Raised height suspension only - 50mm lift
Rear	Polyair	95098	1	Standard Height suspension only
Rear	Shock Absorbers	36-5593	2	EFS Elite

#### St

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Steering Damper	SD4032	1	

File created on 22.03.2007 Page 42 of 183

TY 110 Pet				
ım Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
ront	Coil Springs	LAN-112E	1 PR	Load Bearing accessories 40kg to 65kg, 230 lbs/inch
ront	Coil Springs	LAN-114E	1 PR	Load Bearing accessories up to 30 kg, 230 lbs/inch
ront	Shock Absorbers	36-5592	2	EFS Elite
ront	Steering Damper	SD4032	1	
Rear	Coil Springs	LAN-102E	1 PR	Constant 200 kg to GVM - 470 lbs/inch
Rear	Coil Springs	LAN-102HDE	1 PR	Constant 350 kg to GVM - 515 lbs/inch
Rear	Polyair	95095	1	Raised height suspension only - 50mm lift
Rear	Polyair	95098	1	Standard Height suspension only
Rear	Shock Absorbers	36-5593	2	EFS Elite
- 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
ENDER 110 -	Steering Damper  Cab-Chassis 1992	on - excluding Cour	nty	
nm Lift	Cab-Chassis 1992	on - excluding Cour	nty	NOTES
ENDER 110 - nm Lift SUSPENSION	Cab-Chassis 1992 PART TYPE	on - excluding Cour	QTY	NOTES Load Bearing accessories up to 45 kg, 225 lbs/inch
ENDER 110 - nm Lift SUSPENSION Front	Cab-Chassis 1992  PART TYPE  Coil Springs	on - excluding Cour PART LAN-107E	QTY 1 PR	Load Bearing accessories up to 45 kg, 225 lbs/inch
ENDER 110 - mm Lift SUSPENSION Front	Cab-Chassis 1992  PART TYPE  Coil Springs  Coil Springs	on - excluding Coun  PART  LAN-107E  LAN-107HDE	QTY 1 PR 1 PR	Load Bearing accessories up to 45 kg, 225 lbs/inch Load Bearing accessories 50kg to 80kg, 285 lbs/inch
ENDER 110 - m Lift USPENSION ront ront	PART TYPE Coil Springs Coil Springs Shock Absorbers	PART LAN-107E LAN-107HDE 36-5592	QTY 1 PR	Load Bearing accessories up to 45 kg, 225 lbs/inch
MDER 110 - m Lift USPENSION ront ront ront	PART TYPE Coil Springs Coil Springs Shock Absorbers Steering Damper	on - excluding Coun  PART  LAN-107E  LAN-107HDE	QTY 1 PR 1 PR 2	Load Bearing accessories up to 45 kg, 225 lbs/inch Load Bearing accessories 50kg to 80kg, 285 lbs/inch EFS Elite
ENDER 110 - mm Lift SUSPENSION Front Front Front Front Rear	PART TYPE Coil Springs Coil Springs Shock Absorbers Steering Damper Coil Springs	PART LAN-107E LAN-107HDE 36-5592 SD4032	1 PR 1 PR 2 1	Load Bearing accessories up to 45 kg, 225 lbs/inch Load Bearing accessories 50kg to 80kg, 285 lbs/inch EFS Elite  Constant 200 kg to GVM - 470 lbs/inch
ENDER 110 - nm Lift SUSPENSION Front	Cab-Chassis 1992  PART TYPE  Coil Springs  Coil Springs  Shock Absorbers  Steering Damper  Coil Springs  Coil Springs	PART LAN-107E LAN-107HDE 36-5592 SD4032 LAN-102E	QTY 1 PR 1 PR 2 1 PR	Load Bearing accessories up to 45 kg, 225 lbs/inch Load Bearing accessories 50kg to 80kg, 285 lbs/inch EFS Elite  Constant 200 kg to GVM - 470 lbs/inch Constant 350 kg to GVM - 515 lbs/inch
ENDER 110 - mm Lift SUSPENSION Front Front Front Front Rear	PART TYPE Coil Springs Coil Springs Shock Absorbers Steering Damper Coil Springs	PART LAN-107E LAN-107HDE 36-5592 SD4032 LAN-102E LAN-102HDE	1 PR 2 1 PR 1 PR 1 PR 1 PR 1 PR 1 PR 1 P	Load Bearing accessories up to 45 kg, 225 lbs/inch Load Bearing accessories 50kg to 80kg, 285 lbs/inch EFS Elite  Constant 200 kg to GVM - 470 lbs/inch Constant 350 kg to GVM - 515 lbs/inch Raised height suspension only - 50mm lift
ENDER 110 - mm Lift SUSPENSION Front Front Front Front Rear Rear	Cab-Chassis 1992  PART TYPE  Coil Springs  Coil Springs  Shock Absorbers  Steering Damper  Coil Springs  Coil Springs  Polyair	PART LAN-107E LAN-107HDE 36-5592 SD4032 LAN-102E LAN-102HDE 95095	1 PR 2 1 PR 1 PR 1 PR 1 PR 1 PR 1 PR 1	Load Bearing accessories up to 45 kg, 225 lbs/inch Load Bearing accessories 50kg to 80kg, 285 lbs/inch EFS Elite  Constant 200 kg to GVM - 470 lbs/inch Constant 350 kg to GVM - 515 lbs/inch
ENDER 110 - mm Lift SUSPENSION Front Front Front Rear Rear Rear	Cab-Chassis 1992  PART TYPE  Coil Springs  Coil Springs  Shock Absorbers  Steering Damper  Coil Springs  Coil Springs  Polyair	PART  LAN-107E  LAN-107HDE  36-5592  SD4032  LAN-102E  LAN-102HDE  95095  95098	1 PR 2 1 PR 1 PR 1 PR 1 PR 1 PR 1 PR 1 P	Load Bearing accessories up to 45 kg, 225 lbs/inch Load Bearing accessories 50kg to 80kg, 285 lbs/inch EFS Elite  Constant 200 kg to GVM - 470 lbs/inch Constant 350 kg to GVM - 515 lbs/inch Raised height suspension only - 50mm lift Standard Height suspension only
ENDER 110 - mm Lift SUSPENSION Front Front Front Rear Rear Rear Rear Rear	Cab-Chassis 1992  PART TYPE  Coil Springs  Coil Springs  Shock Absorbers  Steering Damper  Coil Springs  Coil Springs  Polyair	PART  LAN-107E  LAN-107HDE  36-5592  SD4032  LAN-102E  LAN-102HDE  95095  95098	1 PR 2 1 PR 1 PR 1 PR 1 PR 1 PR 1 PR 1 P	Load Bearing accessories up to 45 kg, 225 lbs/inch Load Bearing accessories 50kg to 80kg, 285 lbs/inch EFS Elite  Constant 200 kg to GVM - 470 lbs/inch Constant 350 kg to GVM - 515 lbs/inch Raised height suspension only - 50mm lift Standard Height suspension only
ENDER 110 - mm Lift SUSPENSION Front Front Front Rear Rear Rear Rear Rear - 30mm Lift	Cab-Chassis 1992  PART TYPE  Coil Springs Coil Springs Shock Absorbers Steering Damper Coil Springs Coil Springs Polyair Polyair Shock Absorbers	PART  LAN-107E  LAN-107HDE  36-5592  SD4032  LAN-102E  LAN-102HDE  95095  95098  36-5593	1 PR	Load Bearing accessories up to 45 kg, 225 lbs/inch Load Bearing accessories 50kg to 80kg, 285 lbs/inch EFS Elite  Constant 200 kg to GVM - 470 lbs/inch Constant 350 kg to GVM - 515 lbs/inch Raised height suspension only - 50mm lift Standard Height suspension only EFS Elite
ENDER 110 - nm Lift SUSPENSION Front Front Front Rear Rear Rear Rear Rear Rear Rear Rear	Cab-Chassis 1992  PART TYPE  Coil Springs Coil Springs Shock Absorbers Steering Damper Coil Springs Coil Springs Polyair Polyair Shock Absorbers  PART TYPE	PART  LAN-107E  LAN-107HDE  36-5592  SD4032  LAN-102E  LAN-102HDE  95095  95098  36-5593  PART	1 PR 1 PR 2 1 PR 1 PR 1 PR 1 PR 1 PR 2 PR 1 PR 1 PR 1 PR 1 PR 1 PR 1 PR	Load Bearing accessories up to 45 kg, 225 lbs/inch Load Bearing accessories 50kg to 80kg, 285 lbs/inch EFS Elite  Constant 200 kg to GVM - 470 lbs/inch Constant 350 kg to GVM - 515 lbs/inch Raised height suspension only - 50mm lift Standard Height suspension only EFS Elite  NOTES

File created on 22.03.2007 Page 43 of 183

DEF	DEFENDER 110 - Wagon 1992 on - excluding County						
50	mm Lift						
	SUSPENSION	PART TYPE	PART	QTY	NOTES		
	Front	Coil Springs	LAN-112E	1 PR	Load Bearing accessories 50kg to 80kg, 230 lbs/inch		
	Front	Coil Springs	LAN-114E	1 PR	Load Bearing accessories up to 45 kg, 230 lbs/inch		
	Front	Shock Absorbers	36-5592	2	EFS Elite		
	Front	Steering Damper	SD4032	1			
	Rear	Coil Springs	LAN-102E	1 PR	Constant 200 kg to GVM - 470 lbs/inch		
	Rear	Coil Springs	LAN-102HDE	1 PR	Constant 350 kg to GVM - 515 lbs/inch		
	Rear	Polyair	95095	1	Raised height suspension only - 50mm lift		
	Rear	Polyair	95098	1	Standard Height suspension only		
	Rear	Shock Absorbers	36-5593	2	EFS Elite		
St	d - 30mm Lift						
	SUSPENSION	PART TYPE	PART	QTY	NOTES		
	Front	Shock Absorbers	36-5592	2	EFS Elite		
	Front	Steering Damper	SD4032	1			
	Rear	Shock Absorbers	36-5593	2	EFS Elite		
DEI	FENDER 130 -	Cab-Chassis 1994 on					
50	mm Lift						
	SUSPENSION	PART TYPE	PART	QTY	NOTES		
	Front	Coil Springs	LAN-107E	1 PR	Load Bearing accessories up to 45 kg, 225 lbs/inch		
	Front	Coil Springs	LAN-107HDE	1 PR	Load Bearing accessories 50kg to 80kg, 285 lbs/inch		
	Front	Shock Absorbers	36-5592	2	EFS Elite		
	Front	Steering Damper	SD4032	1			
	Rear	Coil Springs	LAN-102HDE	1 PR	Constant 200 kg to GVM, 515 lbs/inch		
	Rear	Polyair	94091	1	To suit 50mm lift applications.		
	Rear	Shock Absorbers	36-5590	2	EFS Elite		
St	d - 30mm Lift						
	SUSPENSION	PART TYPE	PART	QTY	NOTES		
	Front	Shock Absorbers	36-5592	2	EFS Elite		
	Front	Steering Damper	SD4032	1			
	Rear	Shock Absorbers	36-5590	2	EFS Elite		

File created on 22.03.2007 Page 44 of 183

### **DISCOVERY SERIES 1 and 2 - 1991 to 03/1999**

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	LAN-106E	1 PR	Load Bearing accessories up to 30 kg, 200 lbs/inch
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	SD4011	1	
Rear	Coil Springs	LAN-113E	1 PR	Constant 100 kg to GVM - Progressive rate at 240-345 lbs/inch
Rear	Coil Springs	LAN-113HDE	1 PR	Constant 250 kg to GVM - Progressive rate at 300-440 lbs/inch
Rear	Polyair	92096	1	Raised height suspension only - 50mm lift
Rear	Polyair	92099	1	Standard Height suspension only
Rear	Shock Absorbers	36-5593	2	EFS Elite
td - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	SD4011	1	
Rear	Shock Absorbers	36-5593	2	EFS Elite
		02/1000		
SCOVERY SEI	RIES 2 - TD5 Post	03/1999		
SCOVERY SEI 0mm Lift SUSPENSION	PART TYPE	03/1999 PART	QTY	NOTES
0mm Lift			QTY 1 PR	NOTES  Load Bearing accessories up to 30 kg, 170 lbs/inch
0mm Lift SUSPENSION	PART TYPE	PART		
0mm Lift SUSPENSION Front	PART TYPE Coil Springs	PART LAN-108E	1 PR	Load Bearing accessories up to 30 kg, 170 lbs/inch
Omm Lift SUSPENSION Front Front	PART TYPE Coil Springs Shock Absorbers	PART LAN-108E 36-5598	1 PR 2	Load Bearing accessories up to 30 kg, 170 lbs/inch
Omm Lift SUSPENSION Front Front Front	PART TYPE  Coil Springs  Shock Absorbers  Steering Damper	PART  LAN-108E  36-5598  SD4011	1 PR 2 1	Load Bearing accessories up to 30 kg, 170 lbs/inch EFS Elite
Omm Lift SUSPENSION Front Front Front Rear	PART TYPE  Coil Springs  Shock Absorbers  Steering Damper  Coil Springs	PART  LAN-108E  36-5598  SD4011  LAN-113E	1 PR 2 1 1 PR	Load Bearing accessories up to 30 kg, 170 lbs/inch  EFS Elite  Constant 100 kg to GVM - Progressive rate at 240-345 lbs/inch
Omm Lift SUSPENSION Front Front Front Rear Rear	PART TYPE Coil Springs Shock Absorbers Steering Damper Coil Springs Coil Springs	PART  LAN-108E  36-5598  SD4011  LAN-113E  LAN-113HDE	1 PR 2 1 1 PR 1 PR	Load Bearing accessories up to 30 kg, 170 lbs/inch  EFS Elite  Constant 100 kg to GVM - Progressive rate at 240-345 lbs/inch  Constant 250 kg to GVM - Progressive rate at 300-440 lbs/inch
Omm Lift SUSPENSION Front Front Front Rear Rear	PART TYPE  Coil Springs  Shock Absorbers  Steering Damper  Coil Springs  Coil Springs  Polyair	PART  LAN-108E  36-5598  SD4011  LAN-113E  LAN-113HDE  92896	1 PR 2 1 1 PR 1 PR 1 PR	Load Bearing accessories up to 30 kg, 170 lbs/inch  EFS Elite  Constant 100 kg to GVM - Progressive rate at 240-345 lbs/inch  Constant 250 kg to GVM - Progressive rate at 300-440 lbs/inch  Standard Height suspension only
Omm Lift SUSPENSION Front Front Rear Rear Rear Rear	PART TYPE  Coil Springs  Shock Absorbers  Steering Damper  Coil Springs  Coil Springs  Polyair	PART  LAN-108E  36-5598  SD4011  LAN-113E  LAN-113HDE  92896	1 PR 2 1 1 PR 1 PR 1 PR	Load Bearing accessories up to 30 kg, 170 lbs/inch  EFS Elite  Constant 100 kg to GVM - Progressive rate at 240-345 lbs/inch  Constant 250 kg to GVM - Progressive rate at 300-440 lbs/inch  Standard Height suspension only
Omm Lift SUSPENSION Front Front Rear Rear Rear Rear Rear td - 30mm Lift	PART TYPE  Coil Springs Shock Absorbers Steering Damper Coil Springs Coil Springs Polyair Shock Absorbers	PART  LAN-108E  36-5598  SD4011  LAN-113E  LAN-113HDE  92896  36-5599	1 PR 2 1 1 PR 1 PR 1 PR 1 2	Load Bearing accessories up to 30 kg, 170 lbs/inch  EFS Elite  Constant 100 kg to GVM - Progressive rate at 240-345 lbs/inch  Constant 250 kg to GVM - Progressive rate at 300-440 lbs/inch  Standard Height suspension only  EFS Elite
Omm Lift SUSPENSION Front Front Rear Rear Rear Rear Rear Suspension	PART TYPE  Coil Springs Shock Absorbers Steering Damper Coil Springs Coil Springs Polyair Shock Absorbers  PART TYPE	PART  LAN-108E  36-5598  SD4011  LAN-113E  LAN-113HDE  92896  36-5599  PART	1 PR 2 1 1 PR 1 PR 1 PR 2 QTY	Load Bearing accessories up to 30 kg, 170 lbs/inch  EFS Elite  Constant 100 kg to GVM - Progressive rate at 240-345 lbs/inch  Constant 250 kg to GVM - Progressive rate at 300-440 lbs/inch  Standard Height suspension only  EFS Elite  NOTES

File created on 22.03.2007 Page 45 of 183

## RANGE ROVER - 1971 to 1998 - excluding models with air suspension.

<b>-</b> 0	т.	• 64
Summ		111
20111111		/II L

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	LAN-106E	1 PR	Load Bearing accessories up to 45 kg, 200 lbs/inch
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	SD4011	1	
Rear	Coil Springs	LAN-112E	1 PR	Constant 100 kg to GVM, 230 lbs/inch - NOTE: If load leveler is removed install 10-1024 spacer to rear coils.
Rear	Coil Springs	LAN-113E	1 PR	Constant 100 kg to GVM, Progressive rate 240 to 345 lbs/inch
Rear	Coil Springs	LAN-113HDE	1 PR	Constant 250 kg to GVM, Progressive rate 300 to 440 lbs/inch
Rear	Polyair	92096	1	Raised height suspension only - 50mm lift
Rear	Polyair	92099	1	Standard Height suspension only
Rear	Shock Absorbers	36-5593	2	EFS Elite
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	SD4011	1	
Rear	Shock Absorbers	36-5593	2	EFS Elite

File created on 22.03.2007 Page 46 of 183

### BRAVO B2500 & B2600 2WD 1987-2/1999.

3 =	T	• 64
35mm		111
	т.	/II I I

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5578	2	EFS ELITE
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1546A	1 PR	27mm OD - 927mm LONG - Check Torsion Bar dimensions before ordering
Rear	Bush Kit	UK756	1	
Rear	Leaf Springs	MAZD-02	2	Constant 200 kg to GVM
Rear	Polyair	75598	1	To suit standard height vehicles only.
Rear	Shock Absorbers	36-5522	2	EFS ELITE
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER
Rear	Swing Shackles	GR386-1	2	
Rear	Ubolts	C453-1	4	

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5578	2	EFS ELITE
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5522	2	EFS ELITE
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER

File created on 22.03.2007 Page 47 of 183

### BRAVO B2500 & B2600 2WD 3/1999 - 2005.

35mm	T	ift
	_	/11.

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1003	1	Mandatory with Aftermarket shocks-Provides support to shock tower.
Front	Shock Absorbers	36-5577	2	EFS ELITE
Front	Shock Absorbers	GP2667	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Bush Kit	UK756	1	
Rear	Leaf Springs	MAZD-02	2	Constant 200 kg to GVM
Rear	Polyair	75598	1	To suit standard height vehicles only.
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS ELITE - Firm
Rear	Shock Absorbers	GP2636	2	EFS ENFORCER - Firm
Rear	Shock Absorbers	GP2650A	2	EFS Enforcer - Comfort
Rear	Swing Shackles	GR386-1	2	Both sides must be replaced - Aftermarket shackle longer than OEM unit.
Rear	Ubolts	Contact sales staff	4	12mm x 83mm x 190mm Rnd top
Rear	Wedges	WEDGE-00	2	60x120 at 1 Degree
Rear	Wedges	WEDGE-00	2	60x120 at 1 Degree

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1003	1	Mandatory with Aftermarket shocks-Provides support to shock tower.
Front	Shock Absorbers	36-5577	2	EFS ELITE
Front	Shock Absorbers	GP2667	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS ELITE - Firm
Rear	Shock Absorbers	GP2636	2	EFS ENFORCER - Firm
Rear	Shock Absorbers	GP2650A	2	EFS Enforcer - Comfort

File created on 22.03.2007 Page 48 of 183

### BRAVO B2500 & B2600 4WD 1987-2/1999.

35mm	T	ift
	_	/II. L

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5578	2	EFS Elite - Firm
Front	Shock Absorbers	36-5578S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1546A	1 PR	27mm OD - 927mm LONG
Rear	Bush Kit	UK756	1	
Rear	Leaf Springs	MAZD-01E	2	Constant 200 kg to GVM
Rear	Leaf Springs	MAZD-03E	2	Constant 400 kg to GVM
Rear	Polyair	75598	1	To suit standard height vehicles only.
Rear	Shock Absorbers	36-5522	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5522S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER
Rear	Swing Shackles	GR386-1	2	
Rear	Ubolts	C453-1	4	

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5578	2	EFS Elite - Firm
Front	Shock Absorbers	36-5578S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5522	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5522S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER

File created on 22.03.2007 Page 49 of 183

### BRAVO B2500 & B2600 4WD 3/1999 - 2005.

35mm	L	ift
------	---	-----

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1003	1	Mandatory with Aftermarket shocks-Provides support to shock tower.
Front	Shock Absorbers	36-5578	2	EFS Elite - Firm
Front	Shock Absorbers	36-5578S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2667A	2	EFS ENFORCER
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1546A	1 PR	27mm OD - 927mm LONG
Rear	Bush Kit	UK756	1	
Rear	Leaf Springs	MAZD-01E	2	Constant 200 kg to GVM
Rear	Leaf Springs	MAZD-03E	2	Constant 400 kg to GVM
Rear	Polyair	75598	1	To suit standard height vehicles only.
Rear	Shock Absorbers	36-5522	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5522S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081A	2	EFS ENFORCER
Rear	Swing Shackles	GR386-1	2	Both sides must be replaced - Aftermarket shackle longer than OEM unit.
Rear	Ubolts	C453-1	4	
Rear	Wedges	WEDGE-00	2	60x120 at 1 Degree
Rear	Wedges	WEDGE-00	2	60x120 at 1 Degree

### Std - 30mm Lift

PART TYPE	PART	QTY	NOTES
Re-inforcement Bracket	10-1003	1	Mandatory with Aftermarket shocks-Provides support to shock tower.
Shock Absorbers	36-5578	2	EFS Elite - Firm
Shock Absorbers	36-5578S	2	EFS Elite - Comfort
Shock Absorbers	GP2667A	2	EFS ENFORCER
Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Shock Absorbers	36-5522	2	EFS Elite - Comfort
Shock Absorbers	36-5522S	2	EFS Elite - Firm
Shock Absorbers	GP2081A	2	EFS ENFORCER
	Shock Absorbers Shock Absorbers Shock Boots Shock Absorbers Shock Absorbers Shock Absorbers	Re-inforcement Bracket 10-1003  Shock Absorbers 36-5578  Shock Absorbers 36-5578S  Shock Absorbers GP2667A  Shock Boots 10-1001  Shock Absorbers 36-5522  Shock Absorbers 36-5522S	Re-inforcement Bracket       10-1003       1         Shock Absorbers       36-5578       2         Shock Absorbers       36-5578S       2         Shock Absorbers       GP2667A       2         Shock Boots       10-1001       2         Shock Absorbers       36-5522       2         Shock Absorbers       36-5522S       2

File created on 22.03.2007 Page 50 of 183

## CHALLENGER - Coil Spring Rear susp - Post 06/2000

40mm L	ЛΠ	t
--------	----	---

SUSPENSION	PART TYPE	PART	QTY	NOTES	
Front	Shock Absorbers	36-5535	2	EFS Elite	
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock	
Front	Torsion Bar	TB-203A	1 PR	27.5mm OD - 1307mm Long	
Rear	Coil Springs	MIT-107E	2	Constant 150 kg to GVM	
Rear	Polyair	95893	1	To suit standard height suspension only.	

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES	
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm	
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort	
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock	

### CHALLENGER - Leaf Spring Rear susp - 1998 to 05/2000

### 40mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-203A	1 PR	27.5mm OD - 1307mm Long
Rear	Bush Kit	UK765	1	
Rear	Leaf Springs	MIT-03E	2	Constant 150 kg to GVM
Rear	Shock Absorbers	36-5426	2	EFS Elite - Soft Valve code
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm Valve code
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Ubolts	C451	4	

File created on 22.03.2007 Page 51 of 183

## CHALLENGER - Leaf Spring Rear susp - 1998 to 05/2000

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5426	2	EFS Elite - Soft Valve code
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm Valve code
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

## PAJERO LWB NA to NG 4 cylinder and V6 - Leaf Spring Rear susp - 1983 to 1991

#### 40mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5530S	2	EFS Elite
Front	Shock Absorbers	GP2082	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-200A	1 PR	26mm OD - 1282mm Long
Rear	Bush Kit	UK715	1	Check fixed pin OD - This kit suits 18mm OD fixed pin.
Rear	Bush Kit	UK717	1	Check fixed pin OD - This kit suits 17mm OD fixed pin.
Rear	Fixed Shackle Pin	GR796	2	To suit 18mm fixed pins only
Rear	Leaf Springs	MITS-01E	2	Constant 150 kg to GVM
Rear	Polyair	72798	1	NA to NJ models - Standard height only
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR795	2	
Rear	Ubolts	C451	4	

File created on 22.03.2007 Page 52 of 183

## PAJERO LWB NA to NG 4 cylinder and V6 - Leaf Spring Rear susp - 1983 to 1991

CI A		30	-	• 64
Std	_	<b>30mm</b>	1 I	111
$\mathcal{L}_{\mathbf{u}}$		JUILLI		111 U

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5530S	2	EFS Elite
Front	Shock Absorbers	GP2082	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

### PAJERO LWB NF to NG L146G V6 - Coil Spring Rear susp - 1988 to 1991

### 40mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5530	2	EFS Elite - Firm
Front	Shock Absorbers	36-5530S	2	EFS Elite - Comfort
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-200A	1 PR	26mm OD - 1282mm Long
Rear	Coil Springs	MIT-101E	1 PR	Constant 100 kg to GVM - Progressive rate at 170-225 lbs/inch
Rear	Coil Springs	MIT-101HDE	1 PR	Constant 200 kg to GVM - Progressive rate at 205-290 lbs/inch
Rear	Polyair	15898	1	To suit standard height suspension only.
Rear	Shock Absorbers	36-5597	2	EFS Elite

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5530	2	EFS Elite - Firm
Front	Shock Absorbers	36-5530S	2	EFS Elite - Comfort
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5597	2	EFS Elite

File created on 22.03.2007 Page 53 of 183

## PAJERO LWB NH to NJ 6 cylinder - Leaf Spring Rear susp - 5/1991 to 1996

40mm	I	ift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-203A	1 PR	27.5mm OD - 1307mm Long
Rear	Bush Kit	UK715	1	Check fixed pin OD - This kit suits 18mm OD fixed pin.
Rear	Fixed Shackle Pin	GR796	2	To suit 18mm fixed pins only
Rear	Leaf Springs	MITS-03E	2	Constant 150 kg to GVM
Rear	Polyair	72798	1	NA to NJ models - Standard height only
Rear	Shock Absorbers	36-5426	2	EFS Elite - Soft
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR795	2	
Rear	Ubolts	C451	4	

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5426	2	EFS Elite - Soft
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

File created on 22.03.2007 Page 54 of 183

## PAJERO LWB NH to NL 6 cylinder - Coil Spring Rear susp - 5/1991 to 2000

50mm	T	ift
SUIIIII	L	ш

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-200A	1 PR	NJ Models can take TB-203A or TB-200A - 26mm - 1282mm LONG. Please check length before ordering.
Front	Torsion Bar	TB-203A	1 PR	27.5mm OD - 1307mm Long
Rear	Coil Springs	MIT-101E	1 PR	Constant 100 kg to GVM - Progressive rate at 170-225 lbs/inch
Rear	Coil Springs	MIT-101HDE	1 PR	Constant 200 kg to GVM - Progressive rate at 205-290 lbs/inch
Rear	Polyair	15898	1	To suit NH to NJ models - standard height suspension only.
Rear	Shock Absorbers	36-5580	2	EFS Elite

### Sto

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5580	2	EFS Elite

### PAJERO LWB NH to NL Diesel and T/Diesel - Coil Spring Rear susp - 5/1991 to 2000

### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-203A	1 PR	27.5mm OD - 1307mm Long
Rear	Coil Springs	MIT-101E	1 PR	Constant 100 kg to GVM - Progressive rate at 170-225 lbs/inch
Rear	Coil Springs	MIT-101HDE	1 PR	Constant 200 kg to GVM - Progressive rate at 205-290 lbs/inch
Rear	Polyair	15898	1	To suit NH to NJ models - standard height suspension only.
Rear	Shock Absorbers	36-5597	2	EFS Elite

Page 55 of 183 File created on 22.03.2007

Front

Rear

PAJERO LWB NH to NI	Diesel and T/Diesel	- Coil Spring Rear susp	- 5/1991 to 2000
I HOLITO LIVID I HI TO I H	d Dieser and 1/Dieser	Con Spring Rear Susp	0/1//1 00 2000

Shock Absorbers

Coil Springs

<b>PAJERO</b>	PAJERO LWB NH to NL Diesel and T/Diesel - Coil Spring Rear susp - 5/1991 to 2000				
Std - 301	mm Lift				
SUSP	PENSION	PART TYPE	PART	QTY	NOTES
Front		Shock Absorbers	36-5535	2	EFS Elite - Firm
Front		Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front		Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear		Shock Absorbers	36-5597	2	EFS Elite
<b>PAJERO</b>	LWB NN	I to NP - 3.2 T/Diesel -	2000 on		
40mm L	Lift				
SUSP	PENSION	PART TYPE	PART	QTY	NOTES
Front		Coil Springs	MIT-100E	1 PR	Up to 35 kg Load bearing accessories. 670 lbs / inch
Front		Coil Springs	MIT-100HDE	1 PR	Up to 65 kg Load Bearing Accessories. 760 lbs / inch
Front		Shock Absorbers	38-5624	2	Under development - not currently available.
Rear		Coil Springs	MIT-103E	1 PR	Constant 150 kg to GVM - Progressive rate at 660-1000 lbs/inch.
Rear		Coil Springs	MIT-103HDE	1 PR	Constant 300 kg to GVM - Progressive rate at 970-1060 lbs/inch.
Rear		Polyair	99697	1	To suit standard height suspension only.
Rear		Shock Absorbers	36-5582S	2	EFS Elite
Std - 301	mm Lift				
SUSP	PENSION	PART TYPE	PART	QTY	NOTES
Front		Shock Absorbers	38-5624	2	Under development - not currently available.
Rear		Shock Absorbers	36-5582S	2	EFS Elite
<b>PAJERO</b>	LWB NN	I to NP - 3.5L Petrol V	76 - 2000 on		
40mm L	Lift				
SUSP	PENSION	PART TYPE	PART	QTY	NOTES
Front		Coil Springs	MIT-100E	1 PR	Up to 65 kg Load Bearing Accessories, 670 lbs/inch
Front		Coil Springs	MIT-100HDE	1 PR	70kg to 100 kg Load Bearing Accessories, 760 lbs / inch

Rear	Coil Springs	MIT-103HDE	1 PR	Constant 300 kg to GVM - Progressive rate at 970-1060 lbs/inch
Rear	Polyair	99697	1	To suit standard height suspension only.
Rear	Shock Absorbers	36-5582S	2	EFS Elite

Under development - not currently available.

Constant 150 kg to GVM - Progressive rate at 660-1000 lbs/inch

2

1 PR

38-5624

MIT-103E

Page 56 of 183 File created on 22.03.2007

### PAJERO LWB NM to NP - 3.5L Petrol V6 - 2000 on

Std	- 30mm	Lift
viu	- Sviiiiii	LIII

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	38-5624	2	Under development - not currently available.
Rear	Shock Absorbers	36-5582S	2	EFS Elite

## PAJERO SWB NA to NG 4 cylinder and V6 - Leaf Spring Rear susp - 1983 to 1991

### 40mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5530S	2	EFS Elite
Front	Shock Absorbers	GP2082	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-200A	1 PR	26mm OD - 1282mm Long
Rear	Bush Kit	UK715	1	Check fixed pin OD - This kit suits 18mm OD fixed pin.
Rear	Fixed Shackle Pin	GR796	2	To suit 18mm fixed pins only
Rear	Leaf Springs	MITS-03E	2	Constant 150 kg to GVM
Rear	Polyair	72798	1	NA to NJ models - Standard height only
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR795	2	
Rear	Ubolts	C451	4	

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5530S	2	EFS Elite
Front	Shock Absorbers	GP2082	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

File created on 22.03.2007 Page 57 of 183

## PAJERO SWB NF to NG V6 - Coil Spring Rear susp - 8/1989 to 1991

40mm Lift					
SUSPENSION	PART TYPE	PART	QTY	NOTES	
Front	Shock Absorbers	36-5530	2	EFS Elite - Firm	
Front	Shock Absorbers	36-5530S	2	EFS Elite - Comfort	
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock	
Front	Torsion Bar	TB-200A	1 PR	26mm OD - 1282mm Long	
Rear	Coil Springs	MIT-102E	1 PR	Constant 100 kg to GVM, 135-230 lbs/inch	
Rear	Polyair	15898	1	To suit standard height suspension only.	
Rear	Shock Absorbers	36-5597	2	EFS Elite	
Std - 30mm Lift					
SUSPENSION	PART TYPE	PART	QTY	NOTES	
Front	Shock Absorbers	36-5530	2	EFS Elite - Firm	
Front	Shock Absorbers	36-5530S	2	EFS Elite - Comfort	
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock	
Rear	Shock Absorbers	36-5597	2	EFS Elite	

File created on 22.03.2007 Page 58 of 183

## PAJERO SWB NH to NJ 6 cylinder - Leaf Spring Rear susp - 5/1991 to 1996

10	T	: C4
40mm	L	лπ

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-203A	1 PR	27.5mm OD - 1307mm Long
Rear	Bush Kit	UK715	1	Check fixed pin OD - This kit suits 18mm OD fixed pin.
Rear	Fixed Shackle Pin	GR796	2	To suit 18mm fixed pins only
Rear	Leaf Springs	MITS-03E	2	Constant 150 kg to GVM
Rear	Polyair	72798	1	NA to NJ models - Standard height only
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR795	2	
Rear	Ubolts	C451	4	

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

File created on 22.03.2007 Page 59 of 183

/IIImm Lift				2000
40mm Lift SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS - Comfort
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-203A	1 PR	27.5mm OD - 1307mm Long
Rear	Coil Springs	MIT-102E	1 PR	Constant 100 kg to GVM, 135-230 lbs/inch
Rear	Polyair	95893	1	To suit NH to NJ models - standard height suspension only.
Rear	Shock Absorbers	36-5580	2	EFS Elite
	OHOCK ADSOLDERS	30 3300		Li o Line
Std - 30mm Lift	- ·		a	
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5580	2	EFS Elite
AJERO SWB NI	H to NL Diesel and	T/Diesel - Coil Spri	ing Rear susp -	5/1991 to 2000
40mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
	PART TYPE Shock Absorbers	PART 36-5535	QTY 2	NOTES EFS Elite - Firm
SUSPENSION				
SUSPENSION Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
SUSPENSION Front Front	Shock Absorbers Shock Absorbers	36-5535 36-5535S	2 2	EFS Elite - Firm EFS Elite - Comfort
SUSPENSION Front Front Front	Shock Absorbers Shock Absorbers Shock Boots	36-5535 36-5535S 10-1001	2 2 2	EFS Elite - Firm  EFS Elite - Comfort  OPTIONAL - Can be installed to front shock
Front Front Front Front	Shock Absorbers Shock Absorbers Shock Boots Torsion Bar	36-5535 36-5535S 10-1001 TB-203A	2 2 2 2 1 PR	EFS Elite - Firm  EFS Elite - Comfort  OPTIONAL - Can be installed to front shock  27.5mm OD - 1307mm Long
SUSPENSION Front Front Front Front Rear	Shock Absorbers Shock Absorbers Shock Boots Torsion Bar Coil Springs	36-5535 36-5535S 10-1001 TB-203A MIT-102E	2 2 2 2 1 PR 1 PR	EFS Elite - Firm  EFS Elite - Comfort  OPTIONAL - Can be installed to front shock  27.5mm OD - 1307mm Long  Constant 100 kg to GVM, 135-230 lbs/inch
Front Front Front Front Rear Rear	Shock Absorbers Shock Absorbers Shock Boots Torsion Bar Coil Springs Polyair	36-5535 36-5535S 10-1001 TB-203A MIT-102E 95893	2 2 2 2 1 PR 1 PR	EFS Elite - Firm  EFS Elite - Comfort  OPTIONAL - Can be installed to front shock  27.5mm OD - 1307mm Long  Constant 100 kg to GVM, 135-230 lbs/inch  To suit NH to NJ models - standard height suspension only.
SUSPENSION Front Front Front Rear Rear Rear	Shock Absorbers Shock Absorbers Shock Boots Torsion Bar Coil Springs Polyair	36-5535 36-5535S 10-1001 TB-203A MIT-102E 95893	2 2 2 2 1 PR 1 PR	EFS Elite - Firm  EFS Elite - Comfort  OPTIONAL - Can be installed to front shock  27.5mm OD - 1307mm Long  Constant 100 kg to GVM, 135-230 lbs/inch  To suit NH to NJ models - standard height suspension only.
Front Front Front Front Rear Rear Rear Std - 30mm Lift	Shock Absorbers Shock Absorbers Shock Boots Torsion Bar Coil Springs Polyair Shock Absorbers	36-5535 36-5535S 10-1001 TB-203A MIT-102E 95893 36-5580	2 2 2 1 PR 1 PR 1 2	EFS Elite - Firm  EFS Elite - Comfort  OPTIONAL - Can be installed to front shock  27.5mm OD - 1307mm Long  Constant 100 kg to GVM, 135-230 lbs/inch  To suit NH to NJ models - standard height suspension only.  EFS Elite
Front Front Front Front Rear Rear Rear Std - 30mm Lift SUSPENSION	Shock Absorbers Shock Absorbers Shock Boots Torsion Bar Coil Springs Polyair Shock Absorbers  PART TYPE	36-5535 36-5535S 10-1001 TB-203A MIT-102E 95893 36-5580	2 2 2 1 PR 1 PR 1 2	EFS Elite - Firm  EFS Elite - Comfort  OPTIONAL - Can be installed to front shock  27.5mm OD - 1307mm Long  Constant 100 kg to GVM, 135-230 lbs/inch  To suit NH to NJ models - standard height suspension only.  EFS Elite  NOTES
Front Front Front Front Rear Rear Rear Std - 30mm Lift SUSPENSION Front	Shock Absorbers Shock Absorbers Shock Boots Torsion Bar Coil Springs Polyair Shock Absorbers  PART TYPE Shock Absorbers	36-5535 36-5535S 10-1001 TB-203A MIT-102E 95893 36-5580 PART 36-5535	2 2 2 1 PR 1 PR 1 c 2 QTY 2	EFS Elite - Firm  EFS Elite - Comfort  OPTIONAL - Can be installed to front shock  27.5mm OD - 1307mm Long  Constant 100 kg to GVM, 135-230 lbs/inch  To suit NH to NJ models - standard height suspension only.  EFS Elite  NOTES  EFS Elite - Firm
SUSPENSION Front Front Front Rear Rear Rear Std - 30mm Lift SUSPENSION Front Front	Shock Absorbers Shock Absorbers Shock Boots Torsion Bar Coil Springs Polyair Shock Absorbers  PART TYPE Shock Absorbers Shock Absorbers	36-5535 36-5535S 10-1001 TB-203A MIT-102E 95893 36-5580 PART 36-5535 36-5535S	2 2 2 1 PR 1 PR 1 PR 2  QTY 2	EFS Elite - Firm  EFS Elite - Comfort  OPTIONAL - Can be installed to front shock  27.5mm OD - 1307mm Long  Constant 100 kg to GVM, 135-230 lbs/inch  To suit NH to NJ models - standard height suspension only.  EFS Elite  NOTES  EFS Elite - Firm  EFS Elite - Comfort

File created on 22.03.2007

#### PAJERO SWB NM to NP - 3.2 T/Diesel - 2000 on

PAJERO SWB NM to NP - 3.2 T/Diesel - 2000 on					
40mm Lift					
SUSPENS	SION PART TYPE	PART	QTY	NOTES	
Front	Coil Springs	MIT-100HDE	1 PR	Up to 75 kg Load Bearing Accessories	
Front	Shock Absorbers	38-5624	2	Under development - not currently available.	
Rear	Coil Springs	MIT-103E	1 PR	Constant 100 kg to GVM - Progressive rate at 660-1000 lbs/inch	
Rear	Polyair	99697	1	To suit standard height suspension only.	
Rear	Shock Absorbers	36-5582S	2	EFS Elite	
Std - 30mm	Lift				
SUSPENS	SION PART TYPE	PART	QTY	NOTES	
Front	Shock Absorbers	38-5624	2	Under development - not currently available.	
Rear	Shock Absorbers	36-5582S	2	EFS Elite	
PAJERO SW	B NM to NP - 3.5L Petr	ol V6 - 2000 on			
40mm Lift					
40IIIII LIII					
SUSPENS	SION PART TYPE	PART	QTY	NOTES	
	SION PART TYPE  Coil Springs	PART MIT-100E	QTY 1 PR	NOTES  Up to 65 kg Load Bearing Accessories, 790 lbs/inch	
SUSPENS					
SUSPENS Front	Coil Springs	MIT-100E	1 PR	Up to 65 kg Load Bearing Accessories, 790 lbs/inch	
SUSPENS Front Front	Coil Springs Coil Springs	MIT-100E MIT-100HDE	1 PR 1 PR	Up to 65 kg Load Bearing Accessories, 790 lbs/inch 75 to 95 kg Load Bearing Accessories	
SUSPENS Front Front Front	Coil Springs Coil Springs Shock Absorbers	MIT-100E MIT-100HDE 38-5624	1 PR 1 PR 2	Up to 65 kg Load Bearing Accessories, 790 lbs/inch 75 to 95 kg Load Bearing Accessories Under development - not currently available.	
Front Front Front Rear	Coil Springs Coil Springs Shock Absorbers Coil Springs	MIT-100E MIT-100HDE 38-5624 MIT-103E	1 PR 1 PR 2 1 PR	Up to 65 kg Load Bearing Accessories, 790 lbs/inch 75 to 95 kg Load Bearing Accessories Under development - not currently available. Constant 100 kg to GVM - Progressive rate at 660-1000 lbs/inch	
Front Front Front Rear Rear	Coil Springs Coil Springs Shock Absorbers Coil Springs Polyair Shock Absorbers	MIT-100E MIT-100HDE 38-5624 MIT-103E 99697	1 PR 1 PR 2 1 PR 1	Up to 65 kg Load Bearing Accessories, 790 lbs/inch 75 to 95 kg Load Bearing Accessories Under development - not currently available. Constant 100 kg to GVM - Progressive rate at 660-1000 lbs/inch To suit standard height suspension only.	
Front Front Front Rear Rear	Coil Springs Coil Springs Shock Absorbers Coil Springs Polyair Shock Absorbers Lift	MIT-100E MIT-100HDE 38-5624 MIT-103E 99697	1 PR 1 PR 2 1 PR 1	Up to 65 kg Load Bearing Accessories, 790 lbs/inch 75 to 95 kg Load Bearing Accessories Under development - not currently available. Constant 100 kg to GVM - Progressive rate at 660-1000 lbs/inch To suit standard height suspension only.	
Front Front Front Rear Rear Rear Std - 30mm	Coil Springs Coil Springs Shock Absorbers Coil Springs Polyair Shock Absorbers Lift	MIT-100E MIT-100HDE 38-5624 MIT-103E 99697 36-5582S	1 PR 1 PR 2 1 PR 1 PR 2	Up to 65 kg Load Bearing Accessories, 790 lbs/inch 75 to 95 kg Load Bearing Accessories Under development - not currently available. Constant 100 kg to GVM - Progressive rate at 660-1000 lbs/inch To suit standard height suspension only. EFS Elite	

File created on 22.03.2007 Page 61 of 183

### TRITON 2WD ME to MH - 1987 to 1993.

IK	ITON 2WD MI	E to MH - 1987 to 19	993.		
40	Omm Lift				
	SUSPENSION	PART TYPE	PART	QTY	NOTES
	Front	Shock Absorbers	GP2082	2	EFS Enforcer - EFS Elite Equivilent will not install due to body OD.
	Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
	Front	Torsion Bar	TB-200A	1 PR	26mm OD - 1282mm Long - Check Torsion Bar dimensions before ordering.
	Rear	Bush Kit	UK764	1	
	Rear	Leaf Springs	MITS-07	2	Constant 250 kg to GVM
	Rear	Polyair	72998	1	To suit standard height suspension only.
	Rear	Shock Absorbers	36-5523	2	EFS Elite
	Rear	Swing Shackles	GR795	2	
	Rear	Ubolts	C451	4	
St	td - 30mm Lift				
	SUSPENSION	PART TYPE	PART	QTY	NOTES
	Front	Shock Absorbers	GP2082	2	EFS Enforcer - EFS Elite Equivilent will not install due to body OD.
	Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
	Rear	Shock Absorbers	36-5523	2	EFS Elite
TR	ITON 2WD MJ	J - 1993 to 1997.			
40	Omm Lift				
	SUSPENSION	PART TYPE	PART	QTY	NOTES
	Front	Shock Absorbers	GP2082	2	EFS Enforcer - EFS Elite Equivilent will not install due to body OD.
	Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
	Front	Torsion Bar	TB-204A	1 PR	27.5mm OD - 1370mm Long - Check Torsion Bar dimensions before ordering.
	Rear	Bush Kit	UK764	1	
	Rear	Leaf Springs	MITS-07	3	Constant 250 kg to GVM
	Rear	Polyair	72998	1	To suit standard height suspension only.
	Rear	Shock Absorbers	36-5523	2	EFS Elite
	Rear	Swing Shackles	GR795	2	
	Rear	Ubolts	C451	4	

File created on 22.03.2007

IDCDIDI	_			
RITON 2WD M.	J - 1993 to 1997.			
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	GP2082	2	EFS Enforcer - EFS Elite Equivilent will not install due to body OD.
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5523	2	EFS Elite
RITON 2WD M	K - 1997 on			
40mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	GP2082	2	EFS Enforcer - EFS Elite Equivilent will not install due to body OD.
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-204A	1 PR	27.5mm OD - 1370mm Long - Check Torsion Bar dimensions before ordering.
Rear	Bush Kit	UK762	1	Check Front eye ID - Suits OEM spring with 41mm ID.
Rear	Bush Kit	UK764	1	Check Front eye ID - Suit EFS leaf spring and OEM spring with 35mm ID
Rear	Leaf Springs	MITS-07	3	Constant 250 kg to GVM
Rear	Polyair	72098	1	To suit standard height suspension only.
Rear	Shock Absorbers	36-5523	2	EFS Elite
Rear	Swing Shackles	GR795	2	
Rear	Ubolts	C451	4	
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	GP2082	2	EFS Enforcer - EFS Elite Equivilent will not install due to body OD.
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5523	2	EFS Elite

File created on 22.03.2007 Page 63 of 183

### TRITON 4WD ME to MH - 1987 to 1993

<b>40mm</b>	T	ift
40111111	L	/II L

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5530	2	EFS Elite - Firm
Front	Shock Absorbers	36-5530S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2082	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-200A	1 PR	26mm OD - 1282mm Long
Rear	Bush Kit	UK764	1	
Rear	Leaf Springs	MITS-04E	2	Constant 150 kg to GVM
Rear	Leaf Springs	MITS-05E	3	Constant 250 kg to GVM
Rear	Polyair	72998	1	To suit standard height suspension only.
Rear	Shock Absorbers	36-5523	2	EFS Elite
Rear	Swing Shackles	GR795	2	
Rear	Ubolts	C451	4	

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5530	2	EFS Elite - Firm
Front	Shock Absorbers	36-5530S	2	EFS Elite
Front	Shock Absorbers	GP2082	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5523	2	EFS Elite

File created on 22.03.2007 Page 64 of 183

### TRITON 4WD MJ - 1993 to 1997

### 40mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5530	2	EFS Elite - Firm
Front	Shock Absorbers	36-5530S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2082	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-204A	1 PR	27.5mm OD - 1370mm Long
Rear	Bush Kit	UK764	1	
Rear	Leaf Springs	MITS-04E	2	Constant 150 kg to GVM
Rear	Leaf Springs	MITS-05E	3	Constant 250 kg to GVM
Rear	Polyair	72998	1	To suit standard height suspension only.
Rear	Shock Absorbers	36-5523	2	EFS Elite
Rear	Swing Shackles	GR795	2	
Rear	Ubolts	C451	4	

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5530	2	EFS Elite - Firm
Front	Shock Absorbers	36-5530S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2082	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5523	2	EFS Elite

File created on 22.03.2007 Page 65 of 183

### TRITON 4WD MK - 1997 on

40	mm	I	if

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Comfort
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer - not recommended for long term off road use.
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-204A	1 PR	27.5mm OD - 1370mm Long
Rear	Bush Kit	UK762	1	Check Front eye ID - Suits OEM spring with 41mm ID.
Rear	Bush Kit	UK764	1	Check Front eye ID - Suit EFS leaf spring and OEM spring with 35mm ID
Rear	Leaf Springs	MITS-04E	2	Constant 150 kg to GVM
Rear	Leaf Springs	MITS-05E	3	Constant 250 kg to GVM
Rear	Polyair	72098	1	To suit standard height suspension only.
Rear	Shock Absorbers	36-5523	2	EFS Elite
Rear	Swing Shackles	GR795	2	
Rear	Ubolts	C451	4	

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer - not recommended for long term off road use.
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5523	2	EFS Elite

File created on 22.03.2007

### TRITON 4WD ML - 2006 on

### 45mm lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	MIT-109E	1 PR	Up to 65kg Load bearing accessories, 750 lbs/inch.
Front	Coil Springs	MIT-109HE	1 PR	75kg to 100kg Load bearing accessories, 750 lbs/inch.
Rear	Bush Kit	UK762	1	
Rear	Leaf Springs	MITS-08E	2	Constant 150 kg to GVM.
Rear	Leaf Springs	MITS-09E	2	Constant 300 kg to GVM.
Rear	Shock Absorbers	GP2636	2	EFS Enforcer - Firm. EFS Elite (with steel dust cover) can not be installed as dust cover will foul on chassis.
Rear	Shock Absorbers	GP2650A	2	EFS Enforcer - Comfort. EFS Elite (with steel dust cover) can not be installed as dust cover will foul on chassis.
Rear	Swing Shackles	GR795	2	
Rear	Ubolts	C474	4	

# **NISSAN**

### NAVARA D21 4WD 1/1986 to 2/1997

### 45mm lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1456A	1 PR	27mm OD - 1205mm Long. Up to 50kg Load bearing accessories.
Rear	Bush Kit	UK704	1	
Rear	Leaf Springs	NIS-16E	2	Constant 150 kg to GVM
Rear	Leaf Springs	NIS-19E	2	Constant 300 kg to GVM.
Rear	Shock Absorbers	GP2636	2	EFS Enforcer - Firm. EFS Elite (with steel dust cover) can not be installed as dust cover will foul on chassis.
Rear	Shock Absorbers	GP2650A	2	EFS Enforcer - Comfort. EFS Elite (with steel dust cover) can not be installed as dust cover will foul on chassis.
Rear	Swing Shackles	GR669	2	
Rear	Ubolts	C660	4	

File created on 22.03.2007 Page 67 of 183

NAVARA D21 4V	VD 1/1986 to 2/199	7		
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-3285	2	EFS Elite - Std Height replacement only.
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	GP2636	2	EFS Enforcer - Firm. EFS Elite (with steel dust cover) can not be installed as dust cover will foul on chassis.
Rear	Shock Absorbers	GP2650A	2	EFS Enforcer - Comfort. EFS Elite (with steel dust cover) can not be installed as dust cover will foul on chassis.
NAVARA D22 4V	VD 10/2002 on			
45mm lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-3253S	2	EFS Elite
Front	Torsion Bar	TB-1446A	1 PR	27mm OD - 892mm Long. Up tp 55 kg Load Bearing accessories check length before ordering
Rear	Bush Kit	UK704	1	
Rear	Leaf Springs	NIS-16E	2	Constant 150 kg to GVM
Rear	Leaf Springs	NIS-19E	2	Constant 300 kg to GVM.
Rear	Polyair	75695	1	
Rear	Shock Absorbers	GP2636	2	EFS Enforcer - Firm. EFS Elite (with steel dust cover) can not be installed as dust cover will foul on chassis.
Rear	Shock Absorbers	GP2650A	2	EFS Enforcer - Comfort. EFS Elite (with steel dust cover) can not be installed as dust cover will foul on chassis.
Rear	Swing Shackles	GR669	2	
Rear	Ubolts	C660	4	
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-3253S	2	EFS Elite
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	GP2636	2	EFS Enforcer - Firm. EFS Elite (with steel dust cover) can not be installed as dust cover will foul on chassis.
Rear	Shock Absorbers	GP2650A	2	EFS Enforcer - Comfort. EFS Elite (with steel dust cover) can not be installed as dust cover will foul on chassis.

File created on 22.03.2007 Page 68 of 183

### NAVARA D22 4WD 3/1997 to 8/2002

45mm	lift
------	------

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-3253	2	EFS Elite - Comfort. Not recommended for long term off road use.
Front	Shock Absorbers	36-3253S	2	EFS Elite - Firm
Front	Torsion Bar	TB-1446A	1 PR	27mm OD - 892mm Long. Up tp 45 kg Load Bearing accessories check length before ordering
Rear	Bush Kit	UK704	1	
Rear	Leaf Springs	NIS-16E	2	Constant 150 kg to GVM
Rear	Leaf Springs	NIS-19E	2	Constant 300 kg to GVM.
Rear	Polyair	75695	1	
Rear	Shock Absorbers	GP2636	2	EFS Enforcer - Firm valve code
Rear	Shock Absorbers	GP2650A	2	EFS Elite - Comfort. EFS Elite (with steel dust cover) can not be installed as dust cover will foul on chassis.
Rear	Swing Shackles	GR669	2	
Rear	Ubolts	C660	4	

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-3253	2	EFS Elite - Comfort. Not recommended for long term off road use.
Front	Shock Absorbers	36-3253S	2	EFS Elite - Firm
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	GP2560A	2	EFS Elite - Comfort. EFS Elite (with steel dust cover) can not be installed a dust cover will foul on chassis.
Rear	Shock Absorbers	GP2636	2	EFS Enforcer - Firm

File created on 22.03.2007 Page 69 of 183

### NAVARA D40 Dual Cab - 4WD 2006 on

45mm lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	NIS-126E	1	Up to 65kg Constant.
Rear	Bush Kit	UK767	1	
Rear	Leaf Springs	NIS-17E	2	EFS Comfort - Constant 150kg to GVM. Beware of over extending ABS/brake lines when installing leaf springs.
Rear	Leaf Springs	NIS-18E	2	EFS Heavy Duty - Constant 300kg to GVM. Beware of over extending ABS/brake lines when installing leaf springs.
Rear	Shock Absorbers	36-5427	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5527	2	EFS Elite - Firm
Rear	Swing Shackles	GR388	2	
Rear	Ubolts	C453-2	4	
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Rear	Shock Absorbers	36-5427	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5527	2	EFS Elite - Firm

### PA

#### 40mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Torsion Bar	TB-1458A	1 PR	27mm OD - 1230mm Long.
Rear	Coil Springs	NIS-112E	1 PR	Constant 150 kg to GVM, 180 lbs/inch
Rear	Polyair	61996	1	
Rear	Shock Absorbers	36-5562	2	EFS Elite
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

Page 70 of 183 File created on 22.03.2007

### PATHFINDER WD21 4WD 1987 to 1995

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5535	2	EFS Elite - Firm
Front	Shock Absorbers	36-5535S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2087	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Rear	Shock Absorbers	36-5562	2	EFS Elite
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

## PATROL GQ CAB CHASSIS - Leaf Spring Front and Rear axle

### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK718	1	
Front	Fixed Shackle Pin	GR667	2	
Front	Leaf Springs	NIS-11	2	
Front	Shock Absorbers	36-5563	2	EFS Elite
Front	Shock Absorbers	GP2637	2	EFS Enforcer
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Front	Swing Shackles	GR666	2	
Front	Ubolts	C436	4	
Rear	Bush Kit	UK719	1	
Rear	Fixed Shackle Pin	GR667	2	
Rear	Leaf Springs	NIS-12DS	1	Constant 300 kg to GVM - Right hand side spring.
Rear	Leaf Springs	NIS-12NS	1	Constant 300 kg to GVM - Left hand side spring.
Rear	Leaf Springs	NIS-15	2	Constant 500 kg to GVM
Rear	Shock Absorbers	36-5526	2	EFS Elite
Rear	Shock Absorbers	GP2081P	2	EFS Enforcer
Rear	Swing Shackles	GR666	2	
Rear	Ubolts	C453	4	

File created on 22.03.2007 Page 71 of 183

# **NISSAN**

## PATROL GQ CAB CHASSIS - Leaf Spring Front and Rear axle

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5563	2	EFS Elite
Front	Shock Absorbers	GP2637	2	EFS Enforcer
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Shock Absorbers	36-5526	2	EFS Elite
Rear	Shock Absorbers	GP2081P	2	EFS Enforcer

File created on 22.03.2007 Page 72 of 183

#### 100mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES	
Front	Adjustable Panard Rod	10-1048	1PR		
Front	Brake Hoses	10-1038	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types	
Front	Castor Bush Kit	10-1040	1	3 degree offset castor bush - Replacement radial arms are required to achieve proper castor.	
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height.	
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.	
Front	Coil Springs	NIS-101HL4E	1PR	Load Bearing accessories 60kg to 100kg, 300 lbs/inch	
Front	Coil Springs	NIS-101UHE	1PR	Load Bearing accessories up to 55 kg, 215 lbs/inch	
Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount	
Front	Shock Absorbers	36-5592	2	EFS Elite - Recommended only with NIS-101UHE.	
Front	Shock Absorbers	39-7001	2	EFS Extreme	
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes -	
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye	
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin	
Front	Sway Bar Link Kit	10-1031	1	Extended sway bar links for raised applications	
Rear	Adjustable Panard Rod	10-1049	1		
Rear	Brake Hoses	10-1039	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types	
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.	
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.	
Rear	Coil Springs	NIS-114HL4E	1PR	EFS - Constant 150 kg to GVM, 285 lbs/inch	
Rear	Coil Springs	NIS-114HL5E	1PR	EFS - Constant 250 kg to GVM, 285 lbs/inch 39-7002 must be used	
Rear	Coil Springs	NIS-114HL5E360X	1 PR	Constant 350 kg to GVM. 360 lbs/inch.	
Rear	Coil Springs	NIS-114HL5E410X	1 PR	Constant 500 kg to GVM. 410 lbs/inch. Must use 39-7008 shock. The fittment of a rear upper coil tower reinforcement bracket is recommended with the installation of this 410 lbs / inch spring to prevent upper tower fatigue and failure.	
Rear	Coil Springs	NIS-114UHE	1PR	EFS - Constant 100 kg to GVM, 220 lbs/inch.	
Rear	Shock Absorbers	36-5549	2	EFS Elite - Recommended only with NIS-114UHE.	
Rear	Shock Absorbers	39-7008	2	EFS Extreme	
Rear	Sway Bar Link Kit	10-1031	1	Extended sway bar links for raised applications	
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.	

#### 125mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES	
Front	Adjustable Panard Rod	10-1048	1PR		
Front	Brake Hoses	10-1039	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types	
Front	Castor Bush Kit	10-1040	1	This bush will only assist in 3 degrees of offset, Replacement radial arms are recommended to achieve proper castor.	
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height.	
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.	
Front	Coil Springs	NIS-101HL5E	1PR	40 kg to 80 kg Load Bearing accessories, 260 lbs/inch	
Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount	
Front	Shock Absorbers	39-7007	2	EFS Extreme	
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes	
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye	
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin	
Front	Sway Bar Link Kit	10-1046	1	Extended sway bar links for raised applications	
Rear	Adjustable Panard Rod	10-1049	1		
Rear	Brake Hoses	10-1039	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types	
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.	
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.	
Rear	Coil Springs	NIS-114HL5E	1PR	Constant 150 kg to GVM. 280 lbs / inch	
Rear	Coil Springs	NIS-114HL6E360X	1 PR	Constant 350 kg to GVM. 360 lbs / inch.	
Rear	Coil Springs	NIS-114HL6E410X	1 PR	Constant 500 kg to GVM. For off road use the fittment of a rear upper coil tower reinforcement bracket is recommended the the installation of a 410 lbs/inch coil.	
Rear	Shock Absorbers	39-7002	2	EFS Extreme	
Rear	Sway Bar Link Kit	10-1046	1	Extended sway bar links for raised applications	
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.	

File created on 22.03.2007 Page 74 of 183

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES	
Front	Castor Bush Kit	10-1004	1	2 degree offset castor bush kit	
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.	
Front	Coil Springs	10-1019	2	30mm Spacer - for trimming or raising vehicle height.	
Front	Coil Springs	NIS-101E	1 PR	Load Bearing accessories up to 40 kg, 250 lbs/inch	
Front	Coil Springs	NIS-101HDE	1 PR	Load Bearing accessories 80kg to 100kg, 310 lbs/inch	
Front	Coil Springs	NIS-101HE	1 PR	45kg to 75 kg Load bearing accessories. 250 lbs/inch.	
Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount	
Front	Shock Absorbers	36-5546	2	EFS Elite - Comfort	
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm	
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye	
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin	
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.	
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.	
Rear	Coil Springs	NIS-111E	1 PR	EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch - Use 36-5548 shock	
Rear	Coil Springs	NIS-114E	1 PR	EFS - Constant 100 kg to GVM - 220 lbs/inch	
Rear	Coil Springs	NIS-114EHDE	1 PR	Constant 450/500 kg to GVM. 470 lbs/inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EHDE to prevent rear upper coil tower fatigue and failure.	
Rear	Coil Springs	NIS-114HDE	1 PR	EFS - Constant 250/300 kg to GVM - 330lbs/inch	
Rear	Coil Springs	NIS-114HL3E	1 PR	Constant 300 kg to GVM. Comfort option - 280 lbs/inch	
Rear	Polyair	95096	1	50mm Raised height applications only	
Rear	Polyair	95997	1	Std height applications only	
Rear	Shock Absorbers	36-5548	2	EFS Elite - Comfort	
Rear	Shock Absorbers	36-5548S	2	EFS Elite - Firm	
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.	

File created on 22.03.2007 Page 75 of 183

#### 75mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES	
Front	Castor Bush Kit	10-1040	1	3 degree offset castor bushes	
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height.	
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.	
Front	Coil Springs	NIS-101HL3E	1PR	Up to 80 kg Constant load bearing accessories. 260lbs / inch	
Front	Coil Springs	NIS-101UHE	1 PR	50kg to 80kg Load bearing accessories, comfort option. 215 lbs / inch	
Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount	
Front	Shock Absorbers	36-5592	2	EFS Elite	
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes - EFS Extreme available Nov 2006	
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye	
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin	
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.	
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.	
Rear	Coil Springs	NIS-111E	1PR	EFS - Progressive rate coil - Constant 200 kg to GVM - 315 to 460 lbs/inch - Use 36-5548 shock	
Rear	Coil Springs	NIS-114EHDE	1 PR	Constant 300 kg to GVM. 470 lbs / inch. Rear coil tower reinforcement bracket must be installed when using NIS-114EHDE coil to prevent upper coil tower fatigue and failure.	
Rear	Coil Springs	NIS-114HL3E	1PR	EFS - Constant 150 kg to GVM. 285 lbs/inch.	
Rear	Coil Springs	NIS-114HL4E	1PR	EFS - Constant 300 kg to GVM, 285 lbs/inch 36-5549 must be used	
Rear	Shock Absorbers	36-5549	2	EFS Elite	
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.	

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm Spacer - for trimming or raising vehicle height.
Front	Coil Springs	NIS-103E	1 PR	Up to 45kg Load bearing accessories, 210 lbs / inch. Suits 3L.
Front	Coil Springs	NIS-104E	1 PR	Up to 45kg Load bearing accessories, 250 lbs / inch. Suits 4.2L.
Front	Shock Absorbers	36-5546	2	EFS Elite - Comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Coil Spacer	10-1021	2	15mm Spacer - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm Spacer - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-109E	1 PR	Constant 300 kg to GVM, Progressive rate 240 - 365 lbs / inch.
Rear	Coil Springs	NIS-119E	1 PR	Constant 100 kg to GVM, 220 lbs/inch
Rear	Coil Springs	NIS-120E	1 PR	Constant 200 kg to GVM, 230 lbs/inch.
Rear	Shock Absorbers	36-5548	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5548S	2	EFS Elite - Firm

File created on 22.03.2007 Page 77 of 183

#### 100mm Lift

Front	SUSPENSION	PART TYPE	PART	QTY	NOTES
Front         Castor Bush Kit         10-1040         1         3 degree offset castor bush - Replacement radial arms are required to achieve proper castor.           Front         Coil Spacer         10-1019         2         30mm Spacer - for trimming or raising vehicle height.           Front         Coil Spacer         10-1020         2         15mm - for trimming or raising vehicle height.           Front         Coil Springs         NIS-101HL4E         1PR         Load Bearing accessories 60kg to 100kg, 260 lbs/inch           Front         Coil Springs         NIS-101HL4E         1PR         Load Bearing accessories 60kg to 100kg, 260 lbs/inch           Front         Radius Arm Bushes         10-1044         1PR         Radius Arm to Chassis Mount           Front         Shock Absorbers         36-5592         2         EFS Elite           Front         Shock Absorbers         39-7001         2         EFS Extreme           Front         Steering Damper         35-4036         1         9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes           Front         Steering Damper         SD4034         1         1988 to 8/1989 - Eye / Eye         Error           Front         Steering Damper         SD4034         1         1988 to 8/1989 - Eye / Eye         Error           Front	Front	Adjustable Panard Rod	10-1048	1PR	
Front         Coil Spacer         10-1019         2         30mm Spacer - for trimming or raising vehicle height           Front         Coil Spacer         10-1020         2         15mm - for trimming or raising vehicle height.           Front         Coil Springs         NIS-101HL4E         1PR         Load Bearing accessories 60kg to 100kg, 260 lbs/inch           Front         Coil Springs         NIS-101HHE         1PR         Load Bearing accessories up to 55 kg, 215 lbs/inch. Use 36-5592 shocks.           Front         Radius Arm Bushes         10-1044         1PR         Radius Arm to Chassis Mount           Front         Shock Absorbers         38-7001         2         EFS Extreme           Front         Shock Absorbers         39-7001         2         EFS Extreme           Front         Steering Damper         35-4036         1         9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes           Front         Steering Damper         SD4034         1         1988 to 8/1989 - Eye / Eye           Front         Steering Damper         SD4036         1         9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes           Front         Steering Damper         SD4036         1         9/1989 on - Pin / Pin           Front         Steering Damper         SD4	Front	Brake Hoses	10-1038	1	·
Front         Coil Spacer         10-1020         2         15mm - for trimming or raising vehicle height.           Front         Coil Springs         NIS-101HL4E         1PR         Load Bearing accessories 60kg to 100kg, 260 lbs/inch           Front         Coil Springs         NIS-101UHE         1PR         Load Bearing accessories up to 55 kg, 215 lbs/inch. Use 36-5592 shocks.           Front         Radius Arm Bushes         10-1044         1PR         Radius Arm to Chassis Mount           Front         Shock Absorbers         36-5592         2         EFS Eille           Front         Shock Absorbers         39-7001         2         EFS Eille           Front         Steering Damper         35-4036         1         9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes           Front         Steering Damper         SD4034         1         1988 to 8/1989 - Eye / Eye           Front         Steering Damper         SD4036         1         9/1989 on - Pin / Pin - Pin           Front         Steering Damper         SD4036         1         9/1989 on - Pin / Pin           Front         Steering Damper         SD4036         1         Extended sway bar links for raised applications           Rear         Adjustable Panard Rod         10-1049         1         Exte	Front	Castor Bush Kit	10-1040	1	
Front Coil Springs NIS-101HL4E 1PR Load Bearing accessories 60kg to 100kg, 260 lbs/inch Front Coil Springs NIS-101UHE 1PR Load Bearing accessories up to 55 kg, 215 lbs/inch. Use 36-5592 shocks. Front Radius Arm Bushes 10-1044 1PR Radius Arm to Chassis Mount Front Shock Absorbers 36-5592 2 EFS Elite Front Shock Absorbers 39-7001 2 EFS Elite Front Steering Damper 35-4036 1 9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes Front Steering Damper SD4034 1 1988 to 8/1989 - Eye / Eye Front Steering Damper SD4036 1 9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes Front Steering Damper SD4036 1 9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes Front Steering Damper SD4036 1 9/1989 on - Pin / Pin Front Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications Rear Adjustable Panard Rod 10-1049 1 Rear Coil Spacer 10-1029 1 Extended flexible brake hose, suits non-ABS vehicles and single brake hose types Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height. Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height. Rear Coil Springs NIS-114HL5E 1PR EFS - Constant 150 kg to GVM - 280 lbs/inch. Use 39-7002 Shock. Rear Coil Springs NIS-114HL5E360X 1 PR Constant 250 kg to GVM - 280 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure. Rear Coil Springs NIS-114HL5E410X 1 PR Constant 500 kg to GVM - 400 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure. Rear Shock Absorbers 36-549 2 EFS Elite Rear Shock Absorbers 39-7008 2 EFS Elite	Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height
Front Coil Springs NIS-101UHE 1PR Load Bearing accessories up to 55 kg, 215 lbs/inch. Use 36-5592 shocks. Front Radius Arm Bushes 10-1044 1PR Radius Arm to Chassis Mount Front Shock Absorbers 36-5592 2 EFS Elite Front Shock Absorbers 39-7001 2 EFS Extreme Front Steering Damper 35-4036 1 9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes Front Steering Damper SD4034 1 1988 to 8/1989 - Eye / Eye Front Steering Damper SD4036 1 9/1989 on - Pin / Pin Front Steering Damper SD4036 1 9/1989 on - Pin / Pin Front Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications Rear Adjustable Panard Rod 10-1049 1 Rear Coil Spacer 10-1021 2 Extended flexible brake hose, suits non-ABS vehicles and single brake hose types Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height. Rear Coil Springs NIS-114HLEE 1PR EFS - Constant 150 kg to GVM - 285 lbs/inch Rear Coil Springs NIS-114HLE540X 1PR EFS - Constant 150 kg to GVM - 280 lbs/inch. Use 39-7002 Shocks Rear Coil Springs NIS-114HLE5410X 1PR Constant 350 kg to GVM - 220 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure. Rear Shock Absorbers 36-549 2 EFS Extreme Rear Shock Absorbers 39-7008 2 EFS Eitle	Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front Radius Arm Bushes 10-1044 1PR Radius Arm to Chassis Mount Front Shock Absorbers 36-5592 2 EFS Elite Front Shock Absorbers 39-7001 2 EFS Extreme Front Steering Damper 35-4036 1 9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes Front Steering Damper SD4034 1 1988 to 8/1989 - Eye / Eye Front Steering Damper SD4036 1 9/1989 on - Pin / Pin Front Steering Damper SD4036 1 9/1989 on - Pin / Pin Front Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications Front Sway Bar Link Kit 10-1031 1 Extended flexible brake hose, suits non-ABS vehicles and single brake hose types Rear Adjustable Panard Rod 10-1049 1 Front Spacer 10-1021 2 15mm - for trimming or raising vehicle height. Front Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height. Front Spacer Coil Springs NIS-114HL4E 1PR EFS - Constant 150 kg to GVM - 286 lbs/inch Front Spacer Coil Springs NIS-114HL5E 1PR EFS - Constant 250 kg to GVM - 280 lbs/inch. Use 39-7002 Shock. Front Spacer Coil Springs NIS-114HL5E360X 1 PR Constant 500 kg to GVM - 360 lbs/inch. Use 39-7002 Shock. Front Springs NIS-114HL5E410X 1 PR Constant 500 kg to GVM - 480 lbs/inch. Rear Use Springs NIS-114HL5E410X 1 PR Constant 500 kg to GVM - 280 lbs/inch. Use 39-7002 Shock. Front Coil Springs NIS-114HL5E410X 1 PR Constant 500 kg to GVM - 280 lbs/inch. Use 39-7002 Shock. Front Coil Springs NIS-114HL5E410X 1 PR Constant 500 kg to GVM - 280 lbs/inch. Use 39-7002 Shocks Front Coil Springs NIS-114HHE 1PR EFS - Constant 500 kg to GVM - 280 lbs/inch. Use 36-5549 shocks Front Shock Absorbers 36-5549 2 EFS Elite Front Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Front	Coil Springs	NIS-101HL4E	1PR	Load Bearing accessories 60kg to 100kg, 260 lbs/inch
Front Shock Absorbers 36-5592 2 EFS Elite  Front Shock Absorbers 39-7001 2 EFS Extreme  Front Steering Damper 35-4036 1 9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes  Front Steering Damper SD4034 1 1988 to 8/1989 - Eye / Eye  Front Steering Damper SD4036 1 9/1989 on - Pin / Pin  Front Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications  Rear Adjustable Panard Rod 10-1049 1  Rear Brake Hoses 10-1039 1 Extended flexible brake hose, suits non-ABS vehicles and single brake hose types  Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height.  Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-114HL4E 1PR EFS - Constant 150 kg to GVM - 285 lbs/inch  Rear Coil Springs NIS-114HL5E 1PR EFS - Constant 250 kg to GVM - 280 lbs/inch. Use 39-7002 Shock.  Rear Coil Springs NIS-114HL5E360X 1 PR Constant 350 kg to GVM - 280 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure.  Rear Coil Springs NIS-114HL5E410X 1 PR EFS - Constant 100 kg to GVM - 220 lbs/inch. Use 36-5549 shocks  Rear Shock Absorbers 36-5549 2 EFS Elite  Rear Shock Absorbers 39-7008 2 EFS Extreme  Rear Shock Absorbers 39-7008 1 Extended sway bar links for raised applications	Front	Coil Springs	NIS-101UHE	1PR	Load Bearing accessories up to 55 kg, 215 lbs/inch. Use 36-5592 shocks.
Front Shock Absorbers 39-7001 2 EFS Extreme  Front Steering Damper 35-4036 1 9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes  Front Steering Damper SD4034 1 1988 to 8/1989 - Eye / Eye  Front Steering Damper SD4036 1 9/1989 on - Pin / Pin  Front Steering Damper SD4036 1 9/1989 on - Pin / Pin  Front Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications  Rear Adjustable Panard Rod 10-1049 1  Rear Brake Hoses 10-1039 1 Extended flexible brake hose, suits non-ABS vehicles and single brake hose types  Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height.  Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-114HL4E 1PR EFS - Constant 150 kg to GVM - 285 lbs/inch  Rear Coil Springs NIS-114HL5E360X 1 PR Constant 350 kg to GVM - 280 lbs/inch. Use 39-7002 Shock.  Rear Coil Springs NIS-114HL5E410X 1 PR Constant 350 kg to GVM - 480 lbs/inch.  Rear Coil Springs NIS-114HL5E410X 1 PR Constant 350 kg to GVM - 480 lbs/inch.  Rear Coil Springs NIS-114HL5E410X 1 PR Constant 350 kg to GVM - 480 lbs/inch.  Rear Coil Springs NIS-114HL5E410X 1 PR Constant 350 kg to GVM - 480 lbs/inch.  Rear Coil Springs NIS-114HL5E410X 1 PR Constant 350 kg to GVM - 480 lbs/inch.  Rear Shock Absorbers 36-5549 2 EFS Elite  Rear Shock Absorbers 36-5549 2 EFS Elite  Rear Shock Absorbers 39-7008 2 EFS Extreme  Rear Shock Absorbers 39-7008 2 EFS Extreme	Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount
Front Steering Damper SD4036 1 9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes Front Steering Damper SD4034 1 1988 to 8/1989 - Eye / Eye Front Steering Damper SD4036 1 9/1989 on - Pin / Pin Front Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications  Rear Adjustable Panard Rod 10-1049 1  Rear Brake Hoses 10-1039 1 Extended flexible brake hose, suits non-ABS vehicles and single brake hose types Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height.  Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-114HL5E 1PR EFS - Constant 150 kg to GVM - 285 lbs/inch Rear Coil Springs NIS-114HL5E360X 1 PR Constant 250 kg to GVM - 280 lbs/inch. Use 39-7002 Shock.  Rear Coil Springs NIS-114HL5E410X 1 PR Constant 500 kg to GVM - 410 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure.  Rear Shock Absorbers 36-5549 2 EFS Elite  Rear Shock Absorbers 39-7008 2 EFS Extreme  Rear Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Front	Shock Absorbers	36-5592	2	EFS Elite
Front Steering Damper SD4034 1 1988 to 8/1989 - Eye / Eye  Front Steering Damper SD4036 1 9/1989 on - Pin / Pin  Front Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications  Rear Adjustable Panard Rod 10-1049 1  Rear Brake Hoses 10-1039 1 Extended flexible brake hose, suits non-ABS vehicles and single brake hose types  Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height.  Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-114HL4E 1PR EFS - Constant 150 kg to GVM - 285 lbs/inch  Rear Coil Springs NIS-114HL5E360X 1 PR EFS - Constant 250 kg to GVM. 360 lbs/inch. Use 39-7002 Shock.  Rear Coil Springs NIS-114HL5E410X 1 PR Constant 350 kg to GVM. 410 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure.  Rear Coil Springs NIS-114UHE 1PR EFS - Constant 100 kg to GVM - 220 lbs/inch. Use 36-5549 shocks  Rear Shock Absorbers 36-5549 2 EFS Elite  Rear Shock Absorbers 39-7008 2 EFS Extreme  Rear Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Front	Shock Absorbers	39-7001	2	EFS Extreme
Front Steering Damper SD4036 1 9/1989 on - Pin / Pin Front Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications  Rear Adjustable Panard Rod 10-1049 1  Rear Brake Hoses 10-1039 1 Extended flexible brake hose, suits non-ABS vehicles and single brake hose types  Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height.  Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-114HL4E 1PR EFS - Constant 150 kg to GVM - 285 lbs/inch  Rear Coil Springs NIS-114HL5E 1PR EFS - Constant 250 kg to GVM - 280 lbs/inch. Use 39-7002 Shock.  Rear Coil Springs NIS-114HL5E360X 1 PR Constant 350 kg to GVM . 360 lbs/inch.  Rear Coil Springs NIS-114HL5E410X 1 PR Constant 500 kg to GVM . 410 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure.  Rear Shock Absorbers 36-5549 2 EFS Elite  Rear Shock Absorbers 39-7008 2 EFS Extreme  Rear Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes
Front Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications  Rear Adjustable Panard Rod 10-1049 1  Rear Brake Hoses 10-1039 1 Extended flexible brake hose, suits non-ABS vehicles and single brake hose types  Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height.  Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-114HL4E 1PR EFS - Constant 150 kg to GVM - 285 lbs/inch  Rear Coil Springs NIS-114HL5E 1PR EFS - Constant 250 kg to GVM - 280 lbs/inch. Use 39-7002 Shock.  Rear Coil Springs NIS-114HL5E360X 1 PR Constant 350 kg to GVM . 360 lbs/inch.  Rear Coil Springs NIS-114HL5E410X 1 PR Constant 500 kg to GVM . 410 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure.  Rear Coil Springs NIS-114UHE 1PR EFS - Constant 100 kg to GVM - 220 lbs/inch. Use 36-5549 shocks  Rear Shock Absorbers 36-5549 2 EFS Elite  Rear Shock Absorbers 39-7008 2 EFS Extreme  Rear Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Rear Adjustable Panard Rod 10-1049 1  Rear Brake Hoses 10-1039 1 Extended flexible brake hose, suits non-ABS vehicles and single brake hose types  Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-114HL4E 1PR EFS - Constant 150 kg to GVM - 285 lbs/inch  Rear Coil Springs NIS-114HL5E 1PR EFS - Constant 250 kg to GVM - 280 lbs/inch. Use 39-7002 Shock.  Rear Coil Springs NIS-114HL5E360X 1 PR Constant 350 kg to GVM. 360 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure.  Rear Coil Springs NIS-114UHE 1PR EFS - Constant 100 kg to GVM - 220 lbs/inch. Use 36-5549 shocks  Rear Shock Absorbers 39-7008 2 EFS Elite  Rear Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear Coil Spacer 10-1021 2 15mm - for trimming or raising vehicle height.  Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-114HL4E 1PR EFS - Constant 150 kg to GVM - 285 lbs/inch  Rear Coil Springs NIS-114HL5E 1PR EFS - Constant 250 kg to GVM - 280 lbs/inch. Use 39-7002 Shock.  Rear Coil Springs NIS-114HL5E360X 1 PR Constant 350 kg to GVM. 360 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure.  Rear Coil Springs NIS-114UHE 1PR EFS - Constant 100 kg to GVM - 220 lbs/inch. Use 36-5549 shocks  Rear Shock Absorbers 36-5549 2 EFS Elite  Rear Shock Absorbers 39-7008 2 EFS Extreme  Rear Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Front	Sway Bar Link Kit	10-1031	1	Extended sway bar links for raised applications
RearCoil Spacer10-1021215mm - for trimming or raising vehicle height.RearCoil Spacer10-1022230mm - for trimming or raising vehicle height.RearCoil SpringsNIS-114HL4E1PREFS - Constant 150 kg to GVM - 285 lbs/inchRearCoil SpringsNIS-114HL5E1PREFS - Constant 250 kg to GVM - 280 lbs/inch. Use 39-7002 Shock.RearCoil SpringsNIS-114HL5E360X1 PRConstant 350 kg to GVM. 360 lbs/inch.RearCoil SpringsNIS-114HL5E410X1 PRConstant 500 kg to GVM. 410 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure.RearCoil SpringsNIS-114UHE1PREFS - Constant 100 kg to GVM - 220 lbs/inch. Use 36-5549 shocksRearShock Absorbers36-55492EFS EliteRearShock Absorbers39-70082EFS ExtremeRearSway Bar Link Kit10-10311Extended sway bar links for raised applications	Rear	Adjustable Panard Rod	10-1049	1	
Rear Coil Spacer 10-1022 2 30mm - for trimming or raising vehicle height.  Rear Coil Springs NIS-114HL4E 1PR EFS - Constant 150 kg to GVM - 285 lbs/inch  Rear Coil Springs NIS-114HL5E 1PR EFS - Constant 250 kg to GVM - 280 lbs/inch. Use 39-7002 Shock.  Rear Coil Springs NIS-114HL5E360X 1 PR Constant 350 kg to GVM. 360 lbs/inch.  Rear Coil Springs NIS-114HL5E410X 1 PR Constant 500 kg to GVM. 410 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure.  Rear Coil Springs NIS-114UHE 1PR EFS - Constant 100 kg to GVM - 220 lbs/inch. Use 36-5549 shocks  Rear Shock Absorbers 36-5549 2 EFS Elite  Rear Shock Absorbers 39-7008 2 EFS Extreme  Rear Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Rear	Brake Hoses	10-1039	1	
Rear Coil Springs NIS-114HL4E 1PR EFS - Constant 150 kg to GVM - 285 lbs/inch Rear Coil Springs NIS-114HL5E 1PR EFS - Constant 250 kg to GVM - 280 lbs/inch. Use 39-7002 Shock. Rear Coil Springs NIS-114HL5E360X 1 PR Constant 350 kg to GVM. 360 lbs/inch. Rear Coil Springs NIS-114HL5E410X 1 PR Constant 500 kg to GVM. 410 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure. Rear Coil Springs NIS-114UHE 1PR EFS - Constant 100 kg to GVM - 220 lbs/inch. Use 36-5549 shocks Rear Shock Absorbers 36-5549 2 EFS Elite Rear Shock Absorbers 39-7008 2 EFS Extreme Rear Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear Coil Springs NIS-114HL5E 1PR EFS - Constant 250 kg to GVM - 280 lbs/inch. Use 39-7002 Shock.  Rear Coil Springs NIS-114HL5E360X 1 PR Constant 350 kg to GVM. 360 lbs/inch.  Rear Coil Springs NIS-114HL5E410X 1 PR Constant 500 kg to GVM. 410 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure.  Rear Coil Springs NIS-114UHE 1PR EFS - Constant 100 kg to GVM - 220 lbs/inch. Use 36-5549 shocks  Rear Shock Absorbers 36-5549 2 EFS Elite  Rear Shock Absorbers 39-7008 2 EFS Extreme  Rear Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear Coil Springs NIS-114HL5E360X 1 PR Constant 350 kg to GVM. 360 lbs/inch.  Rear Coil Springs NIS-114HL5E410X 1 PR Constant 500 kg to GVM. 410 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure.  Rear Coil Springs NIS-114UHE 1PR EFS - Constant 100 kg to GVM - 220 lbs/inch. Use 36-5549 shocks  Rear Shock Absorbers 36-5549 2 EFS Elite  Rear Shock Absorbers 39-7008 2 EFS Extreme  Rear Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Rear	Coil Springs	NIS-114HL4E	1PR	EFS - Constant 150 kg to GVM - 285 lbs/inch
Rear Coil Springs NIS-114HL5E410X 1 PR Constant 500 kg to GVM. 410 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue or failure.  Rear Coil Springs NIS-114UHE 1PR EFS - Constant 100 kg to GVM - 220 lbs/inch. Use 36-5549 shocks  Rear Shock Absorbers 36-5549 2 EFS Elite  Rear Shock Absorbers 39-7008 2 EFS Extreme  Rear Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Rear	Coil Springs	NIS-114HL5E	1PR	EFS - Constant 250 kg to GVM - 280 lbs/inch. Use 39-7002 Shock.
Rear Coil Springs NIS-114UHE 1PR EFS - Constant 100 kg to GVM - 220 lbs/inch. Use 36-5549 shocks Rear Shock Absorbers 36-5549 2 EFS Elite Rear Shock Absorbers 39-7008 2 EFS Extreme Rear Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Rear	Coil Springs	NIS-114HL5E360X	1 PR	Constant 350 kg to GVM. 360 lbs/inch.
RearShock Absorbers36-55492EFS EliteRearShock Absorbers39-70082EFS ExtremeRearSway Bar Link Kit10-10311Extended sway bar links for raised applications	Rear	Coil Springs	NIS-114HL5E410X	1 PR	
Rear     Shock Absorbers     39-7008     2     EFS Extreme       Rear     Sway Bar Link Kit     10-1031     1     Extended sway bar links for raised applications	Rear	Coil Springs	NIS-114UHE	1PR	EFS - Constant 100 kg to GVM - 220 lbs/inch. Use 36-5549 shocks
Rear Sway Bar Link Kit 10-1031 1 Extended sway bar links for raised applications	Rear	Shock Absorbers	36-5549	2	EFS Elite
, , , , , , , , , , , , , , , , , , , ,	Rear	Shock Absorbers	39-7008	2	EFS Extreme
Rear Trailing Arm Bushes 10-1045 4 1 x Kit per arm - the same bush required for all upper and lower rear arms.	Rear	Sway Bar Link Kit	10-1031	1	Extended sway bar links for raised applications
	Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.

File created on 22.03.2007 Page 78 of 183

#### 125mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1048	1PR	
Front	Brake Hoses	10-1039	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types
Front	Castor Bush Kit	10-1040	1	This bush will only assist in 3 degrees of offset, Replacement radial arms are recommended to achieve proper castor.
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL5E	1PR	Load Bearing accessories 40kg to 100kg, 260 lbs/inch
Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount
Front	Shock Absorbers	39-7007	2	EFS Extreme
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Front	Sway Bar Link Kit	10-1046	1	Extended sway bar links for raised applications
Rear	Adjustable Panard Rod	10-1049	1	
Rear	Brake Hoses	10-1039	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-114HL5E	1PR	EFS - Constant 150 kg to GVM - 280 lbs/inch
Rear	Coil Springs	NIS-114HL6E360X	1 PR	Constant 350 kg to GVM. 360 lbs / inch. Use 39-7008 shocks.
Rear	Coil Springs	NIS-114HL6E410X	1 PR	Constant 500 kg to GVM. 410 lbs / inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue and failure. Use 39-7008 shocks
Rear	Shock Absorbers	39-7002	2	EFS Extreme
Rear	Sway Bar Link Kit	10-1046	1	Extended sway bar links for raised applications
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.

File created on 22.03.2007 Page 79 of 183

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES	
Front	Castor Bush Kit	10-1004	1	2 degree offset castor bush kit	
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height.	
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.	
Front	Coil Springs	NIS-101E	1 PR	Load Bearing accessories up to 40 kg, 250 lbs/inch	
Front	Coil Springs	NIS-101HDE	1 PR	Load Bearing accessories 80kg to 100kg, 310 lbs/inch	
Front	Coil Springs	NIS-101HE	2	45kg to 75 kg Load bearing accessories. 250 lbs/inch	
Front	Shock Absorbers	36-5546	2	EFS Elite - Comfort	
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm	
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye	
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin	
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.	
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.	
Rear	Coil Springs	NIS-109E	1 PR	EFS - Progressive rate coil - Constant 100 kg to GVM - 240 to 365 lbs / inch	
Rear	Coil Springs	NIS-111E	1 PR	EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch - Use 36-5548 shock	
Rear	Coil Springs	NIS-114E	1 PR	EFS - Constant 100 kg to GVM - 220 lbs/inch	
Rear	Coil Springs	NIS-114EHDE	1 PR	EFS - Constant 450/500 kg to GVM, 470 lbs/inch - Rear top tower reinforcement bracket must be installed to prevent top tower fatige and failure.	
Rear	Coil Springs	NIS-114HDE	1 PR	EFS - Constant 250/300 kg to GVM - 330 lbs/inch	
Rear	Coil Springs	NIS-114HE	1 PR	Constant 200 kg to GVM. 220 lbs/inch.	
Rear	Coil Springs	NIS-114HL3E	1 PR	Constant 300 kg to GVM. Comfort option - 280 lbs / inch	
Rear	Polyair	95096	1	50mm Raised height applications only	
Rear	Polyair	95997	1	Std height applications only	
Rear	Shock Absorbers	36-5548	2	EFS Elite - Comfort	
Rear	Shock Absorbers	36-5548S	2	EFS Elite - Firm	

File created on 22.03.2007 Page 80 of 183

#### 75mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1040	1	3 degree offset castor bush
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL3E	1PR	Up to 80 kg Constant load bearing accessories.
Front	Coil Springs	NIS-101UHE	1 PR	50kg to 80kg Load bearing accessories. Comfort option - 215 lbs/inch.
Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-111E	1 PR	Constant 200 kg to GVM. Progressive rate 315-460 lbs/inch. Must use 36-5548 shocks. Coil spacer maybe required on LH rear coil to allow for 30mm coil offset.
Rear	Coil Springs	NIS-114EHDE	1 PR	Constant 300 kg to GVM. 470 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue and failure. Must use 36-5548 shock.
Rear	Coil Springs	NIS-114HL3E	1PR	EFS - Constant 150 kg to GVM
Rear	Coil Springs	NIS-114HL4E	1PR	EFS - Constant 300 kg to GVM, 270 lbs/inch. Use 39-7008 shock.
Rear	Shock Absorbers	36-5549	2	EFS Elite
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.

File created on 22.03.2007 Page 81 of 183

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height
Front	Coil Spacer	101-1020	2	15mm Spacer - for trimming or raising vehicle height
Front	Coil Springs	NIS-103E	1 PR	Up to 45kg Load bearing accessories. 210 lbs/inch - Suits 3 L
Front	Coil Springs	NIS-104E	1 PR	Up to 45 kg Load bearing accessories, 250 lbs / inch - Suits 4.2 L
Front	Shock Absorbers	36-5546	2	EFS Elite - Comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Coil Spacer	10-1021	2	15mm Spacer - for trimming or raising vehicle height
Rear	Coil Spacer	10-1022	2	30mm Spacer - for trimming or raising vehicle height
Rear	Coil Springs	NIS-109E	1 PR	Constant 300 kg to GVM. Progressive rate 240-365 lbs/inch.
Rear	Coil Springs	NIS-119E	1 PR	Constant 100 kg to GVM. 220 lbs/inch
Rear	Coil Springs	NIS-120E	1 PR	Constant 200 kg to GVM. 230 lbs/inch
Rear	Shock Absorbers	36-5548	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5548S	2	EFS Elite - Firm

# PATROL GQ SWB Y60 - Coil spring - Manual Transmission

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1004	1	2 degree offset castor bush kit
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-100E	1 PR	No load Bearing accessories, 205 lbs/inch
Front	Coil Springs	NIS-101E	1 PR	60kg to 100 kg Load bearing accessories. 250 lbs/inch
Front	Shock Absorbers	36-5546	2	EFS Elite - Comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-113E	1 PR	EFS - Constant 100 kg to GVM, 185 lbs/inch
Rear	Coil Springs	NIS-114E	1 PR	Constant 250 kg to GVM. 220 lbs/inch
Rear	Gearbox Spacer	10-1005	1	To correct pinion angle - reduce drive line vibration
Rear	Polyair	95096	1	50mm Raised height applications only
Rear	Polyair	95997	1	Std height applications only
Rear	Shock Absorbers	36-5547	2	EFS Elite

# PATROL GQ SWB Y60 - Coil spring - Manual Transmission

75	T	: 64
/5mm		ЛTT

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1040	1	3 degree offset castor bush
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101E	1 PR	No load Bearing accessories, 250 lbs/inch
Front	Shock Absorbers	36-5546	2	EFS Elite - Comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-114E	1 PR	EFS - Constant 100 kg to GVM, 220 lbs/inch
Rear	Gearbox Spacer	10-1005	1	To correct pinion angle - reduce drive line vibration
Rear	Shock Absorbers	36-5547	2	EFS Elite
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin

File created on 22.03.2007 Page 84 of 183

#### PATROL GU CAB CHASSIS - Coil Frt and Leaf Rear

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
-ront	Castor Bush Kit	10-1004	1	2 degree offset castor bush kit
-ront	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height.
ront	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
ront	Coil Springs	NIS-101HE	1 PR	Load Bearing accessories up to 55 kg, 250 lbs/inch
ront	Coil Springs	NIS-101HHDE	1 PR	Load Bearing accessories 60kg to 100kg, 300 lbs/inch
-ront	Shock Absorbers	36-5546	2	EFS Elite - Comfort
-ront	Shock Absorbers	36-5546S	2	EFS Elite - Firm
ront	Steering Damper	SD4011	1	to 1/2000 - Pin / Pin
-ront	Steering Damper	SD4501	1	2/2000 on - Eye / Eye, Check damper type before ordering.
Rear	Bush Kit	UK719	1	
Rear	Fixed Shackle Pin	GR667	2	
Rear	Leaf Springs	NIS-12DS	1	Constant 300 kg to GVM - Right hand side spring.
Rear	Leaf Springs	NIS-12NS	1	Constant 300 kg to GVM - Left hand side spring.
Rear	Leaf Springs	NIS-15	2	Constant 500 kg to GVM - Certified GVM upgrades available-increases GVM to 3800 kg. See EFS Information of front page for further details.
Rear	Shock Absorbers	36-5526	2	EFS Elite
Rear	Shock Absorbers	GP2081P	2	EFS Enforcer
Rear	Swing Shackles	GR666	2	
Rear	Ubolts	C671	4	

File created on 22.03.2007 Page 85 of 183

#### PATROL GU CAB CHASSIS - Coil Frt and Leaf Rear

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height.
Front	Coil Springs	NIS-100E	1 PR	Up to 35kg Load bearing accessories. 205 lbs/inch. Suits 3.0 L TD.
Front	Coil Springs	NIS-104E	1 PR	Up to 45 kg Load bearing accessories. 250 lbs/inch. Raises Petrol models up approx 25mm / Diesel models up approx 20mm.
Front	Shock Absorbers	36-5546	2	EFS Elite - Comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4011	1	to 1/2000 - Pin / Pin
Front	Steering Damper	SD4501	1	2/2000 on - Eye / Eye
Rear	Coil Springs	NIS-109E	1 PR	Constant 250 kg to GVM. Progressive rate 240-365 lbs/inch.
Rear	Coil Springs	NIS-120E	1 PR	Constant 100 kg to GVM. 230 lbs/inch. OEM Sway bar must remain installed when fitted with 36-5548 / 36-5548S shocks.
Rear	Shock Absorbers	36-5526	2	EFS Elite
Rear	Shock Absorbers	GP2081P	2	EFS Enforcer

File created on 22.03.2007 Page 86 of 183

#### 100mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1048	1	Suits Series 1 only - up to April 2000
Front	Adjustable Panard Rod	10-1050	1	Suits Series 2 on - April 2000 on
Front	Brake Hoses	10-1039	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types
Front	Castor Bush Kit	10-1040	1	3 degree offset castor bush - Replacement radial arms are required to achieve proper castor.
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL4E	1PR	Load Bearing accessories 50kg to 80kg, 300 lbs/inch
Front	Shock Absorbers	39-7001	2	EFS Extreme
Front	Steering Damper	35-4501	1	2/2000 on - Eye / Eye - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	SD4011	1	to 1/2000 - Pin / Pin
Front	Steering Damper	SD4501	1	2/2000 on - Eye / Eye
Front	Sway Bar Link Kit	10-1046	1	Extended sway bar links for raised applications
Rear	Adjustable Panard Rod	10-1049	1	Suits Series 1 only - up to April 2000
Rear	Adjustable Panard Rod	10-1051	1	Suits Series 2 on - April 2000 on
Rear	Brake Hoses	10-1039	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-114HL4E	1PR	EFS - Constant 150 kg to GVM, 270 lbs/inch
Rear	Coil Springs	NIS-114HL5E	1PR	EFS - Constant 250 kg to GVM, 270 lbs/inch. 39-7002 shock must be used
Rear	Coil Springs	NIS-114HL5E360X	1PR	EFS - Constant 350 kg to GVM, 360 lbs/inch
Rear	Coil Springs	NIS-114HL5E410X	1 PR	Constant 500 kg to GVM. 470 lbs / inch. Rear coil upper tower reinforcement bracket must be installed to prevent upper tower fatigue and failure.
Rear	Shock Absorbers	39-7008	2	EFS Extreme
Rear	Sway Bar Link Kit	10-1047	1	Extended sway bar links for raised applications
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.

#### 125mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1048	1PR	Suits Series 1 only - Up to April 2000
Front	Adjustable Panard Rod	10-1050	1	Suits Series 2 on - April 2000 on
Front	Brake Hoses	10-1039	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types
Front	Castor Bush Kit	10-1040	1	This bush will only assist in 3 degrees of offset, Replacement radial arms are recommended to achieve proper castor.
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL5E	1PR	Load Bearing accessories 40kg to 100kg, 260 lbs/inch
Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount
Front	Shock Absorbers	39-7007	2	EFS Extreme
Front	Steering Damper	35-4501	1	2/2000 on - Eye / Eye - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	SD4011	1	to 1/2000 - Pin / Pin
Front	Steering Damper	SD4501	1	2/2000 on - Eye / Eye
Front	Sway Bar Link Kit	10-1046	1	Extended sway bar links for raised applications
Rear	Adjustable Panard Rod	10-1049	1	Suits Series 1 only - Up to April 2000
Rear	Adjustable Panard Rod	10-1051	1	Suits Series 2 on - April 2000 on
Rear	Brake Hoses	10-1039	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-114HL5E	1PR	EFS - Constant 150 kg to GVM, 280 lbs/inch
Rear	Coil Springs	NIS-114HL6E360X	1 PR	Constant 350 kg to GVM. 360 lbs/inch. Use 39-7001 shock
Rear	Coil Springs	NIS-114HL6E410X	1 PR	Constant 500 kg to GVM. 410 lbs/inch. Use 39-7001 shock. Rear coil upper tower reinforcement bracket must be installed to prevent upper tower fatigue and failure.
Rear	Shock Absorbers	39-7002	2	EFS Extreme
Rear	Sway Bar Link Kit	10-1047	1	Extended sway bar links for raised applications
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1004	1	2 degree offset castor bush kit
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HE	1 PR	Load Bearing accessories up to 45 kg, 250 lbs/inch
Front	Coil Springs	NIS-101HHDE	1 PR	Load Bearing accessories 50kg to 80kg, 310 lbs/inch
Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount
Front	Shock Absorbers	36-5546	2	EFS Elite - Comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4011	1	to 1/2000 - Pin / Pin
Front	Steering Damper	SD4501	1	2/2000 on - Eye / Eye
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-111E	1 PR	EFS - Progressive rate coil - Constant 300 kg to GVM - 315 to 460 lbs/inch - Use 36-5548 shock
Rear	Coil Springs	NIS-114EHDE	1 PR	Constant 450/500 kg to GVM. 470 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue and failure.
Rear	Coil Springs	NIS-114HDE	1 PR	EFS - Constant 250/300 kg to GVM - 330lbs/inch
Rear	Coil Springs	NIS-114HE	1 PR	EFS - Constant 100 kg to GVM - 220 lbs/inch
Rear	Coil Springs	NIS-114HL3E	1 PR	Constant 300 kg to GVM - Comfort option - 280lbs / inch
Rear	Polyair	95096	1	50mm Raised height applications only
Rear	Polyair	95997	1	Std height applications only
Rear	Shock Absorbers	36-5548	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5548S	2	EFS Elite - Firm
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.

#### 75mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1040	1	3 degree offset castor bush
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL3E	1PR	Up to 80 kg Constant load bearing accessories. 260 lbs/inch
Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	35-4036	1	Pin / Pin - EFS Extreme - suitable for increased tyre sizes
Front	Steering Damper	35-4501	1	Eye - Eye - check mount types before ordering. Suitable for increased tyre sizes.
Front	Steering Damper	SD4011	1	Pin - Pin
Front	Steering Damper	SD4501	1	Eye - Eye - check mount type before ordering
Rear	Coil Spacer	10-1021	2	30mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-111E	1 PR	Constant 200 kg to GVM. Progressive rate 315 - 460 lbs/inch. Use 36-5548 / 36-5548S shocks.
Rear	Coil Springs	NIS-114EHDE	1 PR	Constant 300 kg to GVM. 470 lbs/inch. Rear upper coil tower reinforcement bracket must be installed to prevent upper tower fatigue and failure.
Rear	Coil Springs	NIS-114HL3E	1PR	EFS - Constant 150 kg to GVM. 285 lbs/inch
Rear	Coil Springs	NIS-114HL4E	1PR	EFS - Constant 300 kg to GVM, 280 lbs/inch. 39-7008 must be used
Rear	Shock Absorbers	36-5549	2	EFS Elite
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height
Front	Coil Spacer	10-1020	2	15mm Spacer - for trimming or raising vehicle height
Front	Coil Springs	NIS-100E	1 PR	Up to 45 kg load bearing accessories. 205 lbs/inch Suits 3.0L TD
Front	Coil Springs	NIS-104E	1 PR	Up to 45 kg Load bearing accessories. 250 lbs/inch - Raises Petrol models approx 25mm / 4.2 L Diesel models approx 20mm.
Front	Shock Absorbers	36-5546	2	EFS Elite - Comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4011	1	to 1/2000 - Pin / Pin
Front	Steering Damper	SD4501	1	2/2000 on - Eye / Eye
Rear	Coil Spacer	10-1021	2	15mm Spacer - for trimming or raising vehicle height
Rear	Coil Spacer	10-1022	2	30mm Spacer - for trimming or raising vehicle height
Rear	Coil Springs	NIS-109E	1 PR	Constant 250 kg to GVM. Progressive rate 240 - 365 lbs / inch.
Rear	Coil Springs	NIS-120E	1 PR	Constant 100 kg to GVM. 230 lbs/inch. OE sway bar must remain installed.
Rear	Shock Absorbers	36-5548	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5548S	2	EFS Elite - Firm

#### 100mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1048	1PR	Suits Series 1 only - up to April 2000
Front	Adjustable Panard Rod	10-1050	1	Suits Series 2 on - April 2000 on
Front	Brake Hoses	10-1038	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types
Front	Castor Bush Kit	10-1040	1	3 degree offset castor bush - Replacement radial arms are required to achieve proper castor.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL4E	1PR	Load Bearing accessories 50kg to 80kg, 300 lbs/inch
Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	35-4501	1	2/2000 on - Eye / Eye - EFS Extreme - suitable for increased tyre sizes - EFS Extreme available Nov 2006
Front	Steering Damper	SD4011	1	to 1/2000 - Pin / Pin
Front	Steering Damper	SD4501	1	2/2000 on - Eye / Eye
Front	Sway Bar Link Kit	10-1031	1	Extended sway bar links for raised applications
Rear	Adjustable Panard Rod	10-1049	1	Suits Series 1 only - up to April 2000
Rear	Adjustable Panard Rod	10-1051	1	Suits Series 2 on - April 2000 on
Rear	Brake Hoses	10-1039	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-114HL4E	1PR	EFS - Constant 150 kg to GVM - 270 lbs/inch
Rear	Coil Springs	NIS-114HL5E	1PR	EFS - Constant 250 kg to GVM - 270 lbs/inch. 39-7002 must be used
Rear	Coil Springs	NIS-114HL5E360X	1 PR	Constant 350 kg to GVM. 360 lbs/inch
Rear	Coil Springs	NIS-114HL5E410X	1 PR	Constant 500 kg to GVM. 410 lbs / inch
Rear	Coil Springs	NIS-114UHE	1PR	EFS - Constant 100 kg to GVM - 220 lbs/inch
Rear	Shock Absorbers	36-5549	2	EFS Elite
Rear	Sway Bar Link Kit	10-1032	1	Extended sway bar links for raised applications
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.

File created on 22.03.2007 Page 92 of 183

#### 125mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1048	1	Suits Series 1 only - up to April 2000
Front	Adjustable Panard Rod	10-1050	1	Suits Series 2 on - April 2000 on
Front	Brake Hoses	10-1039	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types
Front	Castor Bush Kit	10-1040	1	This bush will only assist in 3 degrees of offset, Replacement radial arms are recommended to achieve proper castor.
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL5E	1PR	Load Bearing accessories 50kg to 80kg, 300 lbs/inch
Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount
Front	Shock Absorbers	39-7001		EFS Extreme
Front	Steering Damper	35-4501	1	2/2000 on - Eye / Eye - EFS Extreme - suitable for increased tyre sizes - EFS Extreme available Nov 2006
Front	Steering Damper	SD4011	1	to 1/2000 - Pin / Pin
Front	Steering Damper	SD4501	1	2/2000 on - Eye / Eye
Front	Sway Bar Link Kit	10-1046	1	Extended sway bar links for raised applications
Rear	Adjustable Panard Rod	10-1049	1	Suits Series 1 only - up to April 2000
Rear	Adjustable Panard Rod	10-1051	1	Suits Series 2 on - April 2000 on
Rear	Brake Hoses	10-1039	1	Extended flexible brake hose, suits non-ABS vehicles and single brake hose types
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-114HL5E	1PR	EFS - Constant 150 kg to GVM - 270 lbs/inch
Rear	Coil Springs	NIS-114HL6E360X	1 PR	Constant 350 kg to GVM. 360 lbs/inch
Rear	Coil Springs	NIS-114HL6E410X	1 PR	Constant 500 kg to GVM. 410 lbs / inch
Rear	Shock Absorbers	39-7002	2	45mm bore EFS Extreme Available Oct 06
Rear	Sway Bar Link Kit	10-1047	1	Extended sway bar links for raised applications
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1004	1	2 degree offset castor bush kit
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HE	1 PR	Load Bearing accessories up to 45 kg, 250 lbs/inch
Front	Coil Springs	NIS-101HHDE	1 PR	Load Bearing accessories 50kg to 80kg, 310 lbs/inch
Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount
Front	Shock Absorbers	36-5546	2	EFS Elite
Front	Steering Damper	SD4011	1	to 1/2000 - Pin / Pin
Front	Steering Damper	SD4501	1	2/2000 on - Eye / Eye
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-109E	1 PR	EFS - Progressive rate coil - Constant 100 kg to GVM - 240 to 365 lbs / inch
Rear	Coil Springs	NIS-111E	1 PR	EFS - Progressive rate coil - Constant 200 kg to GVM - 315 to 460 lbs/inch - Use 36-5548 shock
Rear	Coil Springs	NIS-114EHDE	1 PR	EFS - Constant 600 kg to GVM, 470 lbs/inch - Rear top tower reinforcement bracket must be installed.
Rear	Coil Springs	NIS-114HDE	1 PR	EFS - Constant 200 kg to GVM - 330 lbs/inch
Rear	Coil Springs	NIS-114HE	1 PR	EFS - Constant 100 kg to GVM - 220 lbs/inch
Rear	Polyair	95096	1	50mm Raised height applications only
Rear	Polyair	95997	1	Std height applications only
Rear	Shock Absorbers	36-5548	2	EFS Elite
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.

#### 75mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1040	1	3 degree offset castor bushes
Front	Coil Spacer	10-1020	2	15mm - for trimming or raising vehicle height.
Front	Coil Springs	NIS-101HL3E	1PR	20 - 50 kg Constant load bearing accessories.
Front	Radius Arm Bushes	10-1044	1PR	Radius Arm to Chassis Mount
Front	Shock Absorbers	36-5592	2	EFS Elite
Front	Steering Damper	35-4036	1	9/1989 on - Pin / Pin - EFS Extreme - suitable for increased tyre sizes - EFS Extreme available Nov 2006
Front	Steering Damper	SD4034	1	1988 to 8/1989 - Eye / Eye
Front	Steering Damper	SD4036	1	9/1989 on - Pin / Pin
Rear	Coil Spacer	10-1021	2	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1022	2	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	NIS-114HL3E	1PR	EFS - Constant 150 kg to GVM
Rear	Coil Springs	NIS-114HL4E	1PR	EFS - Constant 300 kg to GVM, 270 lbs/inch 36-5549 must be used
Rear	Shock Absorbers	36-5549	2	EFS Elite
Rear	Trailing Arm Bushes	10-1045	4	1 x Kit per arm - the same bush required for all upper and lower rear arms.

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Spacer	10-1019	2	30mm Spacer - for trimming or raising vehicle height
Front	Coil Spacer	10-1020	2	15mm Spacer - for trimming or raising vehicle height
Front	Coil Springs	NIS-100E	1 PR	Up to 45 kg Load bearing accessories, 205 lbs/inch - Suits 3.0 L TD
Front	Coil Springs	NIS-104E	1 PR	Up to 45 kg Load bearing accessories, 250 lbs / inch - Raises Petrol model approx 25mm / 4.2 Diesel models approx 20mm.
Front	Shock Absorbers	36-5546	2	EFS Elite - Comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4011	1	to 1/2000 - Pin / Pin
Front	Steering Damper	SD4501	1	2/2000 on - Eye / Eye
Rear	Coil Spacer	10-1021	2	15mm Spacer - for trimming or raising vehicle height
Rear	Coil Spacer	10-1022	2	30mm Spacer - for trimming or raising vehicle height
Rear	Coil Springs	NIS-109E	1 PR	Constant 250 kg to GVM. Progressive rate 240 - 365 lbs/inch.
Rear	Coil Springs	NIS-120E	1 PR	Constant 100 kg to GVM. 230 lbs / inch
Rear	Shock Absorbers	36-5548	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5548S	2	EFS Elite - Firm

### **PATROL MK LWB - Square head lights**

Steering Damper

Shock Absorbers

SD4022

GP2076

=0	T	• 64
50mm		111
JUHHH		/II L

Front

Rear

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK724	1	
Front	Fixed Shackle Pin	GR470	2	
Front	Leaf Springs	NMK-50	2	Up to 55kg Load bearing accessories
Front	Shock Absorbers	GP2080	2	EFS Enforcer
Front	Steering Damper	SD4022	1	
Front	Swing Shackles	GR665	2	
Front	Ubolts	C451	2	Left hand side ubolts
Front	Ubolts	C452	2	Right hand side ubolts
Rear	Bush Kit	UK722	1	
Rear	Fixed Shackle Pin	GR470	2	
Rear	Leaf Springs	NMQ-40	1	Right hand side spring - Constant 200 kg to GVM
Rear	Leaf Springs	NMQ-41	1	Left hand side spring - Constant 200 kg to GVM
Rear	Shock Absorbers	GP2076	2	EFS Enforcer
Rear	Swing Shackles	GR664	2	
Rear	Ubolts	C453	4	
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	GP2080	2	EFS Enforcer

1

2

EFS Enforcer

File created on 22.03.2007 Page 97 of 183

# ${\bf PATROL~MK~SWB~-Square~head~lights}$

=0	T	• 64
50mm		111
JUHHH		/II L

Rear

Shock Absorbers

GP2076

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK724	1	
Front	Fixed Shackle Pin	GR470	2	
Front	Leaf Springs	NMK-50	2	Constant 60 kg to 100 kg
Front	Leaf Springs	NMK-53	2	Up to 55kg Load bearing accessories
Front	Shock Absorbers	GP2080	2	EFS Enforcer
Front	Steering Damper	SD4022	1	
Front	Swing Shackles	GR665	2	
Front	Ubolts	C451	2	Left hand side ubolts
Front	Ubolts	C452	2	Right hand side ubolts
Rear	Bush Kit	UK722	1	
Rear	Fixed Shackle Pin	GR470	2	
Rear	Leaf Springs	NMQ-40	1	Right hand side spring - Constant 250 kg to GVM
Rear	Leaf Springs	NMQ-41	1	Left hand side spring - Constant 250 kg to GVM
Rear	Leaf Springs	NMQ-44	1	Right hand side spring - Constant 100 kg to GVM
Rear	Leaf Springs	NMQ-45	1	Left hand side spring - Constant 100 kg to GVM
Rear	Shock Absorbers	GP2076	2	EFS Enforcer
Rear	Swing Shackles	GR664	2	
Rear	Ubolts	C453	4	
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	GP2080	2	EFS Enforcer
Front	Steering Damper	SD4022	1	

File created on 22.03.2007 Page 98 of 183

2

EFS Enforcer

# PATROL MQ LWB - Round head lights

Steering Damper

Shock Absorbers

SD4022

GP2076

=0	T	• 64
501mm		111
20111111	ш.	/II L

Front

Rear

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK721	1	
Front	Fixed Shackle Pin	GR470	2	
Front	Leaf Springs	NMQ-30	2	Up to 55kg Load bearing accessories
Front	Shock Absorbers	GP2080	2	EFS Enforcer
Front	Steering Damper	SD4022	1	
Front	Swing Shackles	GR355K	2	
Front	Ubolts	C451	2	Left hand side ubolts
Front	Ubolts	C452	2	Right hand side ubolts
Rear	Bush Kit	UK722	1	
Rear	Fixed Shackle Pin	GR470	2	
Rear	Leaf Springs	NMQ-40	1	Right hand side spring - Constant 200 kg to GVM
Rear	Leaf Springs	NMQ-41	1	Left hand side spring - Constant 200 kg to GVM
Rear	Shock Absorbers	GP2076	2	EFS Enforcer
Rear	Swing Shackles	GR664	2	
Rear	Ubolts	C453	4	
l - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	GP2080	2	EFS Enforcer

1

2

EFS Enforcer

File created on 22.03.2007 Page 99 of 183

# $PATROL\ MQ\ SWB\ -\ Round\ head\ lights$

<b>-</b> 0	т.	• 64
Summ		111
20111111		/II L

Rear

Shock Absorbers

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK721	1	
Front	Fixed Shackle Pin	GR470	2	
Front	Leaf Springs	NMQ-30	2	Constant 55 to 100 kg
Front	Leaf Springs	NMQ-33	2	Up to 50kg Load bearing accessories
Front	Shock Absorbers	GP2080	2	EFS Enforcer
Front	Steering Damper	SD4022	1	
Front	Swing Shackles	GR355K	2	
Front	Ubolts	C451	2	Left hand side ubolts
Front	Ubolts	C452	2	Right hand side ubolts
Rear	Bush Kit	UK722	1	
Rear	Fixed Shackle Pin	GR470	2	
Rear	Leaf Springs	NMQ-40	1	Right hand side spring - Constant 250 kg to GVM
Rear	Leaf Springs	NMQ-41	1	Left hand side spring - Constant 250 kg to GVM
Rear	Leaf Springs	NMQ-44	1	Right hand side spring - Constant 100 kg to GVM
Rear	Leaf Springs	NMQ-45	1	Left hand side spring - Constant 100 kg to GVM
Rear	Shock Absorbers	GP2076	2	EFS Enforcer
Rear	Swing Shackles	GR664	2	
Rear	Ubolts	C453	4	
td - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	GP2080	2	EFS Enforcer
Front	Steering Damper	SD4022	1	

File created on 22.03.2007 Page 100 of 183

2

GP2076

EFS Enforcer

# **NISSAN**

### X-TRAIL T30 Series I & II, 2.4LT.ST, TI & TI-L 4wd Wagon 10-2001 on

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	30-5613	1	LHS - OEM Length only
Front	Shock Absorbers	30-5614	1	RHS - OEM length only
Rear	Shock Absorbers	30-5615	1	LHS - OEM Length only
Rear	Shock Absorbers	30-5616	1	RHS - OEM length only

# **SSANGYONG**

#### **MUSSO 290s Sport - Ute**

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5577	2	EFS Elite
Rear	Coil Springs	MUS-100E	1 PR	Constant 150kg to GVM. 220 lbs/inch
Rear	Shock Absorbers	36-5564	2	EFS Elite

# **SUZUKI**

#### Grand Vitara SWB and LWB 4 CYL 1998 to 2001

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	SUZ-112E	1	Approx 25mm lift
Front	Shock Absorbers	30-5625	1	RHS - OEM length only
Front	Shock Absorbers	30-5626	1	LHS - OEM length only
Rear	Coil Springs	SUZ-111E	1	Approx 25mm lift
Rear	Shock Absorbers	36-5485	2	

File created on 22.03.2007 Page 101 of 183

### Grand Vitara V6 only 1998 to 2003

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	SUZ-105E	1	Approx 25mm lift
Front	Shock Absorbers	30-5625	1	RHS - OEM length only
Front	Shock Absorbers	30-5626	1	LHS - OEM length only
Rear	Coil Springs	SUZ-111E	1	Approx 25mm lift
Rear	Shock Absorbers	36-5485	2	

# Sierra SJ and LJ 410/413 - excluding tray back

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK734	1	
Front	Leaf Springs	SUZ-03E	2	Constant 35 - 40kg
Front	Shock Absorbers	36-5484	2	EFS Elite
Front	Steering Damper	SD4030	1	
Front	Swing Shackles	GR656	2	Non - Greasable Shackles
Front	Ubolts	C654	2	RHS front axle
Front	Ubolts	C655	2	LHS front axle
Rear	Bush Kit	UK734	1	
Rear	Leaf Springs	SUZ-05E	2	Constant 120 kg to GVM
Rear	Leaf Springs	SUZI-02HD	2	Constant 80 kg to GVM
Rear	Shock Absorbers	36-5486	2	EFS Elite
Rear	Swing Shackles	GR656	2	Non - Greasable Shackles
Rear	Ubolts	C655	4	

File created on 22.03.2007 Page 102 of 183

# Sierra SJ and LJ 410/413 - excluding tray back

65mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK734	1	
Front	Leaf Springs	SUZ-03E	2	Comfort - Up to Constant 20 kg
Front	Shock Absorbers	36-5484	2	EFS Elite
Front	Steering Damper	SD4030	1	
Front	Swing Shackles	GR656	2	Non - Greasable Shackles
Front	Ubolts	C654	2	RHS front axle
Front	Ubolts	C655	2	LHS front axle
Rear	Bush Kit	UK734	1	
Rear	Leaf Springs	SUZ-05E	2	Comfort - Up to Constant 60 kg.
Rear	Shock Absorbers	36-5486	2	EFS Elite
Rear	Swing Shackles	GR656	2	Non - Greasable Shackles
Rear	Ubolts	C655	4	
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5484	2	EFS Elite
Front	Steering Damper	SD4030	1	
Rear	Shock Absorbers	36-5486	2	EFS Elite
itara 1.6 L SWB	B 07/1988 to 05/1998			
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	SUZ-101E	1	Approx 25mm lift
Front	Shock Absorbers	30-5621	1	RHS - OEM length only
Front	Shock Absorbers	30-5622	1	LHS - OEM length only
Rear	Coil Springs	SUZ-108E	1	Approx 25mm lift
Rear	Shock Absorbers	36-5485	2	

File created on 22.03.2007 Page 103 of 183

#### SUZUKI

#### Vitara 2.0 L SWB 07/1988 to 05/1998 Std - 30mm Lift **QTY** NOTES SUSPENSION PART TYPE **PART** Front Coil Springs SUZ-102E 1 Approx 25mm lift Front **Shock Absorbers** 1 RHS - OEM length only 30-5621 Front **Shock Absorbers** 30-5622 1 LHS - OEM length only Rear Coil Springs SUZ-108E 1 Approx 25mm lift Rear **Shock Absorbers** 36-5485 2 Vitara 4 Door - excluding V6 1991 to 1998 Std - 30mm Lift SUSPENSION PART TYPE **PART QTY** NOTES Front Coil Springs SUZ-102E 1 Front **Shock Absorbers** 30-5621 1 RHS - OEM length only Front **Shock Absorbers** 30-5622 1 LHS - OEM length only Rear Coil Springs SUZ-109E 1 Rear **Shock Absorbers** 36-5485 2 Vitara 4 Door V6 only 1995 to 1998 Std - 30mm Lift **QTY** SUSPENSION PART TYPE **PART NOTES** Front SUZ-103E 1 Approx 25mm lift Coil Springs Front **Shock Absorbers** 30-5621 1 RHS - OEM length only Front **Shock Absorbers** 30-5622 1 LHS - OEM length only Coil Springs Approx 25mm lift Rear SUZ-109E 1 2 Rear **Shock Absorbers** 36-5485

File created on 22.03.2007 Page 104 of 183

# 4 RUNNER - Diesel - All leaf spring front axle models - 8/1985 on.

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Axle Supports	10-1035	1	4 plates (37mm x 6mm) - To provide additional support to RHS and LHS axle seats.
Front	Bush Kit	UK732	1	
Front	Drop Drag Link	10-1033	1	Optional - to be installed if OEM drag link fouls on RHS rear ubolt.
Front	Fixed Shackle Pin	GR385	2	
Front	Leaf Springs	THX-01-6DS	1	RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-01-6NS	1	LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-12E	1	EFS Comfort - RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-13E	1	EFS Comfort - LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-14E	1	EFS Comfort - RHS - 55 to 70kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-15E	1	EFS Comfort - LHS - 55 to 70kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Shock Absorbers	36-5569	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2639	2	EFS Enforcer
Front	Steering Damper	SD4021	1	
Front	Swing Shackles	GR384	2	
Front	Torque Arm	10-1018	1	Adjustable Torque arm - must be installed with raised suspension.
Front	Ubolts	C449-3	2	RHS
Front	Ubolts	C453-2	2	LHS
Front	Wedges	WEGDE-HILUX FRT	1	Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred. Must be installed on diesel models
Rear	Bush Kit	UK733	1	
Rear	Fixed Shackle Pin	GR385	2	
Rear	Leaf Springs	THX-02	2	Constant 250 kg to GVM
Rear	Leaf Springs	THX-02-8	2	Constant 300 kg to GVM
Rear	Leaf Springs	THX-19E	2	Constant 150 kg to GVM.
Rear	Leaf Springs	THX-20E	2	EFS Comfort - Constant 200 kg to GVM
Rear	Polyair	75703	1	For Standard height suspension only
Rear	Polyair	78903	1	For 50mm Raised suspension.
Rear	Shock Absorbers	36-5425	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5561	2	EFS Elite - Firm

File created on 22.03.2007 Page 105 of 183

# **TOYOTA**

# 4 RUNNER - Diesel - All leaf spring front axle models - 8/1985 on.

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Rear	Shock Absorbers	GP2650	2	EFS Enforcer - Firm
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	
Rear	Wedges	WEDGE-00	2	1 Degree castor wedge - to assist with driveline angle correction.
Rear	Wedges	WEDGE-00	2	60mm x 120mm @ 1 degree. If required, will assist in rear pinion angle correction.

File created on 22.03.2007 Page 106 of 183

# 4 RUNNER - Diesel - All leaf spring front axle models - 8/1985 on.

#### 75mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Axle Supports	10-1035	1	4 plates (37mm x 6mm) - To provide additional support to RHS and LHS axle seats.
Front	Brake Hoses	10-1070	1	Extended Flexible brake hoses - Must be installed when using 36-5570 shock absorber.
Front	Bush Kit	UK732	1	
Front	Drop Drag Link	10-1033	1	Optional - to be installed if OEM drag link fouls on RHS rear ubolt.
Front	Fixed Shackle Pin	GR385	2	
Front	Leaf Springs	THX-14E	1	EFS Comfort - RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-15E	1	EFS Comfort - LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Shock Absorbers	36-5570	2	EFS Elite - 10-1070 Extended brake hoses must be sold with these shocks.
Front	Steering Damper	SD4021	1	
Front	Swing Shackles	GR384	2	
Front	Torque Arm	10-1018	1	Adjustable Torque arm - must be installed with raised suspension.
Front	Ubolts	C449-3	2	RHS
Front	Ubolts	C453-2	2	LHS
Front	Wedges	WEGDE-HILUX FRT	1	Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.
Rear	Brake Hoses	10-1071	1	Extended Flexible brake hose - Must be installed when using THX-22E spring and 36-5523 shock.
Rear	Bush Kit	UK733	1	
Rear	Fixed Shackle Pin	GR385	2	
Rear	Leaf Springs	THX-22E	2	Constant 150 kg to GVM
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5521S	2	EFS Elite - Firm
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	
Rear	Wedges	WEDGE-00	4	1 Degree castor wedge - to assist with driveline angle correction.

File created on 22.03.2007 Page 107 of 183

# **TOYOTA**

# 4 RUNNER - Diesel - All leaf spring front axle models - 8/1985 on.

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5569	2	EFS Elite
Front	Shock Absorbers	GP2639	2	EFS Enforcer
Front	Steering Damper	SD4021	1	
Rear	Shock Absorbers	36-5425	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5561	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2650	2	EFS Enforcer - Firm

File created on 22.03.2007 Page 108 of 183

# $4\ RUNNER$ - Petrol - All leaf spring front axle models - 8/1985 on.

## 50mm Lift

Front Bush Kit UK732 1  Front Drop Drag Link 10-1033 1 Optional - to be installed if OEM drag link fouls on RHS rear ubolt.  Front Fixed Shackle Pin GR385 2  Front Leaf Springs THX-01-6DS 1 RHS - 25 to 50 kg of Load Bearing Accessories - 10-1018 must be installed.  Front Leaf Springs THX-01-6NS 1 LHS - 25 to 50 kg of Load Bearing Accessories - 10-1018 must be installed.  Front Leaf Springs THX-01DS 1 RHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be installed.  Front Leaf Springs THX-01NS 1 LHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be installed.  Front Leaf Springs THX-12E 1 EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.  Front Leaf Springs THX-13E 1 EFS Comfort - LHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.  Front Shock Absorbers 36-5569 2 EFS Elite  Front Shock Absorbers GP2639 2 EFS Elite  Front Steering Damper SD4021 1  Front Swing Shackles GR384 2  Front Torque Arm 10-1018 1 Adjustable Torque arm - must be installed with raised suspension.  Front Ubolts C449-3 2 RHS  Front Ubolts C453-2 2 LHS	SUSPENSION	PART TYPE	PART	QTY	NOTES
Front         Drop Drag Link         10-1033         1         Optional - to be installed if OEM drag link fouls on RHS rear ubolt.           Front         Fixed Shackle Pin         GR385         2           Front         Leaf Springs         THX-01-6DS         1         RHS - 25 to 50 kg of Load Bearing Accessories - 10-1018 must be installed front           Front         Leaf Springs         THX-01-6NS         1         LHS - 25 to 50 kg of Load Bearing Accessories - 10-1018 must be installed front           Front         Leaf Springs         THX-01-6NS         1         RHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be installed front           Front         Leaf Springs         THX-01NS         1         LHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be installed front           Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed front           Front         Leaf Springs         THX-13E         1         EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed front           Front         Shock Absorbers         36-5569         2         EFS Elite           Front         Shock Absorbers         36-5569         2         EFS Elite           Front         Skering Damper         SDA021         1	Front	Axle Supports	10-1035	1	4 plates (37mm x 6mm) - To provide additional support to RHS and LHS axle seats.
Front         Fixed Shackle Pin         GR385         2           Front         Leaf Springs         THX-01-6DS         1         RHS - 25 to 50 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-01-6DS         1         LHS - 25 to 50 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-01DS         1         LHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-01NS         1         LHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Shock Absorbers         36-5569         2         EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Shock Absorbers         36-5569         2         EFS Elite           Front         Shock Absorbers         GP2639         2         EFS Elite           Front         Steering Damper         SD4021         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           <	Front	Bush Kit	UK732	1	
Front         Leaf Springs         THX-01-6DS         1         RHS - 25 to 50 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-01-6NS         1         LHS - 25 to 50 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-01DS         1         RHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-01NS         1         LHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Shock Absorbers         36-5569         2         EFS Emforcer           Front         Shock Absorbers         GP2639         2         EFS Effloreer           Front         Steering Damper         SD4021         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Torque Arm         10-1018         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           Front         Wedges         WEGDE-HILLUX FRT         1         Dual tapered wedge - to be placed on	Front	Drop Drag Link	10-1033	1	Optional - to be installed if OEM drag link fouls on RHS rear ubolt.
Front         Leaf Springs         THX-01-6NS         1         LHS - 25 to 50 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-01DS         1         RHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-01NS         1         LHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-13E         1         EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Shock Absorbers         36-5569         2         EFS Elite           Front         Shock Absorbers         GP2639         2         EFS Elite           Front         Steering Damper         SD4021         1         EFS Enforcer           Front         Substackles         GR384         2         EFS Enforcer           Front         Dublis         C449-3         2         RHS           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C453-2         2         LHS	Front	Fixed Shackle Pin	GR385	2	
Front         Leaf Springs         THX-01DS         1         RHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be instarted.           Front         Leaf Springs         THX-01NS         1         LHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be instarted.           Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-13E         1         EFS Comfort - LHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Shock Absorbers         36-5569         2         EFS Elite           Front         Shock Absorbers         GP2639         2         EFS Elite           Front         Steering Damper         SD4021         1         FFS Elite           Front         Steering Damper         SD4021         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubotts         C449-3         2         RES           Front         Ubotts         C449-3         2         RES           Front         Ubotts         C453-2         2         LHS           Front         Wedges         WEGDE-HILLUX FRT         1         Dual tapered wedge - to be placed on	Front	Leaf Springs	THX-01-6DS	1	RHS - 25 to 50 kg of Load Bearing Accessories - 10-1018 must be installed.
Front         Leaf Springs         THX-01NS         1         LHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-13E         1         EFS Comfort - LHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Shock Absorbers         36-5569         2         EFS Elite           Front         Shock Absorbers         GP2639         2         EFS Enforcer           Front         Steering Damper         SD4021         1         EFS Enforcer           Front         Swing Shackles         GR384         2         EFS Enforcer           Front         Torque Arm         10-1018         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C453-2         2         LHS           Front         Wedges         WEGDE-HILUX FRT         1         Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.           Rear         Fixed Shackle Pin         GR385         2         Consta	Front	Leaf Springs	THX-01-6NS	1	LHS - 25 to 50 kg of Load Bearing Accessories - 10-1018 must be installed
Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-101 must be installed.           Front         Leaf Springs         THX-13E         1         EFS Comfort - LHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Shock Absorbers         36-5569         2         EFS Elite           Front         Shock Absorbers         GP2639         2         EFS Enforcer           Front         Steering Damper         SD4021         1         The steering Damper           Front         Swing Shackles         GR384         2         EFS Enforcer           Front         Torque Arm         10-1018         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C453-2         2         LHS           Front         Wedges         WEGDE-HILUX FRT         1         Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.           Rear         Eisa Springs         THX-02         2         Constant 250 kg to GVM           Rear         Le	Front	Leaf Springs	THX-01DS	1	RHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be installed.
Front Leaf Springs THX-13E 1 EFS Comfort - LHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.  Front Shock Absorbers 36-5569 2 EFS Elite  Front Shock Absorbers GP2639 2 EFS Elite  Front Steering Damper SD4021 1  Front Swing Shackles GR384 2  Front Torque Arm 10-1018 1 Adjustable Torque arm - must be installed with raised suspension.  Front Ubolts C449-3 2 RHS  Front Ubolts C453-2 1 LHS  Front Wedges WEGDE-HILUX FRT 1 Dual tapered wedge - to be placed on axie seat when axie seat distortion has occurred.  Rear Bush Kit UK733 1  Rear Eixed Shackle Pin GR385 2  Rear Leaf Springs THX-02 2 Constant 250 kg to GVM  Rear Leaf Springs THX-028 2 Constant 300 kg to GVM.  Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM.  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Shock Absorbers 36-561 2 EFS Elite - Soft Valving  Rear Shock Absorbers 36-561 2 EFS Elite - Firm Valving.	Front	Leaf Springs	THX-01NS	1	LHS - Up to 25 kg of Load Bearing Accessories - 10-1018 must be installed.
Front         Shock Absorbers         36-5569         2         EFS Elite           Front         Shock Absorbers         GP2639         2         EFS Enforcer           Front         Steering Damper         SD4021         1           Front         Swing Shackles         GR384         2           Front         Torque Arm         10-1018         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C453-2         2         LHS           Front         Wedges         WEGDE-HILUX FRT         1         Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.           Rear         Bush Kit         UK733         1         VEX.           Rear         Fixed Shackle Pin         GR385         2         Constant 250 kg to GVM           Rear         Leaf Springs         THX-02-8         2         Constant 250 kg to GVM           Rear         Leaf Springs         THX-19E         2         Constant 250 kg to GVM           Rear         Leaf Springs         THX-19E         2         Constant 250 kg to GVM           Rear         Leaf Springs         THX-20E </td <td>Front</td> <td>Leaf Springs</td> <td>THX-12E</td> <td>1</td> <td>EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.</td>	Front	Leaf Springs	THX-12E	1	EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.
Front         Shock Absorbers         GP2639         2         EFS Enforcer           Front         Steering Damper         SD4021         1           Front         Swing Shackles         GR384         2           Front         Torque Arm         10-1018         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C453-2         2         LHS           Front         Wedges         WEGDE-HILUX FRT         1         Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.           Rear         Bush Kit         UK733         1           Rear         Fixed Shackle Pin         GR385         2           Rear         Fixed Shackle Pin         GR385         2           Rear         Leaf Springs         THX-02         2         Constant 250 kg to GVM           Rear         Leaf Springs         THX-02-8         2         Constant 150 kg to GVM.           Rear         Leaf Springs         THX-19E         2         Constant 150 kg to GVM.           Rear         Polyair         75703         1         For Standard height suspension only	Front	Leaf Springs	THX-13E	1	EFS Comfort - LHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.
Front         Steering Damper         SD4021         1           Front         Swing Shackles         GR384         2           Front         Torque Arm         10-1018         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C453-2         2         LHS           Front         Wedges         WEGDE-HILUX FRT         1         Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.           Rear         Bush Kit         UK733         1           Rear         Fixed Shackle Pin         GR385         2           Rear         Leaf Springs         THX-02         2         Constant 250 kg to GVM           Rear         Leaf Springs         THX-02-8         2         Constant 300 kg to GVM           Rear         Leaf Springs         THX-19E         2         Constant 150 kg to GVM.           Rear         Leaf Springs         THX-20E         2         EFS Comfort - Constant 200 kg to GVM           Rear         Polyair         75703         1         For Standard height suspension only           Rear         Pholyair         78903         1         <	Front	Shock Absorbers	36-5569	2	EFS Elite
Front Swing Shackles GR384 2 Front Torque Arm 10-1018 1 Adjustable Torque arm - must be installed with raised suspension. Front Ubolts C449-3 2 RHS Front Ubolts C453-2 2 LHS Front Wedges WEGDE-HILUX FRT 1 Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.  Rear Bush Kit UK733 1 Rear Fixed Shackle Pin GR385 2 Rear Leaf Springs THX-02 2 Constant 250 kg to GVM Rear Leaf Springs THX-02-8 2 Constant 300 kg to GVM Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM Rear Polyair 75703 1 For Standard height suspension only Rear Shock Absorbers 36-525 2 EFS Elite - Soft Valving Rear Shock Absorbers 36-561 2 EFS Elite - Firm Valving.	Front	Shock Absorbers	GP2639	2	EFS Enforcer
Front Torque Arm 10-1018 1 Adjustable Torque arm - must be installed with raised suspension.  Front Ubolts C449-3 2 RHS  Front Ubolts C453-2 2 LHS  Front Wedges WEGDE-HILUX FRT 1 Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.  Rear Bush Kit UK733 1  Rear Fixed Shackle Pin GR385 2  Rear Leaf Springs THX-02 2 Constant 250 kg to GVM  Rear Leaf Springs THX-02-8 2 Constant 300 kg to GVM  Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM.  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For Standard height suspension.  Rear Shock Absorbers 36-5425 2 EFS Elite - Soft Valving  Rear Shock Absorbers 36-5561 2 EFS Elite - Firm Valving.	Front	Steering Damper	SD4021	1	
Front Ubolts C449-3 2 RHS  Front Ubolts C453-2 2 LHS  Front Wedges WEGDE-HILUX FRT 1 Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.  Rear Bush Kit UK733 1  Rear Fixed Shackle Pin GR385 2  Rear Leaf Springs THX-02 2 Constant 250 kg to GVM  Rear Leaf Springs THX-02-8 2 Constant 300 kg to GVM  Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For Standard height suspension.  Rear Shock Absorbers 36-5425 2 EFS Elite - Soft Valving  Rear Shock Absorbers 36-5561 2 EFS Elite - Firm Valving.	Front	Swing Shackles	GR384	2	
Front Ubolts C453-2 2 LHS  Front Wedges WEGDE-HILUX FRT 1 Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.  Rear Bush Kit UK733 1  Rear Fixed Shackle Pin GR385 2  Rear Leaf Springs THX-02 2 Constant 250 kg to GVM  Rear Leaf Springs THX-02-8 2 Constant 300 kg to GVM  Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM.  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5425 2 EFS Elite - Soft Valving  Rear Shock Absorbers 36-5561 2 EFS Elite - Firm Valving.	Front	Torque Arm	10-1018	1	Adjustable Torque arm - must be installed with raised suspension.
Front Wedges WEGDE-HILUX FRT 1 Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.  Rear Bush Kit UK733 1  Rear Fixed Shackle Pin GR385 2  Rear Leaf Springs THX-02 2 Constant 250 kg to GVM  Rear Leaf Springs THX-02-8 2 Constant 300 kg to GVM  Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM.  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5425 2 EFS Elite - Soft Valving  Rear Shock Absorbers 36-5561 2 EFS Elite - Firm Valving.	Front	Ubolts	C449-3	2	RHS
Rear Bush Kit UK733 1 Rear Fixed Shackle Pin GR385 2 Rear Leaf Springs THX-02 2 Constant 250 kg to GVM Rear Leaf Springs THX-02-8 2 Constant 150 kg to GVM Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM. Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM Rear Polyair 75703 1 For Standard height suspension only Rear Polyair 78903 1 For 50mm Raised suspension. Rear Shock Absorbers 36-5425 2 EFS Elite - Soft Valving Rear Shock Absorbers 36-5561 2 EFS Elite - Firm Valving.	Front	Ubolts	C453-2	2	LHS
RearFixed Shackle PinGR3852RearLeaf SpringsTHX-022Constant 250 kg to GVMRearLeaf SpringsTHX-02-82Constant 300 kg to GVMRearLeaf SpringsTHX-19E2Constant 150 kg to GVM.RearLeaf SpringsTHX-20E2EFS Comfort - Constant 200 kg to GVMRearPolyair757031For Standard height suspension onlyRearPolyair789031For 50mm Raised suspension.RearShock Absorbers36-54252EFS Elite - Soft ValvingRearShock Absorbers36-55612EFS Elite - Firm Valving.	Front	Wedges	WEGDE-HILUX FRT	1	Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.
Rear Leaf Springs THX-02 2 Constant 250 kg to GVM  Rear Leaf Springs THX-02-8 2 Constant 300 kg to GVM  Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM.  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5425 2 EFS Elite - Soft Valving  Rear Shock Absorbers 36-5561 2 EFS Elite - Firm Valving.	Rear	Bush Kit	UK733	1	
Rear Leaf Springs THX-02-8 2 Constant 300 kg to GVM  Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM.  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5425 2 EFS Elite - Soft Valving  Rear Shock Absorbers 36-5561 2 EFS Elite - Firm Valving.	Rear	Fixed Shackle Pin	GR385	2	
Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM.  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5425 2 EFS Elite - Soft Valving  Rear Shock Absorbers 36-5561 2 EFS Elite - Firm Valving.	Rear	Leaf Springs	THX-02	2	Constant 250 kg to GVM
Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5425 2 EFS Elite - Soft Valving  Rear Shock Absorbers 36-5561 2 EFS Elite - Firm Valving.	Rear	Leaf Springs	THX-02-8	2	Constant 300 kg to GVM
Rear Polyair 75703 1 For Standard height suspension only Rear Polyair 78903 1 For 50mm Raised suspension. Rear Shock Absorbers 36-5425 2 EFS Elite - Soft Valving Rear Shock Absorbers 26-5561 2 EFS Elite - Firm Valving.	Rear	Leaf Springs	THX-19E	2	Constant 150 kg to GVM.
Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5425 2 EFS Elite - Soft Valving  Rear Shock Absorbers 36-5561 2 EFS Elite - Firm Valving.	Rear	Leaf Springs	THX-20E	2	EFS Comfort - Constant 200 kg to GVM
RearShock Absorbers36-54252EFS Elite - Soft ValvingRearShock Absorbers36-55612EFS Elite - Firm Valving.	Rear	Polyair	75703	1	For Standard height suspension only
Rear Shock Absorbers 36-5561 2 EFS Elite - Firm Valving.	Rear	Polyair	78903	1	For 50mm Raised suspension.
<del>-</del>	Rear	Shock Absorbers	36-5425	2	EFS Elite - Soft Valving
Rear Shock Absorbers GP2650 2 EFS Enforcer - Firm Valving	Rear	Shock Absorbers	36-5561	2	EFS Elite - Firm Valving.
	Rear	Shock Absorbers	GP2650	2	EFS Enforcer - Firm Valving

File created on 22.03.2007 Page 109 of 183

# $4\ RUNNER$ - Petrol - All leaf spring front axle models - 8/1985 on.

### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	
Rear	Wedges	WEDGE-00	2	1 Degree castor wedge - to assist with driveline angle correction.

File created on 22.03.2007 Page 110 of 183

# $4\ RUNNER$ - Petrol - All leaf spring front axle models - 8/1985 on.

## 80mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Axle Supports	10-1035	1	4 plates (37mm x 6mm) - To provide additional support to RHS and LHS axle seats.
Front	Brake Hoses	10-1070	1	Extended Flexible brake hoses - Must be installed when using 36-5570 shock absorber.
Front	Bush Kit	UK732	1	
Front	Drop Drag Link	10-1033	1	Optional - to be installed if OEM drag link fouls on RHS rear ubolt.
Front	Fixed Shackle Pin	GR385	2	
Front	Leaf Springs	THX-14E	1	EFS Comfort - RHS - Up to 30kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-15E	1	EFS Comfort - LHS - Up to 30kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Shock Absorbers	36-5570	2	EFS Elite - 10-1070 Extended brake hoses must be sold with these shocks.
Front	Steering Damper	SD4021	1	
Front	Swing Shackles	GR384	2	
Front	Torque Arm	10-1018	1	Adjustable Torque arm - must be installed with raised suspension.
Front	Ubolts	C449-3	2	RHS
Front	Ubolts	C453-2	2	LHS
Front	Wedges	WEGDE-HILUX FRT	1	Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.
Rear	Brake Hoses	10-1071	1	Extended Flexible brake hose - Must be installed when using THX-22E spring and 36-5523 shock.
Rear	Bush Kit	UK733	1	
Rear	Fixed Shackle Pin	GR385	2	
Rear	Leaf Springs	THX-22E	2	Constant 150 kg to GVM
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5521S	2	EFS Elite - Firm
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	
Rear	Wedges	WEDGE-00	4	1 Degree castor wedge - to assist with driveline angle correction.

File created on 22.03.2007 Page 111 of 183

## 4 RUNNER - Petrol - All leaf spring front axle models - 8/1985 on.

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5569	2	EFS Elite
Front	Shock Absorbers	GP2639	2	EFS Enforcer
Front	Steering Damper	SD4021	1	
Rear	Shock Absorbers	36-5425	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5561	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2650	2	EFS Enforcer

## 4 RUNNER IFS - Coil Spring Rear - 130 Chassis.

#### 40mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5538	2	EFS Elite - Firm
Front	Shock Absorbers	GP2088	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Steering Damper	SD4033	1	
Front	Torsion Bar	TB-1646A	1 PR	26mm OD - 1063mm Long
Rear	Coil Springs	THX-101E	1 PR	Constant 100 kg to GVM
Rear	Coil Springs	THX-101HDE	1 PR	Constant 175 kg to GVM
Rear	Polyair	15690	1	For use on Standard height suspension only
Rear	Polyair	15790	1	For use on Raised height suspension only
Rear	Shock Absorbers	36-5538S	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5563	2	EFS Elite - Firm
Rear	Shock Absorbers	36-5563S	2	EFS Elite - Comfort
Rear	Shock Absorbers	GP2637	2	EFS Enforcer

File created on 22.03.2007 Page 112 of 183

## 4 RUNNER IFS - Coil Spring Rear - 130 Chassis.

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5538	2	EFS Elite
Front	Shock Absorbers	GP2088	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Steering Damper	SD4033	1	
Rear	Shock Absorbers	36-5563	2	EFS Elite
Rear	Shock Absorbers	GP2637	2	EFS Enforcer

## 4 RUNNER IFS - Leaf Spring Rear - LN61, LN63 - 1985 to 1989.

#### 40mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5538	2	EFS Elite - Firm
Front	Shock Absorbers	36-5538S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2088	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Steering Damper	SD4033	1	
Front	Torsion Bar	TB-1646A	1 PR	26mm OD - 1063mm Long
Rear	Bush Kit	UK733	1	
Rear	Leaf Springs	THX-02	2	Constant 250 kg to GVM
Rear	Leaf Springs	THX-02-8	2	Constant 300 kg to GVM
Rear	Leaf Springs	THX-19E	2	Constant 150 kg to GVM
Rear	Leaf Springs	THX-20E	2	EFS Comfort - Constant 200 kg to GVM
Rear	Polyair	75703	1	For use on Standard height suspension only
Rear	Polyair	78903	1	For use on Raised height suspension only
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5521S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081	2	EFS Enforcer
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	

File created on 22.03.2007 Page 113 of 183

RUNNER IFS - 1	Leaf Spring Rear - 1	LN61, LN63 - 1985	to 1989.	
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5538	2	EFS Elite - Firm
Front	Shock Absorbers	36-5538S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2088	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Steering Damper	SD4033	1	
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5521S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081	2	EFS Enforcer
ILUX 2WD 4/20	005 on			
25mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Rear	Bush Kit	UK768	1	
Rear	Leaf Springs	THX-24E	2	Constant 300kg to GVM
Rear	Ubolts	C453-3	2	
ILUX 2WD - All	models up to 2005	- except RN90.		
30mm lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	GP2087	2	EFS Enforcer - Suits models 8/1983 to 2004 - LN50. RN50, YN50 series. RN85, RN90, LN85, LN86, LN90, YN85 series. LN, RZN series utes.
Front	Torsion Bar	TB-1636	1 PR	26mm OD - 892mm Long - 1984 to 1999 models only. Check Torsion Bar dimensions before ordering.
Rear	Bush Kit	UK733	1	Check spring eye dimensions before ordering. To suit vehicles with Parale swinging shackles only. Offset swing shackle models will require UK733 k + 4 x U758.
Rear	Leaf Springs	THX-06	2	Constant 150 kg to GVM.
Rear	Shock Absorbers	GP2636	2	EFS Enforcer - Suits models 1988 to 2004
Rear	Swing Shackles	GR386	2	To suit vehicles with Paralell swinging shackles only.
Rear	Swing Shackles	GR386-1	2	To suit vehicles with Offset swinging shackles only. Bush kit required is UK733 + $4 \times U758$ .
Rear	Ubolts	C453-3	4	Due to larges variances in Hilux 2wd rear ubolts it is recommended that

File created on 22.03.2007 Page 114 of 183

# HILUX 4wd - Diesel - All leaf spring front axle models - 1979 to 2/1984.

## 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Axle Supports	10-1035	1	4 plates (37mm x 6mm) - To provide additional support to RHS and LHS axle seats.
Front	Bush Kit	UK732	1	
Front	Drop Drag Link	10-1033	1	Optional - to be installed if OEM drag link fouls on RHS rear ubolt.
Front	Fixed Shackle Pin	GR385	2	
Front	Leaf Springs	THX-01-6DS	1	RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-01-6NS	1	LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-12E	1	EFS Comfort - RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-13E	1	EFS Comfort - LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-14E	1	EFS Comfort - RHS - 55 to 70kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-15E	1	EFS Comfort - LHS - 55 to 70kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Shock Absorbers	36-5569	2	EFS Elite
Front	Shock Absorbers	GP2639	2	EFS Enforcer
Front	Steering Damper	SD4021	1	
Front	Swing Shackles	GR384	2	
Front	Torque Arm	10-1018	1	Adjustable Torque arm - must be installed with raised suspension.
Front	Ubolts	C449-3	2	RHS
Front	Ubolts	C453-2	2	LHS
Front	Wedges	WEGDE-HILUX FRT	1	Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred. Must be installed on diesel models
Rear	Bush Kit	UK733	1	
Rear	Fixed Shackle Pin	GR385	2	
Rear	Leaf Springs	THX-02	2	Constant 250 kg to GVM
Rear	Leaf Springs	THX-02-8	2	Constant 300 kg to GVM
Rear	Leaf Springs	THX-19E	2	Constant 150 kg to GVM.
Rear	Leaf Springs	THX-20E	2	EFS Comfort - Constant 200 kg to GVM
Rear	Polyair	75703	1	For Standard height suspension only
Rear	Polyair	78903	1	For 50mm Raised suspension.
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm

File created on 22.03.2007 Page 115 of 183

# HILUX 4wd - Diesel - All leaf spring front axle models - 1979 to 2/1984.

### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Rear	Shock Absorbers	GP2636	2	EFS Enforcer - Firm
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	
Rear	Wedges	WEDGE-00	2	1 Degree castor wedge - to assist with driveline angle correction.

File created on 22.03.2007 Page 116 of 183

# HILUX 4wd - Diesel - All leaf spring front axle models - 1979 to 2/1984.

### 75mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Axle Supports	10-1035	1	4 plates (37mm x 6mm) - To provide additional support to RHS and LHS axle seats.
Front	Brake Hoses	10-1070	1	Extended Flexible brake hoses - Must be installed when using 36-5570 shock absorber.
Front	Bush Kit	UK732	1	
Front	Drop Drag Link	10-1033	1	Optional - to be installed if OEM drag link fouls on RHS rear ubolt.
Front	Fixed Shackle Pin	GR385	2	
Front	Leaf Springs	THX-14E	1	EFS Comfort - RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-15E	1	EFS Comfort - LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Shock Absorbers	36-5570	2	EFS Elite - 10-1070 Extended brake hoses must be sold with these shocks.
Front	Steering Damper	SD4021	1	
Front	Swing Shackles	GR384	2	
Front	Torque Arm	10-1018	1	Adjustable Torque arm - must be installed with raised suspension.
Front	Ubolts	C449-3	2	RHS
Front	Ubolts	C453-2	2	LHS
Front	Wedges	WEGDE-HILUX FRT	1	Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.
Rear	Brake Hoses	10-1071	1	Extended Flexible brake hose - Must be installed when using THX-22E spring and 36-5523 shock.
Rear	Bush Kit	UK733	1	
Rear	Fixed Shackle Pin	GR385	2	
Rear	Leaf Springs	THX-22E	2	Constant 150 kg to GVM
Rear	Shock Absorbers	36-5523	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5523S	2	EFS Elite - Firm
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	
Rear	Wedges	WEDGE-00	4	1 Degree castor wedge - to assist with driveline angle correction.

File created on 22.03.2007 Page 117 of 183

# HILUX 4wd - Diesel - All leaf spring front axle models - 1979 to 2/1984.

## Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5569	2	EFS Elite
Front	Shock Absorbers	GP2639	2	EFS Enforcer
Front	Steering Damper	SD4021	1	
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer - Firm

File created on 22.03.2007 Page 118 of 183

# HILUX 4wd - Diesel - All leaf spring front axle models - 3/1984 to 1997.

## 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Axle Supports	10-1035	1	4 plates (37mm x 6mm) - To provide additional support to RHS and LHS axle seats.
Front	Bush Kit	UK732	1	
Front	Drop Drag Link	10-1033	1	Optional - to be installed if OEM drag link fouls on RHS rear ubolt.
Front	Fixed Shackle Pin	GR385	2	
Front	Leaf Springs	THX-01-6DS	1	RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-01-6NS	1	LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-12E	1	EFS Comfort - RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-13E	1	EFS Comfort - LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-14E	1	EFS Comfort - RHS - 55 to 70kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-15E	1	EFS Comfort - LHS - 55 to 70kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Shock Absorbers	36-5569	2	EFS Elite
Front	Shock Absorbers	GP2639	2	EFS Enforcer
Front	Steering Damper	SD4021	1	
Front	Swing Shackles	GR384	2	
Front	Torque Arm	10-1018	1	Adjustable Torque arm - must be installed with raised suspension.
Front	Ubolts	C449-3	2	RHS
Front	Ubolts	C453-2	2	LHS
Front	Wedges	WEGDE-HILUX FRT	1	Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred. Must be installed on diesel models
Rear	Bush Kit	UK733	1	
Rear	Fixed Shackle Pin	GR385	2	
Rear	Leaf Springs	THX-02	2	Constant 250 kg to GVM
Rear	Leaf Springs	THX-02-8	2	Constant 300 kg to GVM
Rear	Leaf Springs	THX-19E	2	EFS Comfort - Constant 100 kg to GVM
Rear	Leaf Springs	THX-20E	2	EFS Comfort - Constant 200 kg to GVM
Rear	Polyair	75703	1	For Standard height suspension only
Rear	Polyair	78903	1	For 50mm Raised suspension.
Rear	Shock Absorbers	36-5425	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5561	2	EFS Elite - Firm

File created on 22.03.2007 Page 119 of 183

# HILUX 4wd - Diesel - All leaf spring front axle models - 3/1984 to 1997.

### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Rear	Shock Absorbers	GP2650	2	EFS Enforcer - Firm
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	
Rear	Wedges	WEDGE-00	2	1 Degree castor wedge - to assist with driveline angle correction.

File created on 22.03.2007 Page 120 of 183

# HILUX 4wd - Diesel - All leaf spring front axle models - 3/1984 to 1997.

### 75mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Axle Supports	10-1035	1	4 plates (37mm x 6mm) - To provide additional support to RHS and LHS axle seats.
Front	Brake Hoses	10-1070	1	Extended Flexible brake hoses - Must be installed when using 36-5570 shock absorber.
Front	Bush Kit	UK732	1	
Front	Drop Drag Link	10-1033	1	Optional - to be installed if OEM drag link fouls on RHS rear ubolt.
Front	Fixed Shackle Pin	GR385	2	
Front	Leaf Springs	THX-14E	1	EFS Comfort - RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-15E	1	EFS Comfort - LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Shock Absorbers	36-5570	2	EFS Elite - 10-1070 Extended brake hoses must be sold with these shocks.
Front	Steering Damper	SD4021	1	
Front	Swing Shackles	GR384	2	
Front	Torque Arm	10-1018	1	Adjustable Torque arm - must be installed with raised suspension.
Front	Ubolts	C449-3	2	RHS
Front	Ubolts	C453-2	2	LHS
Front	Wedges	WEGDE-HILUX FRT	1	Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.
Rear	Brake Hoses	10-1071	1	Extended Flexible brake hose - Must be installed when using THX-22E spring and 36-5523 shock.
Rear	Bush Kit	UK733	1	
Rear	Fixed Shackle Pin	GR385	2	
Rear	Leaf Springs	THX-22E	2	Constant 150 kg to GVM
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5521S	2	EFS Elite - Firm
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	
Rear	Wedges	WEDGE-00	4	1 Degree castor wedge - to assist with driveline angle correction.

File created on 22.03.2007 Page 121 of 183

# HILUX 4wd - Diesel - All leaf spring front axle models - 3/1984 to 1997.

## Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5569	2	EFS Elite
Front	Shock Absorbers	GP2639	2	EFS Enforcer
Front	Steering Damper	SD4021	1	
Rear	Shock Absorbers	36-5425	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5561	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2650	2	EFS Enforcer

File created on 22.03.2007 Page 122 of 183

# HILUX 4wd - Petrol - All leaf spring front axle models - 1979 to 2/1984.

## 50mm Lift

Front	SUSPENSION	PART TYPE	PART	QTY	NOTES
Front         Drop Drag Link         10-1033         1         Optional - to be installed if OEM drag link fouls on RHS rear uboil.           Front         Fixed Shackle Pin         GR385         2           Front         Leaf Springs         THX-01-6DS         1         RHS - 35 to 45 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-01DS         1         LHS - 35 to 45 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-01DS         1         RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 35kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 35kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Shock Absorbers         36-5669         2         EFS Elife           Front         Shock Absorbers         GP2639         2         EFS Enforcer           Front         Steering Damper         Sh0421         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           Fron	Front	Axle Supports	10-1035	1	4 plates (37mm x 6mm) - To provide additional support to RHS and LHS axle seats.
Front         Fixed Shackle Pin         GR385         2           Front         Leaf Springs         THX-01+GDS         1         RHS - 35 to 45 kg of Load Bearing Accessories - 10-1018 must be instanced.           Front         Leaf Springs         THX-01-GNS         1         LHS - 35 to 45 kg of Load Bearing Accessories - 10-1018 must be instanced.           Front         Leaf Springs         THX-01DS         1         RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be instanced.           Front         Leaf Springs         THX-11SE         1         EFS Comfort - RHS - Up to 36kg of Load Bearing Accessories - 10-1018 must be instanced.           Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 36kg of Load Bearing Accessories - 10-1018 must be instanced.           Front         Shock Absorbers         36-5569         2         EFS Enforcer           Front         Shock Absorbers         GP2639         2         EFS Enforcer           Front         Steering Damper         SD4021         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Torque Arm         10-1018         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C453-2         2         RHS           Front	Front	Bush Kit	UK732	1	
Front         Leaf Springs         THX-01-6DS         1         RHS - 35 to 45 kg of Load Bearing Accessories - 10-1018 must be interested by the content of	Front	Drop Drag Link	10-1033	1	Optional - to be installed if OEM drag link fouls on RHS rear ubolt.
Front         Leaf Springs         THX-01-6NS         1         LHS - 35 to 45 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-01DS         1         RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-01NS         1         LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 35kg of Load Bearing Accessories - 10-10 must be installed.           Front         Leaf Springs         THX-13E         1         EFS Comfort - LHS - Up to 35kg of Load Bearing Accessories - 10-10 must be installed.           Front         Shock Absorbers         36-5569         2         EFS Elite           Front         Shock Absorbers         GP2639         2         EFS Elite           Front         Steering Damper         SD4021         1         1           Front         Torque Arm         10-1018         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C453-2         2         LHS           Front         Ubolts         C453-2	Front	Fixed Shackle Pin	GR385	2	
Front         Leaf Springs         THX-01DS         1         RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be in Front         Leaf Springs         THX-01NS         1         LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 35kg of Load Bearing Accessories - 10-10 must be installed.           Front         Leaf Springs         THX-13E         1         EFS Comfort - LHS - Up to 35kg of Load Bearing Accessories - 10-10 must be installed.           Front         Shock Absorbers         36-5569         2         EFS Elite           Front         Shock Absorbers         GP2639         2         EFS Enforcer           Front         Steering Damper         SD4021         1         THX-02           Front         Steering Damper         SD4021         1         THX-02           Front         Torque Arm         10-1018         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C445-2         2         LHS           Front         Ubolts         C445-3         2         LHS           Front         Wedges <td< td=""><td>Front</td><td>Leaf Springs</td><td>THX-01-6DS</td><td>1</td><td>RHS - 35 to 45 kg of Load Bearing Accessories - 10-1018 must be installed.</td></td<>	Front	Leaf Springs	THX-01-6DS	1	RHS - 35 to 45 kg of Load Bearing Accessories - 10-1018 must be installed.
Front         Leaf Springs         THX-01NS         1         LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.           Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 35kg of Load Bearing Accessories - 10-10 must be installed.           Front         Leaf Springs         THX-13E         1         EFS Comfort - LHS - Up to 35kg of Load Bearing Accessories - 10-10 must be installed.           Front         Shock Absorbers         36-5569         2         EFS Elite           Front         Shock Absorbers         GP2639         2         EFS Elite           Front         Shock Absorbers         GP2639         2         EFS Elite           Front         Steering Damper         SD4021         1         -           Front         Steering Damper         SD4021         1         -           Front         Steering Damper         SD4021         1         -           Front         Torque Arm         10-1018         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C453-2         2	Front	Leaf Springs	THX-01-6NS	1	LHS - 35 to 45 kg of Load Bearing Accessories - 10-1018 must be installed
Front         Leaf Springs         THX-12E         1         EFS Comfort - RHS - Up to 35kg of Load Bearing Accessories - 10-10 must be installed.           Front         Leaf Springs         THX-13E         1         EFS Comfort - LHS - Up to 35kg of Load Bearing Accessories - 10-10 must be installed.           Front         Shock Absorbers         36-5569         2         EFS Elite           Front         Shock Absorbers         GP2639         2         EFS Elite           Front         Steering Damper         SD4021         1	Front	Leaf Springs	THX-01DS	1	RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front Leaf Springs THX-13E 1 2 EFS Comfort - LHS - Up to 35kg of Load Bearing Accessories - 10-10 must be installed. Front Shock Absorbers 36-5569 2 EFS Elite Front Shock Absorbers GP2639 2 EFS Elite Front Steering Damper SD4021 1 Front Swing Shackles GR384 2 Front Torque Arm 10-1018 1 Adjustable Torque arm - must be installed with raised suspension. Front Ubolts C449-3 2 RHS Front Ubolts C449-3 2 LHS Front Wedges WEGDE-HILLX FRT 1 Dual tapered wedge - to be placed on axle seat when axle seat distor has occurred. Front Eaf Springs THX-02 2 Constant 300 kg to GVM Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM Rear Polyair 75703 1 For Standard height suspension only Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort Rear Shock Absorbers 36-5562 2 EFS Elite - Comfort	Front	Leaf Springs	THX-01NS	1	LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front         Shock Absorbers         36-5569         2         EFS Elite           Front         Shock Absorbers         GP2639         2         EFS Elite           Front         Steering Damper         SD4021         1         FFS Elite           Front         Swing Shackles         GR384         2         FFORT           Front         Torque Arm         10-1018         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C453-2         2         LHS           Front         Wedges         WEGDE-HILUX FRT         1         Dual tapered wedge - to be placed on axle seat when axle seat distor has occurred.           Rear         Bush Kit         UK733         1         Front has occurred.           Rear         Fixed Shackle Pin         GR385         2         Constant 250 kg to GVM           Rear         Leaf Springs         THX-02-8         2         Constant 250 kg to GVM           Rear         Leaf Springs         THX-19E         2         Constant 150 kg to GVM           Rear         Leaf Springs         THX-20E         2         EFS Comfort - Constant 200 kg to GVM	Front	Leaf Springs	THX-12E	1	EFS Comfort - RHS - Up to 35kg of Load Bearing Accessories - 10-1018 must be installed.
Front         Shock Absorbers         GP2639         2         EFS Enforcer           Front         Steering Damper         SD4021         1           Front         Swing Shackles         GR384         2           Front         Torque Arm         10-1018         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C453-2         2         LHS           Front         Wedges         WEGDE-HILUX FRT         1         Dual tapered wedge - to be placed on axle seat when axle seat distor has occurred.           Rear         Bush Kit         UK733         1           Rear         Fixed Shackle Pin         GR385         2           Rear         Leaf Springs         THX-02         2         Constant 250 kg to GVM           Rear         Leaf Springs         THX-02-8         2         Constant 300 kg to GVM           Rear         Leaf Springs         THX-19E         2         Constant 150 kg to GVM           Rear         Leaf Springs         THX-20E         2         EFS Comfort - Constant 200 kg to GVM           Rear         Polyair         75703         1         For 50mm Raised	Front	Leaf Springs	THX-13E	1	EFS Comfort - LHS - Up to 35kg of Load Bearing Accessories - 10-1018 must be installed.
Front         Steering Damper         SD4021         1           Front         Swing Shackles         GR384         2           Front         Torque Arm         10-1018         1         Adjustable Torque arm - must be installed with raised suspension.           Front         Ubolts         C449-3         2         RHS           Front         Ubolts         C453-2         2         LHS           Front         Wedges         WEGDE-HILUX FRT         1         Dual tapered wedge - to be placed on axle seat when axle seat distor has occurred.           Rear         Bush Kit         UK733         1         Additional seat when axle seat distor has occurred.           Rear         Fixed Shackle Pin         GR385         2         Constant 250 kg to GVM           Rear         Leaf Springs         THX-02         2         Constant 250 kg to GVM           Rear         Leaf Springs         THX-19E         2         Constant 150 kg to GVM           Rear         Leaf Springs         THX-20E         2         EFS Comfort - Constant 200 kg to GVM           Rear         Polyair         75703         1         For Standard height suspension only           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort      <	Front	Shock Absorbers	36-5569	2	EFS Elite
Front Swing Shackles GR384 2 Front Torque Arm 10-1018 1 Adjustable Torque arm - must be installed with raised suspension. Front Ubolts C449-3 2 RHS Front Ubolts C453-2 2 LHS Front Wedges WEGDE-HILUX FRT 1 Dual tapered wedge - to be placed on axle seat when axle seat distor has occurred.  Rear Bush Kit UK733 1 Rear Fixed Shackle Pin GR385 2 Rear Leaf Springs THX-02 2 Constant 250 kg to GVM Rear Leaf Springs THX-02-8 2 Constant 300 kg to GVM Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM Rear Polyair 75703 1 For Standard height suspension only Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort Rear Shock Absorbers 36-5562 2 EFS Elite - Comfort REAR SIMPLE SWINGS SIMPLE SWINGS SIMPLE SWINGS SWING SWING SWING SWING SWINGS SWI	Front	Shock Absorbers	GP2639	2	EFS Enforcer
Front Torque Arm 10-1018 1 Adjustable Torque arm - must be installed with raised suspension.  Front Ubolts C449-3 2 RHS  Front Ubolts C453-2 2 LHS  Front Wedges WEGDE-HILUX FRT 1 Dual tapered wedge - to be placed on axle seat when axle seat distor has occurred.  Rear Bush Kit UK733 1  Rear Fixed Shackle Pin GR385 2  Rear Leaf Springs THX-02 2 Constant 250 kg to GVM  Rear Leaf Springs THX-02-8 2 Constant 300 kg to GVM  Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For Stomm Raised suspension.  Rear Shock Absorbers 36-5562 2 EFS Elite - Comfort  EFS Elite - Firm	Front	Steering Damper	SD4021	1	
Front Ubolts C449-3 2 RHS  Front Ubolts C453-2 2 LHS  Front Wedges WEGDE-HILUX FRT 1 Dual tapered wedge - to be placed on axle seat when axle seat distor has occurred.  Rear Bush Kit UK733 1  Rear Fixed Shackle Pin GR385 2  Rear Leaf Springs THX-02 2 Constant 250 kg to GVM  Rear Leaf Springs THX-02-8 2 Constant 300 kg to GVM  Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5562 2 EFS Elite - Firm	Front	Swing Shackles	GR384	2	
Front Ubolts C453-2 2 LHS  Front Wedges WEGDE-HILUX FRT 1 Dual tapered wedge - to be placed on axle seat when axle seat distor has occurred.  Rear Bush Kit UK733 1  Rear Fixed Shackle Pin GR385 2  Rear Leaf Springs THX-02 2 Constant 250 kg to GVM  Rear Leaf Springs THX-02-8 2 Constant 300 kg to GVM  Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5562 2 EFS Elite - Firm	Front	Torque Arm	10-1018	1	Adjustable Torque arm - must be installed with raised suspension.
Front Wedges WEGDE-HILUX FRT 1 Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.  Rear Bush Kit UK733 1  Rear Fixed Shackle Pin GR385 2  Rear Leaf Springs THX-02 2 Constant 250 kg to GVM  Rear Leaf Springs THX-92-8 2 Constant 300 kg to GVM  Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5562 2 EFS Elite - Firm	Front	Ubolts	C449-3	2	RHS
Rear Bush Kit UK733 1 Rear Fixed Shackle Pin GR385 2 Rear Leaf Springs THX-02 2 Constant 250 kg to GVM Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM Rear Leaf Springs THX-20E 2 Constant 150 kg to GVM Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM Rear Polyair 75703 1 For Standard height suspension only Rear Polyair 78903 1 For 50mm Raised suspension. Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort Rear Shock Absorbers 36-5562 2 EFS Elite - Firm	Front	Ubolts	C453-2	2	LHS
RearFixed Shackle PinGR3852RearLeaf SpringsTHX-022Constant 250 kg to GVMRearLeaf SpringsTHX-02-82Constant 300 kg to GVMRearLeaf SpringsTHX-19E2Constant 150 kg to GVMRearLeaf SpringsTHX-20E2EFS Comfort - Constant 200 kg to GVMRearPolyair757031For Standard height suspension onlyRearPolyair789031For 50mm Raised suspension.RearShock Absorbers36-54262EFS Elite - ComfortRearShock Absorbers36-55622EFS Elite - Firm	Front	Wedges	WEGDE-HILUX FRT	1	Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.
Rear Leaf Springs THX-02 2 Constant 250 kg to GVM  Rear Leaf Springs THX-02-8 2 Constant 300 kg to GVM  Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5562 2 EFS Elite - Firm	Rear	Bush Kit	UK733	1	
Rear Leaf Springs THX-02-8 2 Constant 300 kg to GVM  Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5562 2 EFS Elite - Firm	Rear	Fixed Shackle Pin	GR385	2	
Rear Leaf Springs THX-19E 2 Constant 150 kg to GVM  Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5562 2 EFS Elite - Firm	Rear	Leaf Springs	THX-02	2	Constant 250 kg to GVM
Rear Leaf Springs THX-20E 2 EFS Comfort - Constant 200 kg to GVM  Rear Polyair 75703 1 For Standard height suspension only  Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5562 2 EFS Elite - Firm	Rear	Leaf Springs	THX-02-8	2	Constant 300 kg to GVM
Rear Polyair 75703 1 For Standard height suspension only Rear Polyair 78903 1 For 50mm Raised suspension. Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort Rear Shock Absorbers 36-5562 2 EFS Elite - Firm	Rear	Leaf Springs	THX-19E	2	Constant 150 kg to GVM
Rear Polyair 78903 1 For 50mm Raised suspension.  Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5562 2 EFS Elite - Firm	Rear	Leaf Springs	THX-20E	2	EFS Comfort - Constant 200 kg to GVM
RearShock Absorbers36-54262EFS Elite - ComfortRearShock Absorbers36-55622EFS Elite - Firm	Rear	Polyair	75703	1	For Standard height suspension only
Rear Shock Absorbers 36-5562 2 EFS Elite - Firm	Rear	Polyair	78903	1	For 50mm Raised suspension.
	Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear Shock Absorbers GP2636 2 FES Enforcer	Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Trock Short books of 2000 E El O Elifotot	Rear	Shock Absorbers	GP2636	2	EFS Enforcer

File created on 22.03.2007 Page 123 of 183

# HILUX 4wd - Petrol - All leaf spring front axle models - 1979 to 2/1984.

### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	
Rear	Wedges	WEDGE-00	2	1 Degree castor wedge - to assist with driveline angle correction.

File created on 22.03.2007 Page 124 of 183

# HILUX 4wd - Petrol - All leaf spring front axle models - 1979 to 2/1984.

## 80mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Axle Supports	10-1035	1	4 plates (37mm x 6mm) - To provide additional support to RHS and LHS axle seats.
Front	Brake Hoses	10-1070	1	Extended Flexible brake hoses - Must be installed when using 36-5570 shock absorber.
Front	Bush Kit	UK732	1	
Front	Drop Drag Link	10-1033	1	Optional - to be installed if OEM drag link fouls on RHS rear ubolt.
Front	Fixed Shackle Pin	GR385	2	
Front	Leaf Springs	THX-14E	1	EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-15E	1	EFS Comfort - LHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Shock Absorbers	36-5570	2	EFS Elite - 10-1070 Extended brake hoses must be sold with these shocks.
Front	Steering Damper	SD4021	1	
Front	Swing Shackles	GR384	2	
Front	Torque Arm	10-1018	1	Adjustable Torque arm - must be installed with raised suspension.
Front	Ubolts	C449-3	2	RHS
Front	Ubolts	C453-2	2	LHS
Front	Wedges	WEGDE-HILUX FRT	1	Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.
Rear	Brake Hoses	10-1071	1	Extended Flexible brake hose - Must be installed when using THX-22E spring and 36-5523 shock.
Rear	Bush Kit	UK733	1	
Rear	Fixed Shackle Pin	GR385	2	
Rear	Leaf Springs	THX-22E	2	Constant 150 kg to GVM
Rear	Shock Absorbers	36-5523	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5523S	2	EFS Elite - Firm
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	
Rear	Wedges	WEDGE-00	4	1 Degree castor wedge - to assist with driveline angle correction.

File created on 22.03.2007 Page 125 of 183

# HILUX 4wd - Petrol - All leaf spring front axle models - 1979 to 2/1984.

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5569	2	EFS Elite
Front	Shock Absorbers	GP2639	2	EFS Enforcer
Front	Steering Damper	SD4021	1	
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

File created on 22.03.2007 Page 126 of 183

# HILUX 4wd - Petrol - All leaf spring front axle models - 3/1984 to 1997.

## 50mm Lift

Front Front Front Front Front	Axle Supports  Bush Kit  Drop Drag Link  Fixed Shackle Pin  Leaf Springs  Leaf Springs	10-1035 UK732 10-1033 GR385	1 1 1	4 plates (37mm x 6mm) - To provide additional support to RHS and LHS axle seats.
Front Front Front Front	Drop Drag Link Fixed Shackle Pin Leaf Springs	10-1033		
Front Front	Fixed Shackle Pin Leaf Springs		1	
Front Front	Leaf Springs	GR385		Optional - to be installed if OEM drag link fouls on RHS rear ubolt.
Front			2	
	Leaf Springs	THX-01-6DS	1	RHS - 35 to 45 kg of Load Bearing Accessories - 10-1018 must be installed.
	Loai Opinigo	THX-01-6NS	1	LHS - 35 to 45 kg of Load Bearing Accessories - 10-1018 must be installed
Front	Leaf Springs	THX-01DS	1	RHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-01NS	1	LHS - Up to 35 kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-12E	1	EFS Comfort - RHS - Up to 35kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-13E	1	EFS Comfort - LHS - Up to 35kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Shock Absorbers	36-5569	2	EFS Elite
Front	Shock Absorbers	GP2639	2	EFS Enforcer
Front	Steering Damper	SD4021	1	
Front	Swing Shackles	GR384	2	
Front	Torque Arm	10-1018	1	Adjustable Torque arm - must be installed with raised suspension.
Front	Ubolts	C449-3	2	RHS
Front	Ubolts	C453-2	2	LHS
Front	Wedges	WEGDE-HILUX FRT	1	Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.
Rear	Bush Kit	UK733	1	
Rear	Fixed Shackle Pin	GR385	2	
Rear	Leaf Springs	THX-02	2	Constant 250 kg to GVM
Rear	Leaf Springs	THX-02-8	2	Constant 300 kg to GVM
Rear	Leaf Springs	THX-19E	2	Constant 150 kg to GVM
Rear	Leaf Springs	THX-20E	2	EFS Comfort - Constant 200 kg to GVM
Rear	Polyair	75703	1	For Standard height suspension only
Rear	Polyair	78903	1	For 50mm Raised suspension.
Rear	Shock Absorbers	36-5425	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5561	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2650	2	EFS Enforcer

File created on 22.03.2007 Page 127 of 183

# HILUX 4wd - Petrol - All leaf spring front axle models - 3/1984 to 1997.

### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	
Rear	Wedges	WEDGE-00	2	1 Degree castor wedge - to assist with driveline angle correction.

File created on 22.03.2007 Page 128 of 183

# HILUX 4wd - Petrol - All leaf spring front axle models - 3/1984 to 1997.

## 80mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Axle Supports	10-1035	1	4 plates (37mm x 6mm) - To provide additional support to RHS and LHS axle seats.
Front	Brake Hoses	10-1070	1	Extended Flexible brake hoses - Must be installed when using 36-5570 shock absorber.
Front	Bush Kit	UK732	1	
Front	Drop Drag Link	10-1033	1	Optional - to be installed if OEM drag link fouls on RHS rear ubolt.
Front	Fixed Shackle Pin	GR385	2	
Front	Leaf Springs	THX-14E	1	EFS Comfort - RHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Leaf Springs	THX-15E	1	EFS Comfort - LHS - Up to 45kg of Load Bearing Accessories - 10-1018 must be installed.
Front	Shock Absorbers	36-5570	2	EFS Elite - 10-1070 Extended brake hoses must be sold with these shocks.
Front	Steering Damper	SD4021	1	
Front	Swing Shackles	GR384	2	
Front	Torque Arm	10-1018	1	Adjustable Torque arm - must be installed with raised suspension.
Front	Ubolts	C449-3	2	RHS
Front	Ubolts	C453-2	2	LHS
Front	Wedges	WEGDE-HILUX FRT	1	Dual tapered wedge - to be placed on axle seat when axle seat distortion has occurred.
Rear	Brake Hoses	10-1071	1	Extended Flexible brake hose - Must be installed when using THX-22E spring and 36-5523 shock.
Rear	Bush Kit	UK733	1	
Rear	Fixed Shackle Pin	GR385	2	
Rear	Leaf Springs	THX-22E	2	Constant 150 kg to GVM
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5521S	2	EFS Elite - Firm
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	
Rear	Wedges	WEDGE-00	4	1 Degree castor wedge - to assist with driveline angle correction.

File created on 22.03.2007 Page 129 of 183

## HILUX 4wd - Petrol - All leaf spring front axle models - 3/1984 to 1997.

CI I	30	T . 04
NT/	- 30mm	1 111
vilu	- 2747111111	

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5569	2	EFS Elite
Front	Shock Absorbers	GP2639	2	EFS Enforcer
Front	Steering Damper	SD4021	1	
Rear	Shock Absorbers	36-5425	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5561	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2650	2	EFS Enforcer

#### HILUX 4wd - VIGO - Dual Cab - Petrol V6 4.0 L and Diesel 3.0 L TD - 04/2005 on

#### 40mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	TPR-104E	1 PR	up to 60 kg load bearing accessories, 650 lbs/inch
Front	Coil Springs	TPR-104HDE	1 PR	Constant 95kg to 120kg load bearing accessories, 800 lbs/inch
Front	Shock Absorbers	38-5638	2	EFS Elite
Rear	Bush Kit	UK766	1	
Rear	Leaf Springs	THX-08	2	EFS heavy Duty - Constant 300 kg to GVM
Rear	Leaf Springs	THX-42E	2	EFS Comfort - Constant 200kg to GVM
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5521S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081	2	EFS Enforcer
Rear	Swing Shackles	GR387	2	
Rear	Ubolts	C453-2	4	

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	TPR-101HDE	1	Heavy Duty standard height replacement - 595 lbs/inch
Front	Shock Absorbers	38-5638	2	EFS Elite
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5521S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081	2	EFS Enforcer

File created on 22.03.2007 Page 130 of 183

# HILUX 4wd - VIGO - Single Cab - Petrol V6 4.0 L and Diesel 3.0 L TD - 04/2005 on

### 40mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	TPR-104E	1 PR	up to 60 kg load bearing accessories, 650 lbs/inch
Front	Coil Springs	TPR-104HDE	1 PR	Constant 95kg to 120kg load bearing accessories, 800 lbs/inch
Front	Shock Absorbers	38-5638	2	EFS Elite
Rear	Bush Kit	UK766	1	
Rear	Leaf Springs	THX-07	2	EFS heavy Duty - Constant 300 kg to GVM
Rear	Leaf Springs	THX-42E	2	EFS Comfort - Constant 300kg to GVM
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5521S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081	2	EFS Enforcer
Rear	Swing Shackles	GR387	2	
Rear	Ubolts	C453-2	4	

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	TPR-101HDE	1	Heavy Duty standard height replacement - 595 lbs/inch
Front	Shock Absorbers	38-5638	2	EFS Elite
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5521S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081	2	EFS Enforcer

File created on 22.03.2007 Page 131 of 183

# HILUX IFS - Leaf Spring Rear - LN167, LN176, LN172, RZN169R 1997 on

GP2081

40mm	T	ift
TUILLI	_	/II L

Rear

Shock Absorbers

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5538	2	EFS Elite
Front	Shock Absorbers	GP2088	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Steering Damper	SD4033	1	
Front	Torsion Bar	TB-1646A	1 PR	26mm OD - 1063mm Long
Rear	Bush Kit	UK747	1	
Rear	Leaf Springs	THX-04	2	Constant 250 kg to GVM
Rear	Leaf Springs	THX-40E	2	Constant 150 kg to GVM
Rear	Polyair	75703	1	For use on Standard height suspension only
Rear	Polyair	78903	1	For use on Raised height suspension only
Rear	Shock Absorbers	36-5521	2	EFS Elite
Rear	Shock Absorbers	GP2081	2	EFS Enforcer
Rear	Swing Shackles	GR386-1	2	
Rear	Ubolts	C453-2	4	
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5538	2	EFS Elite
Front	Shock Absorbers	GP2088	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Steering Damper	SD4033	1	
Rear	Shock Absorbers	36-5521	2	EFS Elite

File created on 22.03.2007 Page 132 of 183

2

**EFS Enforcer** 

# HILUX IFS - Leaf Spring Rear - RN110, LN111 8/1988 to 1996.

40mm	T	ift
TUILLI	_	/II L

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5538	2	EFS Elite
Front	Shock Absorbers	GP2088	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Steering Damper	SD4033	1	STITIOTALE CALLED INCLAINED TO THE CHOCK
Front	Torsion Bar	TB-1646A	1 PR	26mm OD - 1063mm Long
Rear	Bush Kit	UK747	1	<u> </u>
Rear	Leaf Springs	THX-04	2	Constant 250 kg to GVM
Rear	Leaf Springs	THX-40E	2	Constant 150 kg to GVM
Rear	Polyair	75703	1	For use on Standard height suspension only
Rear	Polyair	78903	1	For use on Raised height suspension only
Rear	Shock Absorbers	36-5521	2	EFS Elite
Rear	Shock Absorbers	GP2081	2	EFS Enforcer
Rear	Swing Shackles	GR386-1	2	
Rear	Ubolts	C453-2	4	
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5538	2	EFS Elite
Front	Shock Absorbers	GP2088	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Steering Damper	SD4033	1	
Rear	Shock Absorbers	36-5521	2	EFS Elite
Rear	Shock Absorbers	GP2081	2	EFS Enforcer

File created on 22.03.2007 Page 133 of 183

# HILUX IFS - Leaf Spring Rear - YN63, YN67 8/1985 - 1989.

<b>40mm</b>	Lift
-------------	------

Rear

Shock Absorbers

GP2081

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Fixed Shackle Pin	GR385	2	
Front	Shock Absorbers	36-5538	2	EFS Elite
Front	Shock Absorbers	GP2088	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Steering Damper	SD4033	1	
Front	Torsion Bar	TB-1646A	1 PR	26mm OD - 1063mm Long
Rear	Bush Kit	UK733	1	
Rear	Leaf Springs	THX-02	2	Constant 250 kg to GVM
Rear	Leaf Springs	THX-02-8	2	Constant 300 kg to GVM
Rear	Leaf Springs	THX-20E	2	EFS Comfort - Constant 200 kg to GVM
Rear	Polyair	75703	1	For use on Standard height suspension only
Rear	Polyair	78903	1	For use on Raised height suspension only
Rear	Shock Absorbers	36-5521	2	EFS Elite
Rear	Shock Absorbers	GP2081	2	EFS Enforcer
Rear	Swing Shackles	GR386	2	
Rear	Ubolts	C453-2	4	
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5538	2	EFS Elite
Front	Shock Absorbers	GP2088	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Steering Damper	SD4033	1	
Rear	Shock Absorbers	36-5521	2	EFS Elite

File created on 22.03.2007 Page 134 of 183

2

EFS Enforcer

# LANDCRUISER - FJ40, BJ40 SWB - Large eye - 8/1980 to 4/1986.

50mm	I ift	
20111111		

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-42	2	Up to 65 kg Load Bearing Accessories
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Front	Swing Shackles	GR353	2	
Front	Swing Shackles	GR353LH	1	RHS - Anti-inversion Shackle
Front	Swing Shackles	GR353RH	1	LHS - Anti-inversion Shackle
Front	Ubolts	C453-1	1	RHS Inner
Front	Ubolts	C453-3	3	RHS Outer and LHS
Rear	Bush Kit	UK719	1	
Rear	Fixed Shackle Pin	GR351	2	
Rear	Leaf Springs	TLC-43	2	Constant 80 kg to GVM
Rear	Polyair	72998	1	For use on Standard height suspension only
Rear	Shock Absorbers	36-5523	2	EFS Elite
Rear	Shock Absorbers	GP2081B	2	EFS Enforcer
Rear	Swing Shackles	GR353	2	
Rear	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
Rear	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
Rear	Ubolts	C453-3	4	
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Rear	Shock Absorbers	36-5523	2	EFS Elite
Rear	Shock Absorbers	GP2081B	2	EFS Enforcer

File created on 22.03.2007 Page 135 of 183

# LANDCRUISER - FJ40, BJ40 SWB - Small Eye - 1969 to 7/1980.

<b>50mm</b>	Lift	
-------------	------	--

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK713	1	
Front	Fixed Shackle Pin	GR346	2	
Front	Leaf Springs	TLC-40	2	Up to 65 kg Load Bearing Accessories
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Front	Swing Shackles	GR343	2	
Front	Ubolts	C453-1	1	RHS Inner
Front	Ubolts	C453-3	3	RHS Outer and LHS
Rear	Bush Kit	UK713	1	
Rear	Fixed Shackle Pin	GR346	2	
Rear	Leaf Springs	TLC-41	2	Constant 80 kg to GVM
Rear	Polyair	72998	1	For use on Standard height suspension only
Rear	Shock Absorbers	36-5523	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5523S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081B	2	EFS Enforcer
Rear	Swing Shackles	GR343	2	
Rear	Ubolts	C453-3	4	

### Std

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Rear	Shock Absorbers	36-5523	2	EFS Elite
Rear	Shock Absorbers	GP2081B	2	EFS Enforcer

File created on 22.03.2007 Page 136 of 183

Rear

Shock Absorbers

GP2636

## LANDCRUISER - FJ45, HJ45 LWB - Cab Chassis - 3/1969 to 7/1980

mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK713	1	
Front	Fixed Shackle Pin	GR346	2	
Front	Leaf Springs	TLC-40	2	Up to 65 kg Load Bearing Accessories
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Front	Swing Shackles	GR343	2	
Front	Ubolts	C453-1	4	
Rear	Bush Kit	UK714	1	
Rear	Fixed Shackle Pin	GR347	1	
Rear	Leaf Springs	TLC-03	2	Constant 300 kg to GVM.
Rear	Polyair	72906	1	For use on Standard height suspension only
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR344	1	RHS shackle
Rear	Swing Shackles	GR345	1	LHS shackle
Rear	Ubolts	C416	4	
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm

File created on 22.03.2007 Page 137 of 183

2

EFS Enforcer

## LANDCRUISER - FJ45, HJ45 LWB - Cab Chassis - 8/1980 to 4/1986.

### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-42	2	Up to 65 kg Load Bearing Accessories
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Front	Swing Shackles	GR353	2	
Front	Swing Shackles	GR353LH	1	RHS - Anti-inversion Shackle
Front	Swing Shackles	GR353RH	1	LHS - Anti-inversion Shackle
Front	Ubolts	C449	1	RHS Inner
Front	Ubolts	C453-1		RHS Outer and LHS
Rear	Bush Kit	UK719	1	
Rear	Fixed Shackle Pin	GR351	2	
Rear	Leaf Springs	TLC-05	2	Constant 300 kg to GVM.
Rear	Polyair	72906	1	For use on Standard height suspension only
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR349	1	RHS shackle
Rear	Swing Shackles	GR350	1	LHS shackle
Rear	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
Rear	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
Rear	Ubolts	C416	4	

File created on 22.03.2007 Page 138 of 183

## LANDCRUISER - FJ45, HJ45 LWB - Cab Chassis - 8/1980 to 4/1986.

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

## LANDCRUISER - FJ45, HJ45 LWB - Troop Carrier - 3/1969 to 7/1980

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK713	1	
Front	Fixed Shackle Pin	GR346	2	
Front	Leaf Springs	TLC-40	2	Up to 65 kg Load Bearing Accessories
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Front	Swing Shackles	GR343	2	
Front	Ubolts	C453-1	4	
Rear	Bush Kit	UK714	1	
Rear	Fixed Shackle Pin	GR347	1	
Rear	Leaf Springs	TLC-03	2	Constant 300 kg to GVM.
Rear	Polyair	72906	1	For use on Standard height suspension only
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR344	1	RHS shackle
Rear	Swing Shackles	GR345	1	LHS shackle
Rear	Ubolts	C416	4	

File created on 22.03.2007 Page 139 of 183

# LANDCRUISER - FJ45, HJ45 LWB - Troop Carrier - 3/1969 to 7/1980

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

File created on 22.03.2007 Page 140 of 183

# LANDCRUISER - FJ45, HJ45 LWB - Troop Carrier - 8/1980 to 4/1986.

### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-42	2	Up to 65 kg Load Bearing Accessories
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Front	Swing Shackles	GR353	2	
Front	Swing Shackles	GR353LH	1	RHS - Anti-inversion Shackle
Front	Swing Shackles	GR353RH	1	LHS - Anti-inversion Shackle
Front	Ubolts	C449	1	RHS Inner
Front	Ubolts	C453-1		RHS Outer and LHS
Rear	Bush Kit	UK719	1	
Rear	Fixed Shackle Pin	GR351	2	
Rear	Leaf Springs	TLC-05	2	Constant 300 kg to GVM.
Rear	Polyair	72906	1	For use on Standard height suspension only
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR349	1	RHS shackle
Rear	Swing Shackles	GR350	1	LHS shackle
Rear	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
Rear	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
Rear	Ubolts	C416	4	

File created on 22.03.2007 Page 141 of 183

# LANDCRUISER - FJ45, HJ45 LWB - Troop Carrier - 8/1980 to 4/1986.

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

File created on 22.03.2007 Page 142 of 183

## LANDCRUISER - FJ47, HJ47 LWB - Cab Chassis - 8/1980 to 4/1986.

### 50mm Lift

Front         Bush Kit         UK719         1           Front         Fixed Shackle Pin         GR351         2           Front         Leaf Springs         TLC-42         2         Up to 65 kg Load Bearing Accessories           Front         Shock Absorbers         36-5560         2         EFS Elite           Front         Shock Absorbers         GP2635         2         EFS Enforcer           Front         Steering Damper         SD4023         1           Front         Swing Shackles         GR353         2           Front         Swing Shackles         GR353         2           Front         Swing Shackles         GR353HH         1         RHS - Anti-inversion Shackle           Front         Ubolts         C449         1         RHS - Anti-inversion Shackle           Front         Ubolts         C449         1         RHS Outer and LHS           Rear         Bush Kit         UK719         1         RHS Outer and LHS           Rear         Fixed Shackle Pin         GR351         2         Constant 300 kg to GVM.           Rear         Polyair         72906         1         For use on Standard height suspension only           Rear         Shock Absorbers	SUSPENSION	PART TYPE	PART	QTY	NOTES
Front         Leaf Springs         TLC-42         2         Up to 65 kg Load Bearing Accessories           Front         Shock Absorbers         36-560         2         EFS Elite           Front         Shock Absorbers         GP2635         2         EFS Enforcer           Front         Steering Damper         SD4023         1           Front         Swing Shackles         GR353         2           Front         Swing Shackles         GR353LH         1         RHS - Anti-inversion Shackle           Front         Swing Shackles         GR353RH         1         LHS - Anti-inversion Shackle           Front         Ubolts         C449         1         RHS Inner           Front         Ubolts         C453-1         RHS Outer and LHS           Rear         Bush Kit         UK719         1         RHS Outer and LHS           Rear         Fixed Shackle Pin         GR351         2         Constant 300 kg to GVM.           Rear         Polyair         72906         1         For use on Standard height suspension only           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort           Rear         Shock Absorbers         GP2636         2         EFS Elite - Firm	Front	Bush Kit	UK719	1	
Front         Shock Absorbers         36-5560         2         EFS Elite           Front         Shock Absorbers         GP2635         2         EFS Enforcer           Front         Steering Damper         SD4023         1           Front         Swing Shackles         GR353         2           Front         Swing Shackles         GR353LH         1         RHS - Anti-inversion Shackle           Front         Swing Shackles         GR353RH         1         LHS - Anti-inversion Shackle           Front         Ubolts         C449         1         RHS Inner           Front         Ubolts         C453-1         RHS Outer and LHS           Rear         Bush Kit         UK719         1           Rear         Fixed Shackle Pin         GR351         2           Rear         Fixed Springs         TLC-05         2         Constant 300 kg to GVM.           Rear         Polyair         72906         1         For use on Standard height suspension only           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort           Rear         Shock Absorbers         36-5622         2         EFS Elite - Firm           Rear         Shock Absorbers	Front	Fixed Shackle Pin	GR351	2	
Front         Shock Absorbers         GP2635         2         EFS Enforcer           Front         Steering Damper         SD4023         1           Front         Swing Shackles         GR353         2           Front         Swing Shackles         GR353LH         1         RHS - Anti-inversion Shackle           Front         Swing Shackles         GR353RH         1         LHS - Anti-inversion Shackle           Front         Ubolts         C449         1         RHS Inner           Front         Ubolts         C453-1         RHS Outer and LHS           Rear         Bush Kit         UK719         1           Rear         Fixed Shackle Pin         GR351         2           Rear         Fixed Shackle Pin         GR351         2           Rear         Polyair         72906         1         For use on Standard height suspension only           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort           Rear         Shock Absorbers         36-5462         2         EFS Elite - Firm           Rear         Shock Absorbers         GR2636         2         EFS Enforcer           Rear         Swing Shackles         GR353LH         1	Front	Leaf Springs	TLC-42	2	Up to 65 kg Load Bearing Accessories
Front         Steering Damper         SD4023         1           Front         Swing Shackles         GR353         2           Front         Swing Shackles         GR353LH         1         RHS - Anti-inversion Shackle           Front         Swing Shackles         GR353RH         1         LHS - Anti-inversion Shackle           Front         Ubolts         C449         1         RHS Inner           Front         Ubolts         C453-1         RHS Outer and LHS           Rear         Bush Kit         UK719         1           Rear         Fixed Shackle Pin         GR351         2           Rear         Leaf Springs         TLC-05         2         Constant 300 kg to GVM.           Rear         Polyair         72906         1         For use on Standard height suspension only           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort           Rear         Shock Absorbers         36-5562         2         EFS Elite - Firm           Rear         Shock Absorbers         GP2636         2         EFS Enforcer           Rear         Swing Shackles         GR350         1         LHS shackle           Rear         Swing Shackles	Front	Shock Absorbers	36-5560	2	EFS Elite
Front         Swing Shackles         GR353         2           Front         Swing Shackles         GR353LH         1         RHS - Anti-inversion Shackle           Front         Swing Shackles         GR353RH         1         LHS - Anti-inversion Shackle           Front         Ubolts         C449         1         RHS Inner           Front         Ubolts         C453-1         RHS Outer and LHS           Rear         Bush Kit         UK719         1           Rear         Fixed Shackle Pin         GR351         2           Rear         Leaf Springs         TLC-05         2         Constant 300 kg to GVM.           Rear         Polyair         72906         1         For use on Standard height suspension only           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort           Rear         Shock Absorbers         36-5562         2         EFS Elite - Firm           Rear         Shock Absorbers         GP2636         2         EFS Enforcer           Rear         Swing Shackles         GR350         1         RHS shackle           Rear         Swing Shackles         GR353LH         1         LHS - Anti-inversion Shackle           Rear	Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front         Swing Shackles         GR353LH         1         RHS - Anti-inversion Shackle           Front         Swing Shackles         GR353RH         1         LHS - Anti-inversion Shackle           Front         Ubolts         C449         1         RHS Inner           Front         Ubolts         C453-1         RHS Outer and LHS           Rear         Bush Kit         UK719         1           Rear         Fixed Shackle Pin         GR351         2           Rear         Leaf Springs         TLC-05         2         Constant 300 kg to GVM.           Rear         Polyair         72906         1         For use on Standard height suspension only           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort           Rear         Shock Absorbers         36-5562         2         EFS Elite - Firm           Rear         Shock Absorbers         GP2636         2         EFS Enforcer           Rear         Swing Shackles         GR350         1         RHS shackle           Rear         Swing Shackles         GR353LH         1         LHS - Anti-inversion Shackle           Rear         Swing Shackles         GR353RH         1         RHS - Anti-inversion Shackl	Front	Steering Damper	SD4023	1	
Front         Swing Shackles         GR353RH         1         LHS - Anti-inversion Shackle           Front         Ubolts         C449         1         RHS Inner           Front         Ubolts         C453-1         RHS Outer and LHS           Rear         Bush Kit         UK719         1           Rear         Fixed Shackle Pin         GR351         2           Rear         Leaf Springs         TLC-05         2         Constant 300 kg to GVM.           Rear         Polyair         72906         1         For use on Standard height suspension only           Rear         Shock Absorbers         36-5426         2         EFS Elite - Comfort           Rear         Shock Absorbers         36-5562         2         EFS Elite - Firm           Rear         Shock Absorbers         GP2636         2         EFS Enforcer           Rear         Swing Shackles         GR350         1         RHS shackle           Rear         Swing Shackles         GR353LH         1         LHS - Anti-inversion Shackle           Rear         Swing Shackles         GR353RH         1         RHS - Anti-inversion Shackle	Front	Swing Shackles	GR353	2	
Front Ubolts C449 1 RHS Inner  Front Ubolts C453-1 RHS Outer and LHS  Rear Bush Kit UK719 1  Rear Fixed Shackle Pin GR351 2  Rear Leaf Springs TLC-05 2 Constant 300 kg to GVM.  Rear Polyair 72906 1 For use on Standard height suspension only  Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5562 2 EFS Elite - Firm  Rear Shock Absorbers GP2636 2 EFS Enforcer  Rear Swing Shackles GR349 1 RHS shackle  Rear Swing Shackles GR350 1 LHS shackle  Rear Swing Shackles GR353H 1 LHS - Anti-inversion Shackle  Rear Swing Shackles GR353RH 1 RHS - Anti-inversion Shackle	Front	Swing Shackles	GR353LH	1	RHS - Anti-inversion Shackle
Front Ubolts C453-1 RHS Outer and LHS  Rear Bush Kit UK719 1  Rear Fixed Shackle Pin GR351 2  Rear Leaf Springs TLC-05 2 Constant 300 kg to GVM.  Rear Polyair 72906 1 For use on Standard height suspension only  Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort  Rear Shock Absorbers 36-562 2 EFS Elite - Firm  Rear Shock Absorbers GP2636 2 EFS Elite - Firm  Rear Shock Absorbers GR349 1 RHS shackle  Rear Swing Shackles GR350 1 LHS shackle  Rear Swing Shackles GR351H 1 LHS - Anti-inversion Shackle  Rear Swing Shackles GR353RH 1 RHS - Anti-inversion Shackle	Front	Swing Shackles	GR353RH	1	LHS - Anti-inversion Shackle
Rear Bush Kit UK719 1  Rear Fixed Shackle Pin GR351 2  Rear Leaf Springs TLC-05 2 Constant 300 kg to GVM.  Rear Polyair 72906 1 For use on Standard height suspension only  Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5562 2 EFS Elite - Firm  Rear Shock Absorbers GP2636 2 EFS Enforcer  Rear Swing Shackles GR349 1 RHS shackle  Rear Swing Shackles GR350 1 LHS shackle  Rear Swing Shackles GR353LH 1 LHS - Anti-inversion Shackle  Rear Swing Shackles GR353RH 1 RHS - Anti-inversion Shackle	Front	Ubolts	C449	1	RHS Inner
Rear Fixed Shackle Pin GR351 2  Rear Leaf Springs TLC-05 2 Constant 300 kg to GVM.  Rear Polyair 72906 1 For use on Standard height suspension only  Rear Shock Absorbers 36-5426 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5562 2 EFS Elite - Firm  Rear Shock Absorbers GP2636 2 EFS Enforcer  Rear Swing Shackles GR349 1 RHS shackle  Rear Swing Shackles GR350 1 LHS shackle  Rear Swing Shackles GR353LH 1 LHS - Anti-inversion Shackle  Rear Swing Shackles GR353RH 1 RHS - Anti-inversion Shackle	Front	Ubolts	C453-1		RHS Outer and LHS
RearLeaf SpringsTLC-052Constant 300 kg to GVM.RearPolyair729061For use on Standard height suspension onlyRearShock Absorbers36-54262EFS Elite - ComfortRearShock Absorbers36-55622EFS Elite - FirmRearShock AbsorbersGP26362EFS EnforcerRearSwing ShacklesGR3491RHS shackleRearSwing ShacklesGR3501LHS shackleRearSwing ShacklesGR353LH1LHS - Anti-inversion ShackleRearSwing ShacklesGR353RH1RHS - Anti-inversion Shackle	Rear	Bush Kit	UK719	1	
RearPolyair729061For use on Standard height suspension onlyRearShock Absorbers36-54262EFS Elite - ComfortRearShock Absorbers36-55622EFS Elite - FirmRearShock AbsorbersGP26362EFS EnforcerRearSwing ShacklesGR3491RHS shackleRearSwing ShacklesGR3501LHS shackleRearSwing ShacklesGR353LH1LHS - Anti-inversion ShackleRearSwing ShacklesGR353RH1RHS - Anti-inversion Shackle	Rear	Fixed Shackle Pin	GR351	2	
RearShock Absorbers36-54262EFS Elite - ComfortRearShock Absorbers36-55622EFS Elite - FirmRearShock AbsorbersGP26362EFS EnforcerRearSwing ShacklesGR3491RHS shackleRearSwing ShacklesGR3501LHS shackleRearSwing ShacklesGR353LH1LHS - Anti-inversion ShackleRearSwing ShacklesGR353RH1RHS - Anti-inversion Shackle	Rear	Leaf Springs	TLC-05	2	Constant 300 kg to GVM.
RearShock Absorbers36-55622EFS Elite - FirmRearShock AbsorbersGP26362EFS EnforcerRearSwing ShacklesGR3491RHS shackleRearSwing ShacklesGR3501LHS shackleRearSwing ShacklesGR353LH1LHS - Anti-inversion ShackleRearSwing ShacklesGR353RH1RHS - Anti-inversion Shackle	Rear	Polyair	72906	1	For use on Standard height suspension only
RearShock AbsorbersGP26362EFS EnforcerRearSwing ShacklesGR3491RHS shackleRearSwing ShacklesGR3501LHS shackleRearSwing ShacklesGR353LH1LHS - Anti-inversion ShackleRearSwing ShacklesGR353RH1RHS - Anti-inversion Shackle	Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
RearSwing ShacklesGR3491RHS shackleRearSwing ShacklesGR3501LHS shackleRearSwing ShacklesGR353LH1LHS - Anti-inversion ShackleRearSwing ShacklesGR353RH1RHS - Anti-inversion Shackle	Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
RearSwing ShacklesGR3501LHS shackleRearSwing ShacklesGR353LH1LHS - Anti-inversion ShackleRearSwing ShacklesGR353RH1RHS - Anti-inversion Shackle	Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear     Swing Shackles     GR353LH     1     LHS - Anti-inversion Shackle       Rear     Swing Shackles     GR353RH     1     RHS - Anti-inversion Shackle	Rear	Swing Shackles	GR349	1	RHS shackle
Rear Swing Shackles GR353RH 1 RHS - Anti-inversion Shackle	Rear	Swing Shackles	GR350	1	LHS shackle
	Rear	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
Rear Ubolts C416 4	Rear	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
	Rear	Ubolts	C416	4	

File created on 22.03.2007 Page 143 of 183

## LANDCRUISER - FJ47, HJ47 LWB - Cab Chassis - 8/1980 to 4/1986.

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

File created on 22.03.2007 Page 144 of 183

### LANDCRUISER - FJ47, HJ47 LWB - Troop Carrier - 8/1980 to 4/1986.

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-42	2	Up to 65 kg Load Bearing Accessories
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Front	Swing Shackles	GR353	2	
Front	Swing Shackles	GR353LH	1	RHS - Anti-inversion Shackle
Front	Swing Shackles	GR353RH	1	LHS - Anti-inversion Shackle
Front	Ubolts	C449	1	RHS Inner
Front	Ubolts	C453-1		RHS Outer and LHS
Rear	Bush Kit	UK719	1	
Rear	Fixed Shackle Pin	GR351	2	
Rear	Leaf Springs	TLC-05	2	Constant 300 kg to GVM.
Rear	Polyair	72906	1	For use on Standard height suspension only
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR349	1	RHS shackle
Rear	Swing Shackles	GR350	1	LHS shackle
Rear	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
Rear	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
Rear	Ubolts	C416	4	

File created on 22.03.2007 Page 145 of 183

# **TOYOTA**

### LANDCRUISER - FJ47, HJ47 LWB - Troop Carrier - 8/1980 to 4/1986.

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5560	2	EFS Elite
Front	Shock Absorbers	GP2635	2	EFS Enforcer
Front	Steering Damper	SD4023	1	
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

File created on 22.03.2007 Page 146 of 183

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-06	2	Up to 35 kg Load Bearing Accessories
Front	Leaf Springs	TLC-67E	2	EFS Comfort - 45 to 85 kg Laod Bearing Accessories. Use 36-5566 shocks.
Front	Shock Absorbers	36-5563	2	EFS Elite - Firm
Front	Shock Absorbers	36-5563S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2637	2	EFS Enforcer
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch + -
Front	Steering Damper	SD4024	1	
Front	Swing Shackles	GR353	2	
Front	Swing Shackles	GR353LH	1	RHS - Anti-inversion Shackle
Front	Swing Shackles	GR353RH	1	LHS - Anti-inversion Shackle
Front	Ubolts	C436	4	
Rear	Bush Kit	UK719	1	
Rear	Fixed Shackle Pin	GR351	2	
Rear	Leaf Springs	TLC-07DS	1	RHS - Constant 250 kg to GVM
Rear	Leaf Springs	TLC-07NS	1	LHS - Constant 250 kg to GVM
Rear	Leaf Springs	TLC-68E	1	RHS - Constant 300 kg to GVM. Use 36-5521 / 36-5521S shocks.
Rear	Leaf Springs	TLC-69E	1	LHS - Constant 300 kg to GVM. Use 36-5521 / 36-5521S shocks.
Rear	Polyair	72798	1	For use on Standard height suspension only
Rear	Polyair	72998	1	For use on Raised height suspension only.
Rear	Shock Absorbers	36-5425	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5561	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2650	2	EFS Enforcer
Rear	Swing Shackles	GR353	2	
Rear	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
Rear	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
	Ubolts	C453-1	4	

File created on 22.03.2007 Page 147 of 183

#### 60mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-67E	2	EFS Comfort - 30 to 45 kg Laod Bearing Accessories
Front	Shock Absorbers	36-5566	2	EFS Elite
Front	Steering Damper	SD4024	1	
Front	Swing Shackles	GR353	2	
Front	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
Front	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
Front	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
Front	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
Front	Ubolts	C436	4	
Rear	Bush Kit	UK719	1	
Rear	Fixed Shackle Pin	GR351	2	
Rear	Leaf Springs	TLC-68E	1	RHS - Constant 300 kg to GVM
Rear	Leaf Springs	TLC-69E	1	LHS - Constant 300 kg to GVM
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5521S	2	EFS Elite - Firm
Rear	Swing Shackles	GR353	2	
Rear	Ubolts	C453-1	4	

File created on 22.03.2007 Page 148 of 183

80mm	Lif
SUS	SPE

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-67E	2	Up to 35 kg Load Bearing Accessories - Use GR359RH and GR359LH extended shackles.
Front	Shock Absorbers	36-5566	2	EFS Elite
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front	Steering Damper	SD4024	1	
Front	Swing Shackles	GR359LH	1	RHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle These units must have engineers approval to be used on road.
Front	Swing Shackles	GR359RH	1	LHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle These units must have engineers approval to be used on road.
Front	Ubolts	C436	4	
Rear	Bush Kit	UK719	1	
Rear	Fixed Shackle Pin	GR351	2	
Rear	Leaf Springs	TLC-68E	1	RHS - Constant 150 kg to GVM - Use GR359RH and GR359LH extende shackles.
Rear	Leaf Springs	TLC-69E	1	LHS - Constant 150 kg to GVM - Use GR359RH and GR359LH extende shackles.
Rear	Shock Absorbers	40-520	2	Fireflex Non-gased - Comfort - 675mm extended.
Rear	Swing Shackles	GR359LH	1	LHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle These units must have engineers approval to be used on road.
Rear	Swing Shackles	GR359RH	1	RHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle These units must have engineers approval to be used on road.
Rear	Ubolts	C453-3	4	
l - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5563	2	EFS Elite - Firm
Front	Shock Absorbers	36-5563S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2637	2	EFS Enforcer
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front	Steering Damper	SD4024	1	
Rear	Shock Absorbers	36-5425	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5561	2	EFS Elite - Firm
	Shock Absorbers	GP2650	2	EFS Enforcer

Page 149 of 183 File created on 22.03.2007

### LANDCRUISER - FJ60, 61, 62, HJ60, 61, 62 - Pre 10/1985.

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-06	2	Up to 45 kg Load Bearing Accessories
Front	Leaf Springs	TLC-67E	2	55 to 80 kg Load bearing accessories. Use 36-5566 shocks
Front	Shock Absorbers	36-5563	2	EFS Elite - Firm
Front	Shock Absorbers	36-5563S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2637	2	EFS Enforcer
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front	Steering Damper	SD4024	1	
Front	Swing Shackles	GR353	2	
Front	Swing Shackles	GR353LH	1	RHS - Anti-inversion Shackle
Front	Swing Shackles	GR353RH	1	LHS - Anti-inversion Shackle
Front	Ubolts	C436	4	
Rear	Bush Kit	UK719	1	
Rear	Fixed Shackle Pin	GR351	2	
Rear	Leaf Springs	TLC-07DS	1	RHS - Constant 250 kg to GVM
Rear	Leaf Springs	TLC-07NS	1	LHS - Constant 250 kg to GVM
Rear	Leaf Springs	TLC-68E	1	RHS - Constant 300 kg to GVM
Rear	Leaf Springs	TLC-69E	1	LHS - Constant 300 kg to GVM
Rear	Polyair	72798	1	For use on Standard height suspension only
Rear	Polyair	72998	1	For use on Raised height suspension only
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer
Rear	Swing Shackles	GR353	2	
Rear	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
Rear	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
Rear	Ubolts	C453-1	4	

File created on 22.03.2007 Page 150 of 183

60mm	I	ift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-67E	2	EFS Comfort - 30 to 45 kg Laod Bearing Accessories
Front	Shock Absorbers	36-5566	2	EFS Elite
Front	Steering Damper	35-4024	1	EFS Extreme - Suits larger Dia tyres 35" +
Front	Steering Damper	SD4024	1	
Front	Swing Shackles	GR353	2	
Front	Swing Shackles	GR353LH	1	RHS - Anti-inversion Shackle
Front	Swing Shackles	GR353RH	1	LHS - Anti-inversion Shackle
Front	Ubolts	C436	4	
Rear	Bush Kit	UK719	1	
Rear	Fixed Shackle Pin	GR351	2	
Rear	Leaf Springs	TLC-68E	1	RHS - Constant 300 kg to GVM
Rear	Leaf Springs	TLC-69E	1	LHS - Constant 300 kg to GVM
Rear	Shock Absorbers	36-5523	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5523S	2	EFS Elite - Firm
Rear	Swing Shackles	GR353	2	
Rear	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
Rear	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
Rear	Ubolts	C453-1	4	
l - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
	Charle Abasels and	20 5502	0	EEO Elita Eira

#### Std

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5563	2	EFS Elite - Firm
Front	Shock Absorbers	36-5563S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2637	2	EFS Enforcer
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front	Steering Damper	SD4024	1	
Rear	Shock Absorbers	36-5426	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5562	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2636	2	EFS Enforcer

File created on 22.03.2007 Page 151 of 183

### LANDCRUISER - FJ75, HJ75 - Cab Chassis.

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-22	2	70 to 100 kg Load Bearing Accessories
Front	Leaf Springs	TLC-23		110 to 150 kg Load Bearing Accessories
Front	Leaf Springs	TLC-74E	2	EFS Comfort - Up to 65 kg Load Bearing Accessories
Front	Shock Absorbers	36-5566	2	EFS Elite
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front	Steering Damper	SD4024	1	
Front	Swing Shackles	GR353	2	
Front	Swing Shackles	GR353LH	1	RHS - Anti-inversion Shackle
Front	Swing Shackles	GR353RH	1	LHS - Anti-inversion Shackle
Front	Ubolts	C436	4	
Rear	Bush Kit	UK720	1	
Rear	Fixed Shackle Pin	GR354	2	
Rear	Leaf Springs	TLC-24	1	Constant 200 kg to GVM
Rear	Leaf Springs	TLC-25	1	Constant 300 kg to GVM
Rear	Leaf Springs	TLC-26	1	Constant 400 kg to GVM
Rear	Leaf Springs	TLC-27	1	Constant 500 kg to GVM
Rear	Leaf Springs	TLC-77E	1	EFS Comfort - Constant 200 kg to GVM
Rear	Polyair	72098	1	For use on Raised height suspension only
Rear	Polyair	72898	1	For use on Standard height suspension only
Rear	Polyair	85320	1	Bellow type bag - For use with Standard and Raised Suspension.
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5521S	2	EFS Elite - Firm
Rear	Shock Absorbers	36-5548	2	EFS Elite - Extra Firm
Rear	Shock Absorbers	GP2081	2	EFS Enforcer
Rear	Swing Shackles	GR353	2	
Rear	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
Rear	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
Rear	Ubolts	C416	4	To be used with TLC26 and TLC-27.
Rear	Ubolts	C453-1	4	To be used with TLC-24, TLC25 and TLC-77E.

File created on 22.03.2007 Page 152 of 183

### LANDCRUISER - FJ75, HJ75 - Cab Chassis.

#### 80mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-22	2	Up to 60 kg Load Bearing Accessories - Use GR359RH and GR359LH extended shackles.
Front	Leaf Springs	TLC-23		65 to 90 kg Load Bearing Accessories - Use GR359RH and GR359LH extended shackles.
Front	Leaf Springs	TLC-74E	2	EFS Comfort - Up to 60 kg Load Bearing Accessories - Use GR359RH and GR359LH extended shackles.
Front	Shock Absorbers	36-5566	2	EFS Elite
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch + - EFS Extreme will be available in Nov 2006
Front	Steering Damper	SD4024	1	
Front	Swing Shackles	GR359LH	1	RHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Front	Swing Shackles	GR359RH	1	LHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Front	Ubolts	C436	4	
Rear	Bush Kit	UK720	1	
Rear	Fixed Shackle Pin	GR354	2	
Rear	Leaf Springs	TLC-24	1	Constant 200 kg to GVM
Rear	Leaf Springs	TLC-25	1	Constant 300 kg to GVM
Rear	Leaf Springs	TLC-77E	1	EFS Comfort - Constant 200 kg to GVM
Rear	Shock Absorbers	36-5520	2	Non gased - Soft Valving - 675mm extended.
Rear	Shock Absorbers	36-5548	2	EFS Elite - Firm Valving - 654mm extended.
Rear	Swing Shackles	GR359LH	1	LHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Rear	Swing Shackles	GR359RH	1	RHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Rear	Ubolts	C453-1	4	To be used with TLC-24, TLC25 and TLC-77E.

File created on 22.03.2007 Page 153 of 183

### LANDCRUISER - FJ75, HJ75 - Cab Chassis.

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5563	2	EFS Elite - Firm
Front	Shock Absorbers	36-5563S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2637	2	EFS Enforcer
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front	Steering Damper	SD4024	1	
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5548	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081	2	EFS Enforcer - Comfort
Rear	Shock Absorbers	GP2094HD	2	EFS Enforcer - Firm

File created on 22.03.2007 Page 154 of 183

# ${\bf LANDCRUISER\ -\ FJ75,\ HJ75\ -\ Troop\ Carrier.}$

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-22	2	70 to 100 kg Load Bearing Accessories
Front	Leaf Springs	TLC-23		110 to 150 kg Load Bearing Accessories
Front	Leaf Springs	TLC-74E	2	EFS Comfort - Up to 65 kg Load Bearing Accessories
Front	Shock Absorbers	36-5521S	2	EFS Elite - Firm
Front	Shock Absorbers	36-5566	2	EFS Elite
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front	Steering Damper	SD4024	1	
Front	Swing Shackles	GR353	2	
Front	Swing Shackles	GR353LH	1	RHS - Anti-inversion Shackle
Front	Swing Shackles	GR353RH	1	LHS - Anti-inversion Shackle
Front	Ubolts	C436	4	
Rear	Bush Kit	UK720	1	
Rear	Fixed Shackle Pin	GR354	2	
Rear	Leaf Springs	TLC-25	1	Constant 100 kg to GVM
Rear	Leaf Springs	TLC-26	1	Constant 350 kg to GVM
Rear	Leaf Springs	TLC-27	1	Constant 450 kg to GVM
Rear	Leaf Springs	TLC-77E	1	EFS Comfort - Constant 150 kg to GVM
Rear	Polyair	72098	1	For use on Raised height suspension only
Rear	Polyair	72898	1	For use on Standard height suspension only
Rear	Polyair	85320	1	Bellow type bag - For use with Standard and Raised Suspension.
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5548	2	EFS Elite - Extra Firm
Rear	Shock Absorbers	GP2081	2	EFS Enforcer - Comfort
Rear	Shock Absorbers	GP2094HD	2	EFS Enforcer - Firm
Rear	Swing Shackles	GR353	2	
Rear	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
Rear	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
Rear	Ubolts	C416	4	To be used with TLC26 and TLC-27.
Rear	Ubolts	C453-1	4	To be used with TLC25 and TLC-77E.

File created on 22.03.2007 Page 155 of 183

### LANDCRUISER - FJ75, HJ75 - Troop Carrier.

#### 80mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-22	2	Up to 80 kg Load Bearing Accessories - Use GR359RH and GR359LH extended shackles.
Front	Leaf Springs	TLC-23		85 to 110 kg Load Bearing Accessories - Use GR359RH and GR359LH extended shackles.
Front	Leaf Springs	TLC-74E	2	EFS Comfort - Up to 80 kg Load Bearing Accessories - Use GR359RH and GR359LH extended shackles.
Front	Shock Absorbers	36-5566	2	EFS Elite
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front	Steering Damper	SD4024	1	
Front	Swing Shackles	GR359LH	1	RHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Front	Swing Shackles	GR359RH	1	LHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Front	Ubolts	C436	4	
Rear	Bush Kit	UK720	1	
Rear	Fixed Shackle Pin	GR354	2	
Rear	Leaf Springs	TLC-25	1	Constant 250 kg to GVM
Rear	Leaf Springs	TLC-77E	1	EFS Comfort - Constant 150 kg to GVM
Rear	Shock Absorbers	36-5520	2	Non gased - 675mm extended.
Rear	Shock Absorbers	36-5548	2	EFS Elite - Firm - 654mm extended.
Rear	Swing Shackles	GR359LH	1	LHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Rear	Swing Shackles	GR359RH	1	RHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Rear	Ubolts	C453-1	4	To be used with TLC25 and TLC-77E.

File created on 22.03.2007 Page 156 of 183

# **TOYOTA**

# LANDCRUISER - FJ75, HJ75 - Troop Carrier.

### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5563	2	EFS Elite - Firm
Front	Shock Absorbers	36-5563S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2637	2	EFS Enforcer
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front	Steering Damper	SD4024	1	
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5548	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081	2	EFS Enforcer - Comfort
Rear	Shock Absorbers	GP2094HD	2	EFS Enforcer - Firm

File created on 22.03.2007 Page 157 of 183

### LANDCRUISER - FZJ75, HZJ75 - Cab Chassis.

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-22	2	70 to 100 kg Load Bearing Accessories
Front	Leaf Springs	TLC-23		110 to 150 kg Load Bearing Accessories
Front	Leaf Springs	TLC-74E	2	EFS Comfort - Up to 65 kg Load Bearing Accessories
Front	Shock Absorbers	36-5566	2	EFS Elite
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch + - EFS Extreme will be available in Nov 2006
Front	Steering Damper	SD4024	1	
Front	Swing Shackles	GR353	2	
Front	Swing Shackles	GR353LH	1	RHS - Anti-inversion Shackle
Front	Swing Shackles	GR353RH	1	LHS - Anti-inversion Shackle
Front	Ubolts	C436	4	
Rear	Bush Kit	UK720	1	
Rear	Fixed Shackle Pin	GR354	2	
Rear	Leaf Springs	TLC-24	1	Constant 200 kg to GVM
Rear	Leaf Springs	TLC-25	1	Constant 300 kg to GVM
Rear	Leaf Springs	TLC-26	1	Constant 400 kg to GVM
Rear	Leaf Springs	TLC-27	1	Constant 500 kg to GVM
Rear	Leaf Springs	TLC-77E	1	EFS Comfort - Constant 200 kg to GVM
Rear	Polyair	72098	1	For use on Raised height suspension only
Rear	Polyair	72898	1	For use on Standard height suspension only
Rear	Polyair	85320	1	Bellow type bag - For use with Standard and Raised Suspension.
Rear	Shock Absorbers	36-5521	2	EFS Elite - Soft Valving
Rear	Shock Absorbers	36-5548	2	EFS Elite - Firm Valving
Rear	Swing Shackles	GR353	2	
Rear	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
Rear	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
Rear	Ubolts	C416	4	To be used with TLC-26 and TLC-27.
Rear	Ubolts	C453-1	4	To be used with TLC-24, TLC-25 and TLC-77E.

File created on 22.03.2007 Page 158 of 183

### LANDCRUISER - FZJ75, HZJ75 - Cab Chassis.

#### 80mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-22	2	Up to 60 kg Load Bearing Accessories - Use GR359RH and GR359LH extended shackles.
Front	Leaf Springs	TLC-23		65 to 90 kg Load Bearing Accessories - Use GR359RH and GR359LH extended shackles.
Front	Leaf Springs	TLC-74E	2	EFS Comfort - Up to 60 kg Load Bearing Accessories - Use GR359RH and GR359LH extended shackles.
Front	Shock Absorbers	36-5566	2	EFS Elite
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch + - EFS Extreme will be available in Nov 2006
Front	Steering Damper	SD4024	1	
Front	Swing Shackles	GR359LH	1	RHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Front	Swing Shackles	GR359RH	1	LHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Front	Ubolts	C436	4	
Rear	Bush Kit	UK720	1	
Rear	Fixed Shackle Pin	GR354	2	
Rear	Leaf Springs	TLC-24	1	Constant 200 kg to GVM
Rear	Leaf Springs	TLC-25	1	Constant 300 kg to GVM
Rear	Leaf Springs	TLC-77E	1	EFS Comfort - Constant 200 kg to GVM
Rear	Shock Absorbers	36-5520	2	Non gased - Soft Valving - 675mm extended.
Rear	Shock Absorbers	36-5548	2	EFS Elite - Firm Valving - 654mm extended.
Rear	Swing Shackles	GR359LH	1	LHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Rear	Swing Shackles	GR359RH	1	RHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Rear	Ubolts	C453-1	4	To be used with TLC-24, TLC25 and TLC-77E.

File created on 22.03.2007 Page 159 of 183

### LANDCRUISER - FZJ75, HZJ75 - Cab Chassis.

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5563	2	EFS Elite
Front	Shock Absorbers	GP2637	2	EFS Enforcer
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch + - EFS Extreme will be available in Nov 2006
Front	Steering Damper	SD4024	1	
Rear	Shock Absorbers	36-5521	2	EFS Elite - Soft Valving
Rear	Shock Absorbers	36-5548	2	EFS Elite - Firm Valving
Rear	Shock Absorbers	GP2081	2	EFS Enforcer - Soft Valving
Rear	Shock Absorbers	GP2492L	2	EFS Enforcer - Firm Valving

File created on 22.03.2007 Page 160 of 183

# LANDCRUISER - FZJ75, HZJ75 - Troop Carrier.

#### 50mm Lift

Front         Bush Kit         UK719         1           Front         Fixed Shackle Pin         GR331         2           Front         Leaf Springs         TLC-22         2         70 to 100 kg Load Bearing Accessories           Front         Leaf Springs         TLC-23         110 to 150 kg Load Bearing Accessories           Front         Leaf Springs         TLC-74E         2         EFS Comfort - Up to 65 kg Load Bearing Accessories           Front         Shock Absorbers         36-5566         2         EFS Elite           Front         Steering Damper         35-4024         1         EFS Extreme - Suitable for vehicles with large tytes - 35 inch +           Front         Steering Damper         35-4024         1         EFS Extreme - Suitable for vehicles with large tytes - 35 inch +           Front         Steering Damper         35-4024         1         EFS Extreme - Suitable for vehicles with large tytes - 35 inch +           Front         Steering Damper         35-4024         1         RFS Extreme - Suitable for vehicles with large tytes - 35 inch +           Front         Steering Damper         35-4024         1         LHS - Anti-inversion Shackle           Front         Swing Shackles         GR353         2         Leaf Springs         LC276         1         LHS	SUSPENSION	PART TYPE	PART	QTY	NOTES
Front         Leaf Springs         TLC-22         2         70 to 100 kg Load Bearing Accessories           Front         Leaf Springs         TLC-23         110 to 150 kg Load Bearing Accessories           Front         Leaf Springs         TLC-74E         2         EFS Comfort - Up to 65 kg Load Bearing Accessories           Front         Shock Absorbers         36-5666         2         EFS Elte           Front         Steering Damper         35-4024         1         EFS Extreme - Suitable for vehicles with large tyres - 35 inch +           Front         Steering Damper         SD4024         1         EFS Extreme - Suitable for vehicles with large tyres - 35 inch +           Front         Steering Damper         SD4024         1         EFS Extreme - Suitable for vehicles with large tyres - 35 inch +           Front         Steering Damper         SD4024         1         EFS Extreme - Suitable for vehicles with large tyres - 35 inch +           Front         Steering Damper         SD4024         1         EFS Extreme - Suitable for vehicles with large tyres - 35 inch +           Front         Steering Damper         SD4024         1         EFS Extreme - Suitable for vehicles with large tyres - 35 inch +           Front         Suing Shackles         GR333         2         EFS Elter Anti-inversion Shackle           Front	Front	Bush Kit	UK719	1	
Front         Leaf Springs         TLC-23         110 to 150 kg Load Bearing Accessories           Front         Leaf Springs         TLC-74E         2         EFS Comfort - Up to 65 kg Load Bearing Accessories           Front         Shock Absorbers         36-5666         2         EFS Elite           Front         Steering Damper         35-4024         1         EFS Extreme - Suitable for vehicles with large tyres - 35 inch +           Front         Steering Damper         SD4024         1         FFS Extreme - Suitable for vehicles with large tyres - 35 inch +           Front         Swing Shackles         GR353         2         FFONT           Front         Swing Shackles         GR353LH         1         RHS - Anti-inversion Shackle           Front         Ubolts         C436         4         LHS - Anti-inversion Shackle           Front         Ubolts         C436         4         LHS - Anti-inversion Shackle           Rear         Bush kit         UK720         1         LHS - Anti-inversion Shackle           Rear         Each Springs         TLC-26         1         COnstant 150 kg to GVM           Rear         Leaf Springs         TLC-26         1         Constant 150 kg to GVM           Rear         Leaf Springs         TLC-77E	Front	Fixed Shackle Pin	GR351	2	
Front         Leaf Springs         TLC-74E         2         EFS Comfort - Up to 65 kg Load Bearing Accessories           Front         Shock Absorbers         36-5566         2         EFS Ellie           Front         Steering Damper         35-4024         1         EFS Extreme - Suitable for vehicles with large tyres - 35 inch +           Front         Steering Damper         SD4024         1         EFS Extreme - Suitable for vehicles with large tyres - 35 inch +           Front         Swing Shackles         GR353         2         Front Suitable for vehicles with large tyres - 35 inch +           Front         Swing Shackles         GR353H         1         RHS - Anti-inversion Shackle           Front         Ubolts         C436         4         Front LHS - Anti-inversion Shackle           Front         Ubolts         C436         4         Front LHS - Anti-inversion Shackle           Front         Ubolts         C436         4         Front LHS - Anti-inversion Shackle           Front         Ubolts         C436         4         Front LHS - Anti-inversion Shackle           Front         Ubolts         C436         4         Front LHS - Anti-inversion Shackle           Front         Leaf Springs         TLC-25         1         Constant 150 kg to GVM	Front	Leaf Springs	TLC-22	2	70 to 100 kg Load Bearing Accessories
Front         Shock Absorbers         36-5566         2         EFS Elite           Front         Steering Damper         35-4024         1         EFS Extreme - Suitable for vehicles with large tyres - 35 inch +           Front         Steering Damper         SD4024         1           Front         Swing Shackles         GR353         2           Front         Swing Shackles         GR353LH         1         RHS - Anti-inversion Shackle           Front         Swing Shackles         GR353RH         1         LHS - Anti-inversion Shackle           Front         Ubolts         C436         4         LHS - Anti-inversion Shackle           Rear         Bush Kit         UK720         1         LHS - Anti-inversion Shackle           Rear         Fixed Shackle Pin         GR354         2         TUC-26         1         Constant 150 kg to GVM           Rear         Leaf Springs         TLC-26         1         Constant 450 kg to GVM         Constant 450 kg to GVM           Rear         Leaf Springs         TLC-27         1         Constant 450 kg to GVM         GR364         Leaf Springs         TLC-27         1         For use on Raised height suspension only         For use on Provision 150 kg to GVM         GRar         Polyair         72098	Front	Leaf Springs	TLC-23		110 to 150 kg Load Bearing Accessories
Front         Steering Damper         35-4024         1         EFS Extreme - Suitable for vehicles with large tyres - 35 inch +           Front         Steering Damper         SD4024         1           Front         Swing Shackles         GR353         2           Front         Swing Shackles         GR353LH         1         RHS - Anti-inversion Shackle           Front         Ubolts         GR353RH         1         LHS - Anti-inversion Shackle           Front         Ubolts         C436         4         4           Rear         Bush Kit         UK720         1         Current Shackle           Rear         Fixed Shackle Pin         GR354         2         Current Shackle           Rear         Leaf Springs         TLC-25         1         Constant 150 kg to GVM           Rear         Leaf Springs         TLC-26         1         Constant 350 kg to GVM           Rear         Leaf Springs         TLC-27         1         Constant 450 kg to GVM           Rear         Leaf Springs         TLC-77E         1         For use on Raised height suspension only           Rear         Polyair         72098         1         For use on Standard height suspension only           Rear         Shock Absorbers	Front	Leaf Springs	TLC-74E	2	EFS Comfort - Up to 65 kg Load Bearing Accessories
Front         Steering Damper         SD4024         1           Front         Swing Shackles         GR353         2           Front         Swing Shackles         GR353LH         1         RHS - Anti-inversion Shackle           Front         Swing Shackles         GR353RH         1         LHS - Anti-inversion Shackle           Front         Ubolts         C436         4           Front         Ubolts         C436         4           Rear         Bush Kit         UK720         1           Rear         Fixed Shackle Pin         GR354         2           Rear         Leaf Springs         TLC-25         1         Constant 150 kg to GVM           Rear         Leaf Springs         TLC-26         1         Constant 450 kg to GVM           Rear         Leaf Springs         TLC-27         1         Constant 450 kg to GVM           Rear         Leaf Springs         TLC-27         1         Constant 450 kg to GVM           Rear         Leaf Springs         TLC-27E         1         EFS Comfort - Constant 150 kg to GVM           Rear         Polyair         72098         1         For use on Riased height suspension only           Rear         Polyair         85320 <th< td=""><td>Front</td><td>Shock Absorbers</td><td>36-5566</td><td>2</td><td>EFS Elite</td></th<>	Front	Shock Absorbers	36-5566	2	EFS Elite
Front         Swing Shackles         GR353         2           Front         Swing Shackles         GR353LH         1         RHS - Anti-inversion Shackle           Front         Swing Shackles         GR353RH         1         LHS - Anti-inversion Shackle           Front         Ubolts         C436         4           Rear         Bush Kit         UK720         1           Rear         Fixed Shackle Pin         GR354         2           Rear         Leaf Springs         TLC-25         1         Constant 150 kg to GVM           Rear         Leaf Springs         TLC-26         1         Constant 350 kg to GVM           Rear         Leaf Springs         TLC-77         1         Constant 450 kg to GVM           Rear         Leaf Springs         TLC-77E         1         EFS Comfort - Constant 150 kg to GVM           Rear         Polyair         72098         1         For use on Raised height suspension only           Rear         Polyair         72898         1         For use on Standard height suspension only           Rear         Polyair         85320         1         Bellow type bag - For use with Standard and Raised Suspension.           Rear         Shock Absorbers         GP2081         2	Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front         Swing Shackles         GR353LH         1         RHS - Anti-inversion Shackle           Front         Swing Shackles         GR353RH         1         LHS - Anti-inversion Shackle           Front         Ubolts         C436         4           Rear         Bush Kit         UK720         1           Rear         Fixed Shackle Pin         GR354         2           Rear         Leaf Springs         TLC-25         1         Constant 150 kg to GVM           Rear         Leaf Springs         TLC-26         1         Constant 350 kg to GVM           Rear         Leaf Springs         TLC-27         1         Constant 450 kg to GVM           Rear         Leaf Springs         TLC-77E         1         EFS Comfort - Constant 150 kg to GVM           Rear         Polyair         72098         1         For use on Raised height suspension only           Rear         Polyair         72898         1         For use on Standard height suspension only           Rear         Polyair         85320         1         Bellow type bag - For use with Standard and Raised Suspension.           Rear         Shock Absorbers         36-5548         2         EFS Elite - Comfort           Rear         Shock Absorbers <t< td=""><td>Front</td><td>Steering Damper</td><td>SD4024</td><td>1</td><td></td></t<>	Front	Steering Damper	SD4024	1	
Front         Swing Shackles         GR353RH         1         LHS - Anti-inversion Shackle           Front         Ubolts         C436         4           Rear         Bush Kit         UK720         1           Rear         Fixed Shackle Pin         GR354         2           Rear         Leaf Springs         TLC-25         1         Constant 150 kg to GVM           Rear         Leaf Springs         TLC-26         1         Constant 450 kg to GVM           Rear         Leaf Springs         TLC-77         1         Constant 450 kg to GVM           Rear         Leaf Springs         TLC-77E         1         EFS Comfort - Constant 150 kg to GVM           Rear         Polyair         72098         1         For use on Raised height suspension only           Rear         Polyair         72898         1         For use on Standard height suspension only           Rear         Polyair         85320         1         Bellow type bag - For use with Standard and Raised Suspension.           Rear         Shock Absorbers         36-5521         2         EFS Elite - Comfort           Rear         Shock Absorbers         36-5548         2         EFS Elite - Firm           Rear         Shock Absorbers         GP2081 <td>Front</td> <td>Swing Shackles</td> <td>GR353</td> <td>2</td> <td></td>	Front	Swing Shackles	GR353	2	
Front         Ubolts         C436         4           Rear         Bush Kit         UK720         1           Rear         Fixed Shackle Pin         GR354         2           Rear         Leaf Springs         TLC-25         1         Constant 150 kg to GVM           Rear         Leaf Springs         TLC-26         1         Constant 350 kg to GVM           Rear         Leaf Springs         TLC-27         1         Constant 450 kg to GVM           Rear         Leaf Springs         TLC-77E         1         EFS Comfort - Constant 150 kg to GVM           Rear         Polyair         72098         1         For use on Raised height suspension only           Rear         Polyair         72898         1         For use on Standard height suspension only           Rear         Polyair         85320         1         Bellow type bag - For use with Standard and Raised Suspension.           Rear         Shock Absorbers         36-5548         2         EFS Elite - Comfort           Rear         Shock Absorbers         36-5548         2         EFS Elite - Firm           Rear         Shock Absorbers         GP2081         2         EFS Enforcer - Comfort           Rear         Shock Absorbers         GP2094HD	Front	Swing Shackles	GR353LH	1	RHS - Anti-inversion Shackle
Rear         Bush Kit         UK720         1           Rear         Fixed Shackle Pin         GR354         2           Rear         Leaf Springs         TLC-25         1         Constant 150 kg to GVM           Rear         Leaf Springs         TLC-26         1         Constant 350 kg to GVM           Rear         Leaf Springs         TLC-27         1         Constant 450 kg to GVM           Rear         Leaf Springs         TLC-77E         1         EFS Comfort - Constant 150 kg to GVM           Rear         Leaf Springs         TLC-77E         1         EFS Comfort - Constant 150 kg to GVM           Rear         Polyair         72098         1         For use on Raised height suspension only           Rear         Polyair         72898         1         For use on Standard height suspension only           Rear         Polyair         85320         1         Bellow type bag - For use with Standard and Raised Suspension.           Rear         Shock Absorbers         36-5521         2         EFS Elite - Comfort           Rear         Shock Absorbers         GP2081         2         EFS Elite - Firm           Rear         Shock Absorbers         GP2094HD         2         EFS Enforcer - Firm           Rear	Front	Swing Shackles	GR353RH	1	LHS - Anti-inversion Shackle
RearFixed Shackle PinGR3542RearLeaf SpringsTLC-251Constant 150 kg to GVMRearLeaf SpringsTLC-261Constant 350 kg to GVMRearLeaf SpringsTLC-271Constant 450 kg to GVMRearLeaf SpringsTLC-77E1EFS Comfort - Constant 150 kg to GVMRearPolyair720981For use on Raised height suspension onlyRearPolyair728981For use on Standard height suspension onlyRearPolyair853201Bellow type bag - For use with Standard and Raised Suspension.RearShock Absorbers36-55212EFS Elite - ComfortRearShock Absorbers36-55482EFS Elite - FirmRearShock AbsorbersGP20812EFS Enforcer - ComfortRearShock AbsorbersGP2094HD2EFS Enforcer - FirmRearSwing ShacklesGR3532RearSwing ShacklesGR353LH1LHS - Anti-inversion ShackleRearSwing ShacklesGR353RH1RHS - Anti-inversion ShackleRearUboltsC4164To be used with TLC26 and TLC-27.	Front	Ubolts	C436	4	
RearLeaf SpringsTLC-251Constant 150 kg to GVMRearLeaf SpringsTLC-261Constant 350 kg to GVMRearLeaf SpringsTLC-271Constant 450 kg to GVMRearLeaf SpringsTLC-77E1EFS Comfort - Constant 150 kg to GVMRearPolyair720981For use on Raised height suspension onlyRearPolyair728981For use on Standard height suspension onlyRearPolyair853201Bellow type bag - For use with Standard and Raised Suspension.RearShock Absorbers36-55212EFS Elite - ComfortRearShock Absorbers36-55482EFS Elite - FirmRearShock AbsorbersGP20812EFS Enforcer - ComfortRearShock AbsorbersGP2094HD2EFS Enforcer - FirmRearSwing ShacklesGR3532RearSwing ShacklesGR353HH1LHS - Anti-inversion ShackleRearSwing ShacklesGR353RH1RHS - Anti-inversion ShackleRearUboltsC4164To be used with TLC26 and TLC-27.	Rear	Bush Kit	UK720	1	
Rear Leaf Springs TLC-26 1 Constant 350 kg to GVM  Rear Leaf Springs TLC-27 1 Constant 450 kg to GVM  Rear Leaf Springs TLC-77E 1 EFS Comfort - Constant 150 kg to GVM  Rear Polyair 72098 1 For use on Raised height suspension only  Rear Polyair 72898 1 For use on Standard height suspension only  Rear Polyair 85320 1 Bellow type bag - For use with Standard and Raised Suspension.  Rear Shock Absorbers 36-5521 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5548 2 EFS Elite - Firm  Rear Shock Absorbers GP2081 2 EFS Enforcer - Comfort  Rear Shock Absorbers GP2081 2 EFS Enforcer - Firm  Rear Swing Shackles GR353 2  Rear Swing Shackles GR353H 1 LHS - Anti-inversion Shackle  Rear Swing Shackles GR353RH 1 RHS - Anti-inversion Shackle  Rear Ubolts C416 4 To be used with TLC26 and TLC-27.	Rear	Fixed Shackle Pin	GR354	2	
Rear Leaf Springs TLC-27 1 Constant 450 kg to GVM  Rear Leaf Springs TLC-77E 1 EFS Comfort - Constant 150 kg to GVM  Rear Polyair 72098 1 For use on Raised height suspension only  Rear Polyair 72898 1 For use on Standard height suspension only  Rear Polyair 85320 1 Bellow type bag - For use with Standard and Raised Suspension.  Rear Shock Absorbers 36-5521 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5548 2 EFS Elite - Firm  Rear Shock Absorbers GP2081 2 EFS Enforcer - Comfort  Rear Shock Absorbers GP2094HD 2 EFS Enforcer - Firm  Rear Swing Shackles GR353 1 LHS - Anti-inversion Shackle  Rear Swing Shackles GR353RH 1 RHS - Anti-inversion Shackle  Rear Ubolts C416 4 To be used with TLC26 and TLC-27.	Rear	Leaf Springs	TLC-25	1	Constant 150 kg to GVM
Rear Leaf Springs TLC-77E 1 EFS Comfort - Constant 150 kg to GVM  Rear Polyair 72098 1 For use on Raised height suspension only  Rear Polyair 72898 1 For use on Standard height suspension only  Rear Polyair 85320 1 Bellow type bag - For use with Standard and Raised Suspension.  Rear Shock Absorbers 36-5521 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5548 2 EFS Elite - Firm  Rear Shock Absorbers GP2081 2 EFS Enforcer - Comfort  Rear Shock Absorbers GP2094HD 2 EFS Enforcer - Firm  Rear Swing Shackles GR353 2  Rear Swing Shackles GR353H 1 LHS - Anti-inversion Shackle  Rear Ubolts C416 4 To be used with TLC26 and TLC-27.	Rear	Leaf Springs	TLC-26	1	Constant 350 kg to GVM
Rear Polyair 72098 1 For use on Raised height suspension only  Rear Polyair 72898 1 For use on Standard height suspension only  Rear Polyair 85320 1 Bellow type bag - For use with Standard and Raised Suspension.  Rear Shock Absorbers 36-5521 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5548 2 EFS Elite - Firm  Rear Shock Absorbers GP2081 2 EFS Enforcer - Comfort  Rear Shock Absorbers GP2094HD 2 EFS Enforcer - Firm  Rear Swing Shackles GR353 2  Rear Swing Shackles GR353H 1 LHS - Anti-inversion Shackle  Rear Swing Shackles GR353RH 1 RHS - Anti-inversion Shackle  Rear Ubolts C416 4 To be used with TLC26 and TLC-27.	Rear	Leaf Springs	TLC-27	1	Constant 450 kg to GVM
RearPolyair728981For use on Standard height suspension onlyRearPolyair853201Bellow type bag - For use with Standard and Raised Suspension.RearShock Absorbers36-55212EFS Elite - ComfortRearShock Absorbers36-55482EFS Elite - FirmRearShock AbsorbersGP20812EFS Enforcer - ComfortRearShock AbsorbersGP2094HD2EFS Enforcer - FirmRearSwing ShacklesGR3532RearSwing ShacklesGR353LH1LHS - Anti-inversion ShackleRearSwing ShacklesGR353RH1RHS - Anti-inversion ShackleRearUboltsC4164To be used with TLC26 and TLC-27.	Rear	Leaf Springs	TLC-77E	1	EFS Comfort - Constant 150 kg to GVM
Rear Polyair 85320 1 Bellow type bag - For use with Standard and Raised Suspension.  Rear Shock Absorbers 36-5521 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5548 2 EFS Elite - Firm  Rear Shock Absorbers GP2081 2 EFS Enforcer - Comfort  Rear Shock Absorbers GP2094HD 2 EFS Enforcer - Firm  Rear Swing Shackles GR353 2  Rear Swing Shackles GR353H 1 LHS - Anti-inversion Shackle  Rear Swing Shackles GR353RH 1 RHS - Anti-inversion Shackle  Rear Ubolts C416 4 To be used with TLC26 and TLC-27.	Rear	Polyair	72098	1	For use on Raised height suspension only
Rear Shock Absorbers 36-5521 2 EFS Elite - Comfort  Rear Shock Absorbers 36-5548 2 EFS Elite - Firm  Rear Shock Absorbers GP2081 2 EFS Enforcer - Comfort  Rear Shock Absorbers GP2094HD 2 EFS Enforcer - Firm  Rear Swing Shackles GR353 2  Rear Swing Shackles GR353H 1 LHS - Anti-inversion Shackle  Rear Swing Shackles GR353RH 1 RHS - Anti-inversion Shackle  Rear Ubolts C416 4 To be used with TLC26 and TLC-27.	Rear	Polyair	72898	1	For use on Standard height suspension only
Rear Shock Absorbers 36-5548 2 EFS Elite - Firm  Rear Shock Absorbers GP2081 2 EFS Enforcer - Comfort  Rear Shock Absorbers GP2094HD 2 EFS Enforcer - Firm  Rear Swing Shackles GR353 2  Rear Swing Shackles GR353LH 1 LHS - Anti-inversion Shackle  Rear Swing Shackles GR353RH 1 RHS - Anti-inversion Shackle  Rear Ubolts C416 4 To be used with TLC26 and TLC-27.	Rear	Polyair	85320	1	Bellow type bag - For use with Standard and Raised Suspension.
Rear Shock Absorbers GP2081 2 EFS Enforcer - Comfort  Rear Shock Absorbers GP2094HD 2 EFS Enforcer - Firm  Rear Swing Shackles GR353 2  Rear Swing Shackles GR353LH 1 LHS - Anti-inversion Shackle  Rear Swing Shackles GR353RH 1 RHS - Anti-inversion Shackle  Rear Ubolts C416 4 To be used with TLC26 and TLC-27.	Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
RearShock AbsorbersGP2094HD2EFS Enforcer - FirmRearSwing ShacklesGR3532RearSwing ShacklesGR353LH1LHS - Anti-inversion ShackleRearSwing ShacklesGR353RH1RHS - Anti-inversion ShackleRearUboltsC4164To be used with TLC26 and TLC-27.	Rear	Shock Absorbers	36-5548	2	EFS Elite - Firm
RearSwing ShacklesGR3532RearSwing ShacklesGR353LH1LHS - Anti-inversion ShackleRearSwing ShacklesGR353RH1RHS - Anti-inversion ShackleRearUboltsC4164To be used with TLC26 and TLC-27.	Rear	Shock Absorbers	GP2081	2	EFS Enforcer - Comfort
RearSwing ShacklesGR353LH1LHS - Anti-inversion ShackleRearSwing ShacklesGR353RH1RHS - Anti-inversion ShackleRearUboltsC4164To be used with TLC26 and TLC-27.	Rear	Shock Absorbers	GP2094HD	2	EFS Enforcer - Firm
Rear Swing Shackles GR353RH 1 RHS - Anti-inversion Shackle Rear Ubolts C416 4 To be used with TLC26 and TLC-27.	Rear	Swing Shackles	GR353	2	
Rear Ubolts C416 4 To be used with TLC26 and TLC-27.	Rear	Swing Shackles	GR353LH	1	LHS - Anti-inversion Shackle
	Rear	Swing Shackles	GR353RH	1	RHS - Anti-inversion Shackle
Rear Ubolts C453-1 4 To be used with TLC25 and TLC-77E.	Rear	Ubolts	C416	4	To be used with TLC26 and TLC-27.
	Rear	Ubolts	C453-1	4	To be used with TLC25 and TLC-77E.

File created on 22.03.2007 Page 161 of 183

### LANDCRUISER - FZJ75, HZJ75 - Troop Carrier.

#### 80mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Bush Kit	UK719	1	
Front	Fixed Shackle Pin	GR351	2	
Front	Leaf Springs	TLC-22	2	Up to 60 kg Load Bearing Accessories - Use GR359RH and GR359LH extended shackles.
Front	Leaf Springs	TLC-23		65 to 90 kg Load Bearing Accessories - Use GR359RH and GR359LH extended shackles.
Front	Leaf Springs	TLC-74E	2	EFS Comfort - Up to 60 kg Load Bearing Accessories - Use GR359RH and GR359LH extended shackles.
Front	Shock Absorbers	36-5566	2	EFS Elite
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front	Steering Damper	SD4024	1	
Front	Swing Shackles	GR359LH	1	RHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Front	Swing Shackles	GR359RH	1	LHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Front	Ubolts	C436	4	
Rear	Bush Kit	UK720	1	
Rear	Fixed Shackle Pin	GR354	2	
Rear	Leaf Springs	TLC-25	1	Constant 250 kg to GVM
Rear	Leaf Springs	TLC-77E	1	EFS Comfort - Constant 150 kg to GVM
Rear	Shock Absorbers	36-5520	2	Non gased - Comfort - 675mm extended.
Rear	Shock Absorbers	36-5548	2	EFS Elite - Firm - 654mm extended.
Rear	Swing Shackles	GR359LH	1	LHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Rear	Swing Shackles	GR359RH	1	RHS - Extended Anti-inversion Shackle - 45mm longer the OEM shackle - These units must have engineers approval to be used on road.
Rear	Ubolts	C453-1	4	To be used with TLC25 and TLC-77E.

File created on 22.03.2007 Page 162 of 183

### LANDCRUISER - FZJ75, HZJ75 - Troop Carrier.

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5563	2	EFS Elite - Firm
Front	Shock Absorbers	36-5563S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2637	2	EFS Enforcer
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front	Steering Damper	SD4024	1	
Rear	Shock Absorbers	36-5521	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5548	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2081	2	EFS Enforcer - Comfort
Rear	Shock Absorbers	GP2094HD	2	EFS Enforcer - Firm

File created on 22.03.2007 Page 163 of 183

#### 100mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1052	1	
Front	Brake Hoses	10-1036	1	Extended flexible brake hose.
Front	Coil Spacer	10-1023	1	10mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1024	1	20mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1025	1	30mm - for trimming or raising vehicle height.
Front	Coil Springs	TLC-102HL4E	1 PR	50 to 90 kg of Load Bearing Accessories, 300 lbs/inch
Front	Radius Arm Bushes	10-1041	1	Radius Arm to chassis mount
Front	Shock Absorbers	39-7003	2	EFS Extreme
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front	Steering Damper	SD4024	1	
Rear	Adjustable Panard Rod	10-1053	1	
Rear	Brake Hoses	10-1037	1	Extended flexible brake hose.
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-113HD5E	1 PR	Constant 400/450 kg to GVM. 360 lbs / inch.
Rear	Coil Springs	TLC-113HL4E	1 PR	Constant 150 kg to GVM, 280 lbs/inch
Rear	Coil Springs	TLC-113HL5E	1 PR	Constant 250 kg to GVM, 280 lbs/inch
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Shock Absorbers	39-7004	2	EFS Extreme
Rear	Upper Trailing Arm Bushes	10-1043	2	

File created on 22.03.2007 Page 164 of 183

#### 125mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1052	1	
Front	Brake Hoses	10-1036	1	Extended flexible brake hose.
Front	Coil Spacer	10-1023	1	10mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1024	1	20mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1025	1	30mm - for trimming or raising vehicle height.
Front	Coil Springs	TLC-102HL5E	1 PR	50 to 90 kg of Load Bearing Accessories, 300 lbs/inch
Front	Radius Arm Bushes	10-1041	1	Radius Arm to chassis mount
Front	Shock Absorbers	39-7005	2	EFS Extreme
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Rear	Adjustable Panard Rod	10-1053	1	
Rear	Brake Hoses	10-1037	1	Extended flexible brake hose.
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-113HD5E	1 PR	Constant 300 kg to GVM, 360 lbs/inch
Rear	Coil Springs	TLC-113HL5E	1 PR	Constant 150 kg to GVM, 280 lbs/inch
Rear	Coil Springs	TLC-HL6E410X	1 PR	Constant 500 kg to GVM. 410 lbs / inch. Use 39-7004 with this coil.
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Shock Absorbers	39-7006	2	EFS Extreme
Rear	Upper Trailing Arm Bushes	10-1043	2	

File created on 22.03.2007 Page 165 of 183

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1004	1	2 degree offset castor bush kit
Front	Coil Spacer	10-1023	1	10mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1024	1	20mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1025	1	30mm - for trimming or raising vehicle height.
Front	Coil Springs	TLC-102E	1 PR	Up to 60 kg of Load Bearing Accessories, 240 lbs/inch
Front	Coil Springs	TLC-102HDE	1 PR	65 to 90 kg of Load Bearing Accessories, 230 lbs/inch
Front	Coil Springs	TLC-102HHDE	1 PR	95 - 130 kg Load Bearing accessories. 300 lbs/inch
Front	Radius Arm Bushes	10-1041	1	Radius Arm to chassis mount
Front	Shock Absorbers	36-5543	2	EFS Elite - Firm
Front	Shock Absorbers	36-5543S	2	EFS Elite - Comfort
Front	Steering Damper	SD4024	1	
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-110CE	1 PR	Progressive rate - Constant 200 kg to GVM, 230 to 290 lbs/inch
Rear	Coil Springs	TLC-113E	1 PR	Constant 100 kg to GVM, 200 lbs/inch
Rear	Coil Springs	TLC-113HDE	1 PR	Constant 350 kg to GVM, 305 lbs/inch
Rear	Coil Springs	TLC-113HL3E	1 PR	Constant 300 kg to GVM. 280 lbs/inch
Rear	Coil Springs	TLC-113PR3E	1 PR	Constant 350/450 kg to GVM. 270-450 lbs/inch.
Rear	Coil Springs	TLC-116CE	1 PR	Progressive rate - Constant 150 kg to GVM, 190 to 240 lbs/inch
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Polyair	15095	1	Use with TLC-113E only
Rear	Polyair	15895	1	Use with Standard height suspension only
Rear	Polyair	95996	1	Use with TLC-113HDE only
Rear	Shock Absorbers	36-5541	2	EFS Elite - Firm
Rear	Shock Absorbers	36-5550S	2	EFS Elite - Comfort
Rear	Upper Trailing Arm Bushes	10-1043	2	

File created on 22.03.2007 Page 166 of 183

#### 75mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1040	1	3.5 degree offset castor bush kit
Front	Coil Spacer	10-1023	1	10mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1024	1	20mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1025	1	30mm - for trimming or raising vehicle height.
Front	Coil Springs	TLC-102HL3CE	1 PR	Up to 70 kg Load Bearing accessories. 260 lbs/inch
Front	Coil Springs	TLC-102HL3E	1 PR	75 to 110 kg of Load Bearing Accessories. 300 lbs / inch
Front	Radius Arm Bushes	10-1041	1	Radius Arm to chassis mount
Front	Shock Absorbers	36-5544	2	EFS Elite
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch + - EFS Extreme will be available in Nov 2006
Front	Steering Damper	SD4024	1	
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-113HL3E	1 PR	Constant 100 kg to GVM
Rear	Coil Springs	TLC-113HL4E	1 PR	Constant 300 kg to GVM. 280 lbs / inch. Use 39-7004 shock.
Rear	Coil Springs	TLC-113PR3E	1 PR	Constant 150-300 kg. progressive rate. 270/450 lbs / inch
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Shock Absorbers	36-5545	2	EFS Elite
Rear	Upper Trailing Arm Bushes	10-1043	2	

File created on 22.03.2007 Page 167 of 183

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Spacer	10-1023	2	10mm Spacer - for trimming or raising vehicle height
Front	Coil Spacer	10-1024	2	20mm Spacer - for trimming or raising vehicle height
Front	Coil Spacer	10-1025	2	30mm Spacer - for trimming or raising vehicle height
Front	Coil Springs	TLC-106E	1 PR	55-100 kg Load bearing accessories Petrol Models / Up to 60 kg on Diesel Models. 240 lbs / inch
Front	Coil Springs	TLC-106HDE	1 PR	110-150 kg Load bearing accessories Petrol Models / 60-100 kg Load bearing accessories Diesel Models. 300 lbs / inch
Front	Coil Springs	TLC-108E	1 PR	Up to 50 kg Load bearing accessories Petrol Models - 225 lbs / inch
Front	Shock Absorbers	36-5543	2	EFS Elite - Firm
Front	Shock Absorbers	36-5543S	2	EFS Elite - Comfort
Front	Steering Damper	SD4024	1	
Rear	Coil Spacer	10-1026	2	10mm Spacer - for trimming or raising vehicle height
Rear	Coil Spacer	10-1027	2	15mm Spacer - for trimming or raising vehicle height
Rear	Coil Spacer	10-1028	2	30mm Spacer - for trimming or raising vehicle height
Rear	Coil Springs	TLC-113E	1 PR	Constant 250 kg to GVM. 200 lbs/inch
Rear	Coil Springs	TLC-116E	1 PR	Constant 150 kg to GVM. 200 lbs / inch
Rear	Coil Springs	TLC-116HDE	1 PR	Constant 400 kg to GVM. 305 lbs/inch
Rear	Coil Springs	TLC-117CE	1 PR	Constant 150-200 kg to GVM. Progressive rate 190-240 lbs/inch
Rear	Coil Springs	TLC-117E	1 PR	Constant 80 kg to GVM. 200 lbs / inch
Rear	Shock Absorbers	36-5541	2	EFS Elite - Firm
Rear	Shock Absorbers	36-5550S	2	EFS Elite - Comfort

File created on 22.03.2007 Page 168 of 183

# LANDCRUISER - HZJ78 - Troop Carrier. 10/1999 to 2006.

50mm	I	ift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1004	1	2 degree offset castor bush kit
Front	Coil Spacer	10-1029	2	10mm Spacer - for trimming or raising vehicle height
Front	Coil Springs	TLC-103CE	1 PR	Up to 60 kg Load bearing accessories - 250 lbs/inch
Front	Coil Springs	TLC-103E	1 PR	60 kg to 100kg of Load Bearing Accessories, 300 lbs/inch
Front	Coil Springs	TLC-103HDE	1 PR	100 to 130 kg of Load Bearing Accessories, 330 lbs/inch
Front	Radius Arm Bushes	10-1041	1	Radius Arm to chassis mount
Front	Shock Absorbers	36-5546	2	EFS Elite - Comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4024	1	
Rear	Bush Kit	UK742	1	OEM replacement bush kit
Rear	Bush Kit	UK743	1	To be used with GR356 and GR358 Greasable shackles and pins, Sleeve to be removed.
Rear	Fixed Shackle Pin	GR356	2	Use UK743 bush kit - Remove sleeve before installing Shackle Pin.
Rear	Leaf Springs	TLC-20-10	2	Constant 200 kg to GVM
Rear	Leaf Springs	TLC-79G	2	Constant 500 kg to GVM.
Rear	Polyair	72898	1	For use on Standard height suspension only
Rear	Polyair	85320	1	Bellow type bag - For use with Standard and Raised Suspension.
Rear	Shock Absorbers	36-5548	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5548S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2094HD	2	EFS Enforcer
Rear	Swing Shackles	GR358	2	Use UK743 bush kit - Remove sleeve before installing Swing Shackles.
Rear	Ubolts	C416	4	
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5546	2	EFS Elite - Comfort
Front	Shock Absorbers	36-5546S	2	EFS Elite - Firm
Front	Steering Damper	SD4024	1	
Rear	Shock Absorbers	36-5548	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5548S	2	EFS Elite - Firm
Rear	Shock Absorbers	GP2094HD	2	EFS Enforcer

File created on 22.03.2007 Page 169 of 183

#### LANDCRUISER - HZJ79 - Cab Chassis. 10/1999 to 2006.

<b>50mm</b>	Lif
CITIC	

t.
s/inch
/inch
GR356 and GR358 I.
ng Shackle Pin.
spring - Available as . Increases GVM to ner details.
Suspension.
ng Swing Shackles.

File created on 22.03.2007 Page 170 of 183

#### LANDCRUISER - HZJ79 - Cab Chassis. 10/1999 to 2006.

#### LANDCRUISER - HZJ80, FZJ80.

#### 100mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1052	1	
Front	Brake Hoses	10-1036	1	Extended flexible brake hose.
Front	Coil Spacer	10-1023	1	10mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1024	1	20mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1025	1	30mm - for trimming or raising vehicle height.
Front	Coil Springs	TLC-102HL4E	1 PR	50 to 90 kg of Load Bearing Accessories, 300 lbs/inch
Front	Radius Arm Bushes	10-1041	1	Radius Arm to chassis mount
Front	Shock Absorbers	39-7003	2	EFS Extreme
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Rear	Adjustable Panard Rod	10-1053	1	
Rear	Brake Hoses	10-1037	1	Extended flexible brake hose.
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-113HD5E	1 PR	Constant 400-450 kg to GVM - 360 lbs/inch
Rear	Coil Springs	TLC-113HL4E	1 PR	Constant 150 kg to GVM, 280 lbs/inch
Rear	Coil Springs	TLC-113HL5E	1 PR	Constant 250 kg to GVM, 280 lbs/inch
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Shock Absorbers	39-7004	2	EFS Extreme
Rear	Upper Trailing Arm Bushes	10-1043	2	

File created on 22.03.2007 Page 171 of 183

#### 125mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Adjustable Panard Rod	10-1052	1	
Front	Brake Hoses	10-1036	1	Extended flexible brake hose.
Front	Coil Spacer	10-1023	1	10mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1024	1	20mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1025	1	30mm - for trimming or raising vehicle height.
Front	Coil Springs	TLC-102HL5E	1 PR	50 to 90 kg of Load Bearing Accessories, 300 lbs/inch
Front	Radius Arm Bushes	10-1041	1	Radius Arm to chassis mount
Front	Shock Absorbers	39-7005	2	EFS Extreme
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Rear	Adjustable Panard Rod	10-1053	1	
Rear	Brake Hoses	10-1037	1	Extended flexible brake hose.
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-113HD5E	1 PR	Constant 300 kg to GVM - 360 lbs/inch. Must use 39-7004 shock.
Rear	Coil Springs	TLC-113HL5E	1 PR	Constant 150 kg to GVM, 280 lbs/inch
Rear	Coil Springs	TLC-113HL6E410X	1 PR	Constant 500 kg to GVM - 410 lbs / inch. Must use 39-7004 shock.
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Shock Absorbers	39-7006	2	EFS Extreme
Rear	Upper Trailing Arm Bushes	10-1043	2	

File created on 22.03.2007 Page 172 of 183

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1004	1	2.5 degree offset castor bush kit
Front	Coil Spacer	10-1023	1	10mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1024	1	20mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1025	1	30mm - for trimming or raising vehicle height.
Front	Coil Springs	TLC-102E	1 PR	Up to 60 kg of Load Bearing Accessories, 240 lbs/inch
Front	Coil Springs	TLC-102HDE	1 PR	65 to 90 kg of Load Bearing Accessories, 230 lbs/inch
Front	Coil Springs	TLC-102HHDE	1 PR	100 to 140kg load bearing accessories. 300 lbs / inch
Front	Radius Arm Bushes	10-1041	1	Radius Arm to chassis mount
Front	Shock Absorbers	36-5543	2	EFS Elite - Firm
Front	Shock Absorbers	36-5543S	2	EFS Elite - Comfort
Front	Steering Damper	SD4024	1	
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-110CE	1 PR	Progressive rate - Constant 200 kg to GVM, 230 to 290 lbs/inch
Rear	Coil Springs	TLC-113E	1 PR	Constant 100 kg to GVM, 200 lbs/inch
Rear	Coil Springs	TLC-113HDE	1 PR	Constant 350 kg to GVM, 305 lbs/inch
Rear	Coil Springs	TLC-113HL3E	1 PR	Constant 300 kg to GVM. 280 lbs/inch. Use 36-5545 shock.
Rear	Coil Springs	TLC-113PR3E	1 PR	Constant 350/450 kg to GVM. Progressive rate 270-450 lbs / inch. Use 36-5545 shock.
Rear	Coil Springs	TLC-116CE	1 PR	Progressive rate - Constant 150 kg to GVM, 190 to 240 lbs/inch
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Polyair	15095	1	Use with TLC-113E only
Rear	Polyair	15895	1	Use with Standard height suspension only
Rear	Polyair	95996	1	Use with TLC-113HDE only
Rear	Shock Absorbers	36-5541	2	EFS Elite - Firm
Rear	Shock Absorbers	36-5545	2	Use only with TLC-113HL3E and TLC-113PR3E coils.
Rear	Shock Absorbers	36-5550S	2	EFS Elite - Comfort
Rear	Upper Trailing Arm Bushes	10-1043	2	

File created on 22.03.2007 Page 173 of 183

#### 75mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Castor Bush Kit	10-1040	1	3.5 degree offset castor bush kit
Front	Coil Spacer	10-1023	1	10mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1024	1	20mm - for trimming or raising vehicle height.
Front	Coil Spacer	10-1025	1	30mm - for trimming or raising vehicle height.
Front	Coil Springs	TLC-102HL3CE	1 PR	Up to 70 kg Load bearing accessories. 260 lbs / inch. Can use 39-7003 Extreme shock.
Front	Coil Springs	TLC-102HL3E	1 PR	75 to 110 kg of Load Bearing Accessories. 300 lbs / inch
Front	Radius Arm Bushes	10-1041	1	Radius Arm to chassis mount
Front	Shock Absorbers	36-5544	2	EFS Elite
Front	Shock Absorbers	39-7003	2	EFS Extreme - use only with TLC-102HL3CE coils.
Front	Steering Damper	35-4024	1	EFS Extreme - Suitable for vehicles with large tyres - 35 inch +
Front	Steering Damper	SD4024	1	
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-113HL3E	1 PR	Constant 100 kg to GVM. 280 lbs / inch
Rear	Coil Springs	TLC-113HL4E	1 PR	Constant 300 kg to GVM. 280 lbs / inch. Use 39-7004 Extreme shock.
Rear	Coil Springs	TLC-113PR3E	1 PR	Constant 150 to 300 kg to GVM. Progressive rate 270 to 450 lbs / inch.
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Shock Absorbers	36-5545	2	EFS Elite
Rear	Upper Trailing Arm Bushes	10-1043	2	

File created on 22.03.2007 Page 174 of 183

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Spacer	10-1023	2	10mm Spacer - For trimming or raising vehicle height.
Front	Coil Spacer	10-1024	2	20mm Spacer - for trimming or raising vehicle height
Front	Coil Spacer	10-1025	2	30mm Spacer - for trimming or raising vehicle height
Front	Coil Springs	TLC-106E	1 PR	Constant 55 kg to 100 kg Load bearing accessories on Petrol Model / Up to 60 kg Load bearing accessories on Diesel Models - 240 lbs / inch.
Front	Coil Springs	TLC-106HDE	1 PR	Constant 110 kg to 150 kg Load bearing accessories on Petrol Models / 60kg to 100kg Load bearing accessories on Diesel Models - 300 lbs / inch.
Front	Coil Springs	TLC-108E	1 PR	Up to 50 kg Load bearing accessories on Petrol Models - 225 lbs / inch
Front	Shock Absorbers	36-5543	2	EFS Elite - Firm
Front	Shock Absorbers	36-5543S	2	EFS Elite - Comfort
Front	Steering Damper	SD4024	1	
Rear	Coil Spacer	10-1026	2	10mm Spacer - for trimming or raising vehicle height
Rear	Coil Spacer	10-1027	2	15mm Spacer - for trimming or raising vehicle height
Rear	Coil Spacer	10-1028	2	30mm Spacer - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-113E	1 PR	Constant 250 kg to GVM. 200 lbs / inch
Rear	Coil Springs	TLC-116E	1 PR	Constant 150 kg to GVM. 200 lbs/inch
Rear	Coil Springs	TLC-116HDE	1 PR	Constant 400 kg to GVM. 305 lbs/inch
Rear	Coil Springs	TLC-117CE	1 PR	Constant 150/200kg to GVM. Progressive rate 190-240 lbs / inch
Rear	Coil Springs	TLC-117E	1 PR	Constant 80 kg to GVM. 200 lbs / inch.
Rear	Shock Absorbers	36-5541	1 PR	EFS Elite - Firm
Rear	Shock Absorbers	36-5550S	2	EFS Elite - Comfort

File created on 22.03.2007 Page 175 of 183

### LANDCRUISER - IFS - HZJ100, HDJ100 Diesel, T/Diesel, 6 Cyl Petrol Models.

#### 25mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1054	1	Must be installed with TB-1610 torsion bars.
Front	Shock Absorbers	36-5552S	2	EFS Elite
Front	Torsion Bar	TB-1610	1 PR	32mm OD - 1210mm long.
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-116E	1 PR	Constant 150 kg to GVM, 200 lbs/inch
Rear	Coil Springs	TLC-117CE	1 PR	Progressive rate - Constant 150 kg to GVM, 190 to 240 lbs/inch
Rear	Coil Springs	TLC-117E	1 PR	Constant 50 kg to GVM, 200 lbs/inch. 36-5550 must be used.
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Polyair	15095	1	Use with TLC-116E only
Rear	Polyair	15895	1	Use with Standard height suspension only
Rear	Polyair	15995	1	Use with TLC-117E only
Rear	Shock Absorbers	36-5550	2	EFS Elite
Rear	Upper Trailing Arm Bushes	10-1043	2	

#### 40mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1054	1	Must be installed with TB-1610 torsion bars.
Front	Shock Absorbers	36-5552S	2	EFS Elite
Front	Torsion Bar	TB-1610	1 PR	32mm OD - 1210mm long.
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-116E	1 PR	Constant 50 kg to GVM, 200 lbs/inch
Rear	Coil Springs	TLC-116HDE	1 PR	Constant 250 kg to GVM, 305 lbs/inch
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Polyair	15095	1	Use with TLC-116E only
Rear	Shock Absorbers	36-5550S	2	EFS Elite
Rear	Upper Trailing Arm Bushes	10-1043	2	

File created on 22.03.2007 Page 176 of 183

### LANDCRUISER - IFS - HZJ100, HDJ100 Diesel, T/Diesel, 6 Cyl Petrol Models.

#### 50mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1054	1	Must be installed with TB-1610 torsion bars.
Front	Shock Absorbers	36-5552S	2	EFS Elite
Front	Torsion Bar	TB-1610	1 PR	32mm OD - 1210mm long.
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-116HDE	1 PR	Constant 150 kg to GVM, 305 lbs/inch - Do not use with out Constant load.
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Polyair	15095	1	Use with TLC-116E only
Rear	Shock Absorbers	36-5550S	2	EFS Elite
Rear	Upper Trailing Arm Bushes	10-1043	2	
d - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5552S	2	EFS Elite
Rear	Shock Absorbers	36-5550	2	EFS Elite

File created on 22.03.2007 Page 177 of 183

### LANDCRUISER - IFS - HZJ100, HDJ100 Lexus and V8 Petrol Models

25mn	n Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1054	1	Must be installed with TB-1600 torsion bars.
Front	Shock Absorbers	36-5552S	2	EFS Elite
Front	Torsion Bar	TB-1600	1 PR	32mm OD - 1160mm long.
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-116E	1 PR	Constant 150 kg to GVM, 200 lbs/inch
Rear	Coil Springs	TLC-117E	1 PR	Constant 50 kg to GVM, 200 lbs/inch
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Polyair	15095	1	Use with TLC-116E only
Rear	Polyair	15895	1	Use with Standard height suspension only
Rear	Polyair	15995	1	Use with TLC-117E only
Rear	Shock Absorbers	36-5550	2	EFS Elite
Rear	Upper Trailing Arm Bushes	10-1043	2	
mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1054	1	Must be installed with TR-1600 torsion bars

#### **40**n

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1054	1	Must be installed with TB-1600 torsion bars.
Front	Shock Absorbers	36-5552S	2	EFS Elite
Front	Torsion Bar	TB-1600	1 PR	32mm OD - 1160mm long.
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-116E	1 PR	Constant 50 kg to GVM, 200 lbs/inch
Rear	Coil Springs	TLC-116HDE	1 PR	Constant 250 kg to GVM, 305 lbs/inch
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Polyair	15095	1	Use with TLC-116E only
Rear	Shock Absorbers	36-5550S	2	EFS Elite
Rear	Upper Trailing Arm Bushes	10-1043	2	

File created on 22.03.2007 Page 178 of 183

50mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Re-inforcement Bracket	10-1054	1	Must be installed with TB-1600 torsion bars.
Front	Shock Absorbers	36-5552S	2	EFS Elite
Front	Torsion Bar	TB-1600	1 PR	32mm OD - 1160mm long.
Rear	Coil Spacer	10-1026	1	10mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1027	1	15mm - for trimming or raising vehicle height.
Rear	Coil Spacer	10-1028	1	30mm - for trimming or raising vehicle height.
Rear	Coil Springs	TLC-116HDE	1 PR	Constant 150 kg to GVM, 305 lbs/inch - Do not use with out Constant load
Rear	Lower Trailing Arm Bushes	10-1042	2	
Rear	Polyair	15095	1	Use with TLC-116E only
Rear	Shock Absorbers	36-5550S	2	EFS Elite
Rear	Upper Trailing Arm Bushes	10-1043	2	
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5552S	2	EFS Elite
Rear	Shock Absorbers	36-5550	2	EFS Elite
ANDCRUISER -	PRADO RZJ120, VZ	J120, KZJ120, K	DJ120 - Post	2003.
40mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	TPR-104E	1 PR	Up to 35 kg of Load Bearing Accessories
Front	Coil Springs	TPR-104HDE	1 PR	35 to 55 kg of Load Bearing Accessories.
Front	Shock Absorbers	38-5637	2	Under development - not currently available.
Rear	Coil Springs	TPR-105E	1 PR	Constant 100 kg to GVM
Rear	Coil Springs	TPR-105HDE	1 PR	Constant 200 kg to GVM
Rear	Polyair	61792	1	Use with Standard height suspension only
Rear	Shock Absorbers	36-5586	2	Under development - not currently available.
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	38-5637	2	Under development - not currently available.
Rear	Shock Absorbers	36-5586	2	Under development - not currently available.

File created on 22.03.2007 Page 179 of 183

### LANDCRUISER - PRADO RZJ121, VZJ121, KZJ121, KDJ121 - Post 2003.

40mm Lift					
SUSPENSIO	ON PART TYPE	PART	QTY	NOTES	
Front	Coil Springs	TPR-104E	1 PR	Up to 45 kg of Load Bearing Accessories	
Front	Coil Springs	TPR-104HDE	1 PR	45 to 80 kg of Load Bearing Accessories.	
Rear	Coil Springs	TPR-105E	1 PR	Constant 100 kg to GVM	
Rear	Coil Springs	TPR-105HDE	1 PR	Constant 250 kg to GVM	
Rear	Polyair	61792	1	For standard height suspension only.	
Rear	Shock Absorbers	36-5586	2		
Std - 30mm Li	ft				
SUSPENSIO	ON PART TYPE	PART	QTY	NOTES	
Front	Shock Absorbers	38-5637	2	Under development - not currently available.	
Rear	Shock Absorbers	36-5586	2	Under development - not currently available.	

#### LANDCRUISER - PRADO RZJ125, VZJ125, KZJ125, KDJ125 - Post 2003.

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	TPR-104E	1 PR	Up to 45 kg of Load Bearing Accessories
Front	Coil Springs	TPR-104HDE	1 PR	45 to 80 kg of Load Bearing Accessories.
Rear	Coil Springs	TPR-105E	1 PR	Constant 100 kg to GVM
Rear	Coil Springs	TPR-105HDE	1 PR	Constant 250 kg to GVM
Rear	Polyair	61792	1	Use with Standard height suspension only
Rear	Shock Absorbers	36-5586	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5586S	2	EFS Elite - Firm

••• ••••••					
SUSPENSION	PART TYPE	PART	QTY	NOTES	
Rear	Shock Absorbers	36-5586	2	EFS Elite - Comfort	
Rear	Shock Absorbers	36-5586S	2	EFS Elite - Firm	

File created on 22.03.2007 Page 180 of 183

Rear

Shock Absorbers

36-5585S

#### LANDCRUISER - PRADO RZJ90, VZJ90, KZJ90, KDJ90 SWB - 1996 to 2003.

LANDCRUISER -	· PRADO RZJ90, VZJ	90, KZJ90, KDJ90 S	SWB - 1996 to	2003.
40mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	TPR-101E	1 PR	Up to 55 kg of Load Bearing Accessories, 595 lbs/inch
Front	Coil Springs	TPR-101HDE	1 PR	60 to 85 kg of Load Bearing Accessories, 595 lbs/inch
Rear	Coil Springs	TPR-103E	1 PR	Constant 100 kg to GVM, 210 to 300 lbs/inch
Rear	Coil Springs	TPR-103HDE	1 PR	Constant 200 kg to GVM, 250 to 380 lbs/inch
Rear	Polyair	61792	1	Use with Standard height suspension only
Rear	Shock Absorbers	36-5585	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5585S	2	EFS Elite - Firm
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Rear	Shock Absorbers	36-5585	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5585S	2	EFS Elite - Firm
LANDCRUISER -	PRADO RZJ95, VZJ	95, KZJ95, KDJ95 I	WB - 1996 to	0 2003.
40mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	TPR-101E	1 PR	Up to 45 kg of Load Bearing Accessories, 595 lbs/inch
Front	Coil Springs	TPR-101HDE	1 PR	45 to 75 kg of Load Bearing Accessories, 595 lbs/inch
Rear	Coil Springs	TPR-103E	1 PR	Constant 100 kg to GVM, 210 to 300 lbs/inch
Rear	Coil Springs	TPR-103HDE	1 PR	Constant 250 kg to GVM, 250 to 380 lbs/inch
Rear	Polyair	61792	1	Use with Standard height suspension only
Rear	Shock Absorbers	36-5585	2	EFS Elite - Comfort
Rear	Shock Absorbers	36-5585S	2	EFS Elite - Firm
Std - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Rear	Shock Absorbers	36-5585	2	EFS Elite - Comfort

File created on 22.03.2007 Page 181 of 183

2

EFS Elite - Firm

- 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	30-5619	1	RHS - OEM length only
Front	Shock Absorbers	30-5620	1	LHS - OEM length only
Rear	Shock Absorbers	30-5483	2	
V4 20 Series: Y	H20V 3 door & HI	H20V 5 door, 2.0LT	4wd Wagon 0	7/2003 on
td - 30mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	30-5619	1	RHS - OEM length only
Front	Shock Absorbers	30-5620	1	LHS - OEM length only
Rear	Shock Absorbers	30-5483	2	
RF - Coil Sprin	g Front and Rear -	185 Chassis - 4/1996	on.	
0mm Lift				
SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Coil Springs	TPR-101E	1 PR	Up to 55 kg of Load Bearing Accessories, 595 lbs/inch
Front	Coil Springs	TPR-101HDE	1 PR	55 to 85 kg of Load Bearing Accessories, 595 lbs/inch
	Coil Springs	TPR-103E	1 PR	Constant 100 kg to GVM, 210 to 300 lbs/inch
Rear	1 3 -			
Rear Rear	Coil Springs	TPR-103HDE	1 PR	Constant 250 kg to GVM, 250 to 380 lbs/inch
	· •	TPR-103HDE 61994	1 PR	Constant 250 kg to GVM, 250 to 380 lbs/inch  Can be used on standard and raised height suspensions.
Rear	Coil Springs			•
Rear Rear	Coil Springs Polyair	61994	1	Can be used on standard and raised height suspensions.
Rear Rear Rear	Coil Springs Polyair Shock Absorbers	61994 36-5585	1 2	Can be used on standard and raised height suspensions.  EFS Elite - Comfort
Rear Rear Rear	Coil Springs Polyair Shock Absorbers	61994 36-5585	1 2	Can be used on standard and raised height suspensions.  EFS Elite - Comfort
Rear Rear Rear Rear Atd - 30mm Lift	Coil Springs Polyair Shock Absorbers Shock Absorbers	61994 36-5585 36-5585S	1 2 2	Can be used on standard and raised height suspensions.  EFS Elite - Comfort  EFS Elite - Firm

File created on 22.03.2007 Page 182 of 183

# SURF IFS - Coil Spring Rear - 130 Chassis.

40	T	• 64
40mm		att.
4vmm		/II L

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5538	2	EFS Elite - Firm
Front	Shock Absorbers	36-5538S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2088	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Steering Damper	SD4033	1	
Front	Torsion Bar	TB-1646A	1 PR	26mm OD - 1063mm Long
Rear	Coil Springs	THX-101E	1 PR	Constant 100 kg to GVM, 165 lbs/inch
Rear	Coil Springs	THX-101HDE	1 PR	Constant 175 kg to GVM, 240 lbs/inch
Rear	Polyair	15690	1	For use on Standard height suspension only
Rear	Polyair	15790	1	For use on Raised height suspension only
Rear	Shock Absorbers	36-5563	2	EFS Elite - Firm
Rear	Shock Absorbers	36-5563S	2	EFS Elite - Comfort

#### Std - 30mm Lift

SUSPENSION	PART TYPE	PART	QTY	NOTES
Front	Shock Absorbers	36-5538	2	EFS Elite - Firm
Front	Shock Absorbers	36-5538S	2	EFS Elite - Comfort
Front	Shock Absorbers	GP2088	2	EFS Enforcer
Front	Shock Boots	10-1001	2	OPTIONAL - Can be installed to front shock
Front	Steering Damper	SD4033	1	
Rear	Shock Absorbers	36-5563	2	EFS Elite - Firm
Rear	Shock Absorbers	36-5563S	2	EFS Elite - Comfort

File created on 22.03.2007 Page 183 of 183