

MATERIAL SAFETY DATA SHEET

Page 1 of 3

PRODUCT NAME: XTP2 Grease
REVISION DATE: 26th August 2016**Hazardous Statement:****NOT classified as Hazardous according to Worksafe Australia criteria.****Manufacturer: Veloil****Contact Details:** TRANZMILE
855 Boundary Rd
Coopers Plains
Brisbane Qld 4108Phone: 07 33 444 156
FAX: 07 33 455 195
Emergency: 0419 167 179**Manufacturer Code:** XTP2
Poisons Schedule: Not Scheduled
UN Code: None allocated
Hazchem Code: N/A**PHYSICAL PROPERTIES / DESCRIPTION:**Appearance : Smooth, purple Grease
Boiling point : Melting Point > 260C
Specific gravity : Approximately 0.90
Flash point : None
Solubility in water : <0.1g/l**HAZARDOUS INGREDIENTS:**

No hazardous ingredients

CHEMICAL INGREDIENTS:	CAS NO.	PROPORTION
Highly refined mineral oils	64742-65-0	10 – 30%
Heavy, solvent refined paraffinic mineral oil	64742-62-7	30 – 60%
EP Additives	On AICS	< 10%
Lithium Complex Soap with 12 Hydroxy Stearic	4485-12-5	10 – 30%
Other Proprietary additives	Included on AICS	< 10%

HEALTH HAZARD INFORMATION:**Health Effects****ACUTE:**

- Swallowed:** If swallowed and person is conscious give water or milk. Ingestion or subsequent vomiting may result in its aspiration, which could cause pneumonitis.
- Eye :** May cause some eye irritation.
- Skin :** Prolonged or frequent contact may cause irritation or skin cracking.
- Inhaled :** Not normally a problem due to nature of product.

FIRST AID:

- Swallowed :** Do not induce vomiting. Aspiration of this fluid can cause serious lung injury pneumonitis. If necessary seek medical advice.
- Eye :** Immediately rinse eyes thoroughly, including under the eyelids, with running water for at least 15 minutes.
- Skin :** Wash skin thoroughly with soap and water.
- Inhaled :** Should not normally cause irritation. Remove to open space or fresh air. If respiratory irritation occurs, move patient to fresh air. If irritation continues, call a doctor.

ADVICE TO DOCTOR:

This product may present as an aspiration hazard. If spontaneous vomiting has occurred after ingestion, the patient should be monitored for difficult breathing, as adverse effects of aspiration into the lungs may be delayed for up to 48 hours.

PRECAUTIONS FOR USE:

- Exposure Limits:** Not applicable due to nature of product.
- Ventilation:** Not applicable due to nature of product.
- Personal Protection:** Not generally required. Avoid prolonged or frequently repeated contact. Preferred to use safety glasses and neoprene or nitrile rubber gloves for frequent contact.
- Flammability:** Product is not classified as flammable, but is combustible.

SAFE HANDLING INFORMATION:

Storage and Transport: Store in steel or HDPE plastic drums. Store away from strong oxidizing agents.

Spills and Disposal: Product is easily contained. May be slippery. Dispose in approved disposal containers.

Fire / Explosion Hazard: Not a fire hazard. Auto ignition temperature is in excess of 450°C. Should fire occur, however, use dry chemical, foam and carbon dioxide to extinguish.

CONTACT POINT:

TRANZMILE
855 Boundary Rd
Coopers Plains
Brisbane Qld 4108

Phone: 07 33 444 156

Fax: 07 33 455 195

Emergency: 0419 167 179

DATE OF ISSUE: 26th August 2016 .

***** End of MSDS *****